



TARIFF: EXPEDITED GROUND (EG)/ TARIF: SERVICE ROUTIER ACCÉLÉRÉ

**Commerce Solutions/
Solutions de Commerce**

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
AB01	AB01	100.79	0.36	0.28	0.24	0.22
AB01	AB02	95.46	0.46	0.39	0.37	0.34
AB01	AB03	107.63	0.93	0.92	0.9	0.89
AB01	AB04	121.41	1.2	1.15	1.13	1.1
AB01	AB05	186.52	1.68	1.67	1.66	1.65
AB01	AB06	305.98	5.59	5.55	5.52	5.51
AB01	BC01	92.32	0.52	0.41	0.39	0.37
AB01	BC02	92.32	0.53	0.5	0.47	0.43
AB01	BC03	92.32	0.58	0.55	0.52	0.49
AB01	BC04	124.14	1.04	1.01	0.95	0.93
AB01	BC05	129.96	1.07	1.03	0.98	0.94
AB01	BC06	141.18	1.32	1.27	1.22	1.2
AB01	BC07	189.33	1.96	1.95	1.94	1.91
AB01	BC08	305.98	5.67	5.64	5.63	5.62
AB01	MB01	84.23	0.43	0.4	0.37	0.34
AB01	MB02	97.84	1.14	1.13	1.12	1.1
AB01	MB03	112.94	1.38	1.37	1.36	1.34
AB01	MB04	433.14	11.1	11.09	11.08	11.07
AB01	NB01	76.52	0.88	0.84	0.82	0.77
AB01	NB02	78.94	0.94	0.92	0.89	0.87
AB01	NB03	84.2	1.01	0.95	0.93	0.9
AB01	NB04	101.57	1.96	1.89	1.87	1.78
AB01	NB05	104.36	1.8	1.75	1.74	1.73
AB01	NB06	112.14	1.7	1.66	1.63	1.59
AB01	NL01	98.36	2.72	2.69	2.68	2.67
AB01	NL02	117.5	3.12	3.1	3.09	3.07
AB01	NL03	135.67	2.86	2.83	2.81	2.8
AB01	NL04	102	2.9	2.89	2.88	2.86
AB01	NL05	100.32	2.84	2.8	2.79	2.77
AB01	NL06	111.77	2.68	2.67	2.65	2.64
AB01	NL07	93.16	1.37	1.33	1.29	1.23
AB01	NL08	131.98	2.74	2.72	2.68	2.65
AB01	NL09	310.18	6.5	6.4	6.39	6.38
AB01	NS01	79.72	1.03	0.97	0.94	0.92
AB01	NS02	79.72	0.95	0.93	0.9	0.88
AB01	NS03	97.81	2.04	2.01	2	1.98
AB01	NS04	81.27	0.97	0.94	0.92	0.89
AB01	NS05	99.85	1.58	1.54	1.5	1.48
AB01	NT01	659.47	15.51	15.5	15.48	15.46
AB01	NT02	779.64	27.67	27.59	27.58	27.57
AB01	NU01	779.64	27.67	27.59	27.58	27.57
AB01	ON01	87.84	0.68	0.65	0.61	0.59
AB01	ON02	82.64	0.68	0.61	0.59	0.56
AB01	ON03	88.93	0.76	0.69	0.65	0.62
AB01	ON04	86.76	0.77	0.68	0.65	0.62
AB01	ON05	92.33	0.98	0.85	0.82	0.77
AB01	ON06	100.61	1.87	1.86	1.84	1.83

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
AB01	ON07	99.33	1.56	1.55	1.54	1.52
AB01	ON08	103.24	1.16	1.14	1.12	1.09
AB01	ON09	113.19	1.49	1.45	1.42	1.4
AB01	ON10	220.76	5.03	5.02	5	4.98
AB01	PE01	85.43	1.04	1.01	0.97	0.93
AB01	QC01	92.65	0.85	0.76	0.73	0.68
AB01	QC02	87.13	0.8	0.7	0.68	0.65
AB01	QC03	99.33	0.87	0.83	0.78	0.76
AB01	QC04	93.33	1.52	1.44	1.42	1.41
AB01	QC05	132.18	1.56	1.52	1.49	1.46
AB01	QC06	122.35	1.68	1.66	1.63	1.59
AB01	QC07	315.76	6.63	6.58	6.57	6.54
AB01	SK01	93.94	0.52	0.46	0.41	0.39
AB01	SK02	89.55	0.43	0.4	0.38	0.36
AB01	SK03	112.38	0.95	0.93	0.9	0.88
AB01	SK04	124.53	1.91	1.9	1.89	1.87
AB01	YT01	659.47	15.51	15.5	15.48	15.46
AB02	AB01	91.38	0.44	0.43	0.41	0.41
AB02	AB02	85.01	0.4	0.25	0.23	0.21
AB02	AB03	99.97	0.94	0.93	0.92	0.9
AB02	AB04	128.12	1.23	1.21	1.16	1.14
AB02	AB05	190.72	1.91	1.9	1.89	1.87
AB02	AB06	304.58	5.35	5.33	5.32	5.3
AB02	BC01	117.09	0.84	0.77	0.74	0.73
AB02	BC02	129.65	1.06	1.01	0.98	0.97
AB02	BC03	86.95	0.66	0.6	0.58	0.55
AB02	BC04	104.93	1.38	1.37	1.36	1.34
AB02	BC05	107.7	1.38	1.37	1.36	1.34
AB02	BC06	142.23	1.94	1.91	1.9	1.89
AB02	BC07	193.51	2.21	2.2	2.19	2.17
AB02	BC08	311.58	5.91	5.9	5.89	5.88
AB02	MB01	77.94	0.55	0.46	0.43	0.4
AB02	MB02	95.15	1.42	1.41	1.4	1.38
AB02	MB03	107.15	1.14	1.1	1.08	1.04
AB02	MB04	437.31	11.36	11.35	11.34	11.33
AB02	NB01	101.44	2.07	2.01	2	1.98
AB02	NB02	110.93	2.25	2.17	2.12	2.1
AB02	NB03	113.86	2.21	2.13	2.09	2.08
AB02	NB04	76.04	1.08	1.03	0.98	0.95
AB02	NB05	78.43	0.95	0.92	0.89	0.87
AB02	NB06	92.14	1.54	1.5	1.48	1.45
AB02	NL01	76.52	1.42	1.4	1.37	1.33
AB02	NL02	122.26	3.41	3.39	3.38	3.37
AB02	NL03	140.42	3.12	3.1	3.09	3.07
AB02	NL04	106.75	3.19	3.18	3.17	3.16
AB02	NL05	105.06	3.12	3.07	3.06	3.05
AB02	NL06	116.38	2.98	2.95	2.93	2.92

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
AB02	NL07	85.84	1.33	1.29	1.23	1.21
AB02	NL08	163.73	3.94	3.92	3.91	3.89
AB02	NL09	314.39	6.79	6.78	6.77	6.76
AB02	NS01	74.19	1.12	1.09	1.07	1.03
AB02	NS02	88.02	2.34	2.33	2.32	2.3
AB02	NS03	84.59	1.33	1.29	1.26	1.22
AB02	NS04	85.47	1.21	1.16	1.14	1.1
AB02	NS05	93.71	1.68	1.64	1.61	1.58
AB02	NT01	659.47	15.37	15.36	15.34	15.33
AB02	NT02	781.03	27.53	27.51	27.5	27.49
AB02	NU01	781.03	27.53	27.51	27.5	27.49
AB02	ON01	96.69	1.56	1.48	1.4	1.38
AB02	ON02	85.41	0.89	0.76	0.73	0.69
AB02	ON03	104.51	1.66	1.61	1.54	1.52
AB02	ON04	81.36	0.89	0.8	0.73	0.69
AB02	ON05	81.36	1.07	0.89	0.87	0.84
AB02	ON06	105.49	2.16	2.13	2.12	2.1
AB02	ON07	104.09	1.83	1.8	1.79	1.78
AB02	ON08	97.49	1.29	1.23	1.21	1.19
AB02	ON09	107.41	1.61	1.58	1.55	1.52
AB02	ON10	179.85	3.6	3.56	3.54	3.47
AB02	PE01	72.85	1.07	1.03	0.98	0.95
AB02	QC01	106.87	1.84	1.75	1.65	1.64
AB02	QC02	159.28	1.83	1.75	1.74	1.73
AB02	QC03	109.27	2.07	1.97	1.96	1.95
AB02	QC04	97.94	1.78	1.73	1.67	1.66
AB02	QC05	99.04	1.37	1.33	1.29	1.23
AB02	QC06	128.54	2.85	2.84	2.83	2.81
AB02	QC07	321.34	6.84	6.83	6.82	6.81
AB02	SK01	88.24	0.6	0.55	0.52	0.49
AB02	SK02	93.21	0.5	0.39	0.37	0.34
AB02	SK03	106.4	1.09	1.07	1.03	0.98
AB02	SK04	117.22	1.84	1.83	1.8	1.79
AB02	YT01	658.07	15.37	15.31	15.29	15.28
AB03	AB01	119.65	1.23	1.22	1.2	1.16
AB03	AB02	119.65	1.23	1.22	1.2	1.16
AB03	AB03	119.38	1.56	1.55	1.54	1.52
AB03	AB04	133.38	2.01	2	1.98	1.97
AB03	AB05	197.69	2.46	2.44	2.41	2.4
AB03	AB06	314.39	6.1	6.09	6.07	6.06
AB03	BC01	123.93	1.34	1.29	1.2	1.19
AB03	BC02	136.23	1.56	1.49	1.48	1.46
AB03	BC03	119.65	1.33	1.32	1.3	1.29
AB03	BC04	122.78	1.86	1.84	1.83	1.8
AB03	BC05	125.65	1.86	1.84	1.83	1.8
AB03	BC06	153.25	2.4	2.39	2.38	2.35
AB03	BC07	200.5	2.73	2.72	2.69	2.68

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
AB03	BC08	317.17	6.43	6.41	6.4	6.39
AB03	MB01	121.49	1.3	1.29	1.27	1.26
AB03	MB02	121.49	1.89	1.87	1.86	1.84
AB03	MB03	124.99	2.17	2.16	2.13	2.12
AB03	MB04	444.29	11.95	11.8	11.79	11.77
AB03	NB01	125.19	2.52	2.5	2.49	2.48
AB03	NB02	125.19	2.72	2.69	2.63	2.62
AB03	NB03	125.19	2.69	2.68	2.55	2.54
AB03	NB04	125.19	2.69	2.68	2.63	2.62
AB03	NB05	125.19	2.55	2.54	2.49	2.48
AB03	NB06	125.19	2.68	2.67	2.57	2.55
AB03	NL01	127.02	3.44	3.43	3.42	3.41
AB03	NL02	127.02	1.87	1.84	1.79	1.77
AB03	NL03	146.97	3.62	3.61	3.6	3.59
AB03	NL04	127.02	3.64	3.63	3.62	3.61
AB03	NL05	127.02	3.59	3.57	3.56	3.55
AB03	NL06	127.02	3.44	3.43	3.42	3.41
AB03	NL07	127.02	3.66	3.65	3.64	3.63
AB03	NL08	170.47	4.45	4.44	4.42	4.39
AB03	NL09	268.78	4.96	4.9	4.88	4.84
AB03	NS01	125.19	2.64	2.63	2.62	2.61
AB03	NS02	136.16	1.56	1.55	1.5	1.48
AB03	NS03	125.19	2.79	2.77	2.76	2.74
AB03	NS04	125.19	1.48	1.44	1.41	1.38
AB03	NS05	125.19	2.85	2.81	2.74	2.73
AB03	NT01	667.86	16.05	16.04	16.03	16.02
AB03	NT02	788.03	28.21	28.2	28.19	28.18
AB03	NU01	788.03	28.21	28.2	28.19	28.18
AB03	ON01	123.34	2.01	2	1.89	1.87
AB03	ON02	123.34	1.27	1.23	1.21	1.19
AB03	ON03	123.34	2.13	2.12	2.04	2.02
AB03	ON04	140.86	1.45	1.42	1.38	1.36
AB03	ON05	123.34	2.2	2.19	2.17	2.16
AB03	ON06	123.34	2.62	2.61	2.58	2.57
AB03	ON07	123.34	2.3	2.29	2.28	2.27
AB03	ON08	123.34	1.59	1.58	1.55	1.52
AB03	ON09	131.9	3.1	3.09	3.07	3.06
AB03	ON10	231.66	5.84	5.82	5.81	5.8
AB03	PE01	125.19	2.63	2.62	2.61	2.58
AB03	QC01	123.34	1.27	1.23	1.21	1.19
AB03	QC02	166.26	2.33	2.27	2.21	2.2
AB03	QC03	123.34	2.53	2.52	2.44	2.41
AB03	QC04	123.34	2.21	2.2	2.19	2.17
AB03	QC05	123.34	2.81	2.8	2.79	2.77
AB03	QC06	134.82	3.37	3.36	3.35	3.34
AB03	QC07	328.33	7.41	7.4	7.39	7.38
AB03	SK01	119.65	1.22	1.21	1.19	1.16

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
AB03	SK02	119.65	1.22	1.21	1.19	1.15
AB03	SK03	124.72	1.42	1.4	1.37	1.33
AB03	SK04	136.6	2.48	2.47	2.46	2.44
AB03	YT01	669.27	16.05	16.04	16.03	16.02
AB04	AB01	143.59	1.87	1.84	1.79	1.77
AB04	AB02	143.59	1.87	1.84	1.79	1.77
AB04	AB03	143.59	1.97	1.96	1.96	1.95
AB04	AB04	143.91	2.38	2.35	2.34	2.33
AB04	AB05	217.13	3.03	3.02	3.01	2.99
AB04	AB06	331.13	6.46	6.45	6.43	6.41
AB04	BC01	145.41	1.89	1.86	1.83	1.78
AB04	BC02	156.48	2.17	2.13	2.08	2.07
AB04	BC03	145.41	1.89	1.87	1.86	1.86
AB04	BC04	145.41	2.4	2.39	2.38	2.38
AB04	BC05	145.41	1.89	1.86	1.83	1.78
AB04	BC06	169.06	3.02	3.01	2.99	2.98
AB04	BC07	221.03	3.34	3.3	3.28	3.25
AB04	BC08	338.13	7.02	7.01	7	6.98
AB04	MB01	145.41	1.89	1.87	1.86	1.84
AB04	MB02	145.41	2.44	2.41	2.41	2.41
AB04	MB03	145.41	2.76	2.74	2.73	2.72
AB04	MB04	463.86	12.57	12.56	12.55	12.54
AB04	NB01	163.86	2.98	2.97	2.97	2.97
AB04	NB02	163.86	3.2	3.19	3.18	3.17
AB04	NB03	163.86	3.19	3.18	3.17	3.16
AB04	NB04	163.86	3.18	3.17	3.16	3.15
AB04	NB05	163.86	3.03	3.02	3.01	2.99
AB04	NB06	163.86	3.18	3.17	3.16	3.15
AB04	NL01	165.68	3.91	3.89	3.88	3.87
AB04	NL02	165.68	4.39	4.38	4.36	4.35
AB04	NL03	167.26	4.24	4.23	4.21	4.2
AB04	NL04	165.68	4.11	4.1	4.08	4.07
AB04	NL05	165.68	4.03	4.02	4.01	4
AB04	NL06	165.68	3.98	3.97	3.94	3.92
AB04	NL07	165.68	4.19	4.17	4.15	4.14
AB04	NL08	190.44	5.06	5.05	4.98	4.97
AB04	NL09	342.32	7.83	7.82	7.8	7.77
AB04	NS01	163.86	3.07	3.07	3.07	3.07
AB04	NS02	163.86	3.21	3.21	3.21	3.21
AB04	NS03	163.86	3.22	3.21	3.21	3.21
AB04	NS04	163.86	3.21	3.2	3.19	3.18
AB04	NS05	163.86	3.25	3.24	3.23	3.22
AB04	NT01	684.63	16.49	16.48	16.47	16.46
AB04	NT02	806.17	28.51	28.5	28.48	28.47
AB04	NU01	806.17	28.51	28.5	28.48	28.47
AB04	ON01	147.26	2.54	2.53	2.52	2.5
AB04	ON02	162.01	1.9	1.87	1.84	1.79

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
AB04	ON03	162.01	2.61	2.58	2.57	2.55
AB04	ON04	162.01	2.57	2.57	2.57	2.57
AB04	ON05	162.01	2.65	2.65	2.65	2.64
AB04	ON06	162.01	3.09	3.07	3.07	3.07
AB04	ON07	162.01	2.79	2.79	2.79	2.79
AB04	ON08	162.01	2.01	2.01	1.98	1.96
AB04	ON09	152.29	3.69	3.67	3.66	3.65
AB04	ON10	251.49	6.41	6.4	6.39	6.38
AB04	PE01	163.86	3.06	3.06	3.06	3.06
AB04	QC01	162.01	2.8	2.79	2.77	2.76
AB04	QC02	186.52	2.93	2.89	2.81	2.8
AB04	QC03	162.01	3.03	3.02	3.01	2.99
AB04	QC04	162.01	2.73	2.72	2.69	2.68
AB04	QC05	162.01	3.35	3.34	3.3	3.28
AB04	QC06	155.09	3.97	3.94	3.92	3.91
AB04	QC07	347.89	7.96	7.94	7.93	7.92
AB04	SK01	145.41	1.89	1.86	1.83	1.78
AB04	SK02	145.41	1.89	1.86	1.83	1.78
AB04	SK03	145.41	2.34	2.33	2.33	2.33
AB04	SK04	146.71	2.93	2.92	2.9	2.89
AB04	YT01	686.02	16.49	16.48	16.47	16.46
AB05	AB01	250.36	2.41	2.39	2.35	2.32
AB05	AB02	250.36	2.41	2.39	2.35	2.32
AB05	AB03	250.36	2.41	2.39	2.35	2.34
AB05	AB04	250.36	2.81	2.81	2.81	2.81
AB05	AB05	286.44	3.16	3.15	3.12	3.1
AB05	AB06	403.79	7.05	7.04	7.03	7.02
AB05	BC01	252.19	2.44	2.4	2.38	2.34
AB05	BC02	252.19	2.44	2.4	2.38	2.34
AB05	BC03	252.19	2.44	2.4	2.38	2.34
AB05	BC04	252.19	2.44	2.41	2.41	2.41
AB05	BC05	252.19	2.44	2.41	2.41	2.41
AB05	BC06	252.19	3.06	3.05	3.03	3.02
AB05	BC07	287.82	3.42	3.41	3.4	3.39
AB05	BC08	405.19	7.12	7.11	7.08	7.07
AB05	MB01	252.19	2.44	2.4	2.38	2.34
AB05	MB02	252.19	2.44	2.44	2.44	2.44
AB05	MB03	252.19	2.64	2.64	2.64	2.64
AB05	MB04	530.94	12.57	12.56	12.55	12.54
AB05	NB01	255.86	3.1	3.09	3.07	3.06
AB05	NB02	255.86	3.17	3.17	3.17	3.17
AB05	NB03	255.86	3.16	3.16	3.16	3.15
AB05	NB04	255.86	3.15	3.15	3.15	3.15
AB05	NB05	255.86	3.01	3.01	3.01	3.01
AB05	NB06	255.86	3.15	3.15	3.15	3.15
AB05	NL01	257.72	3.85	3.85	3.85	3.85
AB05	NL02	257.72	4.35	4.34	4.34	4.34

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
AB05	NL03	257.72	4.2	4.19	4.17	4.15
AB05	NL04	257.72	4.06	4.06	4.06	4.06
AB05	NL05	257.72	3.99	3.99	3.99	3.99
AB05	NL06	257.72	3.91	3.91	3.91	3.91
AB05	NL07	257.72	4.14	4.11	4.11	4.11
AB05	NL08	257.72	5.13	5.11	5.1	5.09
AB05	NL09	409.38	7.96	7.94	7.93	7.92
AB05	NS01	255.86	3.22	3.21	3.2	3.19
AB05	NS02	255.86	3.38	3.37	3.36	3.35
AB05	NS03	255.86	3.37	3.36	3.35	3.34
AB05	NS04	255.86	3.17	3.17	3.17	3.17
AB05	NS05	255.86	3.42	3.41	3.4	3.39
AB05	NT01	758.68	17.06	17.04	17.03	17
AB05	NT02	881.63	29.2	29.19	29.16	29.15
AB05	NU01	881.63	29.2	29.19	29.16	29.15
AB05	ON01	254.03	2.61	2.58	2.57	2.55
AB05	ON02	254.03	2.61	2.58	2.57	2.55
AB05	ON03	254.03	2.73	2.72	2.69	2.68
AB05	ON04	254.03	2.65	2.64	2.63	2.63
AB05	ON05	254.03	2.8	2.79	2.77	2.76
AB05	ON06	254.03	3.06	3.06	3.06	3.06
AB05	ON07	254.03	2.89	2.88	2.86	2.86
AB05	ON08	254.03	3.22	3.22	3.22	3.22
AB05	ON09	254.03	3.62	3.61	3.61	3.61
AB05	ON10	319.95	6.5	6.48	6.47	6.46
AB05	PE01	255.86	3.21	3.2	3.19	3.18
AB05	QC01	254.03	2.9	2.89	2.88	2.86
AB05	QC02	254.03	3.02	2.98	2.97	2.95
AB05	QC03	254.03	3.02	3.01	3.01	3.01
AB05	QC04	254.03	2.85	2.84	2.83	2.81
AB05	QC05	254.03	3.28	3.28	3.28	3.28
AB05	QC06	254.03	3.89	3.88	3.87	3.85
AB05	QC07	414.96	8.1	8.09	8.07	8.06
AB05	SK01	252.19	2.44	2.4	2.38	2.34
AB05	SK02	252.19	2.44	2.4	2.38	2.34
AB05	SK03	252.19	2.44	2.41	2.4	2.4
AB05	SK04	252.19	3.21	3.21	3.21	3.21
AB05	YT01	757.28	17.06	17.04	17.03	17
AB06	AB01	417.85	7.86	7.82	7.76	7.73
AB06	AB02	417.85	7.86	7.82	7.76	7.73
AB06	AB03	417.85	7.86	7.82	7.76	7.73
AB06	AB04	417.85	7.86	7.82	7.76	7.73
AB06	AB05	417.85	7.86	7.82	7.76	7.73
AB06	AB06	518.36	10.51	10.48	10.47	10.46
AB06	BC01	419.7	7.87	7.86	7.83	7.77
AB06	BC02	419.7	7.87	7.86	7.83	7.77
AB06	BC03	419.7	7.87	7.86	7.83	7.77

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
AB06	BC04	419.7	7.87	7.86	7.83	7.77
AB06	BC05	419.7	7.87	7.86	7.83	7.77
AB06	BC06	419.7	7.87	7.86	7.83	7.77
AB06	BC07	419.7	7.87	6.84	6.84	6.84
AB06	BC08	525.34	11.1	11.09	11.08	11.07
AB06	MB01	419.7	7.87	7.86	7.83	7.77
AB06	MB02	419.7	7.87	7.86	7.83	7.77
AB06	MB03	419.7	7.87	7.86	7.83	7.77
AB06	MB04	652.48	16.63	16.62	16.59	16.57
AB06	NB01	423.4	7.9	7.88	7.86	7.83
AB06	NB02	423.4	7.9	7.88	7.86	7.83
AB06	NB03	423.4	7.9	7.88	7.86	7.83
AB06	NB04	423.4	7.9	7.88	7.86	7.83
AB06	NB05	423.4	7.9	7.88	7.86	7.83
AB06	NB06	423.4	7.9	7.88	7.86	7.83
AB06	NL01	425.22	7.91	7.91	7.9	7.88
AB06	NL02	425.22	8.1	8.09	8.09	8.09
AB06	NL03	425.22	7.91	7.91	7.9	7.88
AB06	NL04	425.22	7.91	7.91	7.91	7.91
AB06	NL05	425.22	7.91	7.91	7.91	7.9
AB06	NL06	425.22	7.91	7.91	7.9	7.88
AB06	NL07	425.22	7.91	7.91	7.91	7.91
AB06	NL08	425.22	8.87	8.86	8.83	8.82
AB06	NL09	529.54	11.89	11.87	11.86	11.84
AB06	NS01	423.4	7.9	7.88	7.86	7.83
AB06	NS02	423.4	7.9	7.88	7.86	7.83
AB06	NS03	423.4	7.9	7.88	7.86	7.83
AB06	NS04	423.4	7.9	7.88	7.86	7.83
AB06	NS05	423.4	7.9	7.88	7.86	7.83
AB06	NT01	873.24	20.53	20.52	20.51	20.5
AB06	NT02	994.81	32.69	32.68	32.67	32.66
AB06	NU01	994.81	32.69	32.68	32.67	32.66
AB06	ON01	421.53	7.88	7.87	7.84	7.82
AB06	ON02	421.53	7.88	7.87	7.84	7.82
AB06	ON03	421.53	7.88	7.87	7.84	7.82
AB06	ON04	421.53	7.88	7.87	7.84	7.82
AB06	ON05	421.53	7.88	7.87	7.84	7.82
AB06	ON06	421.53	7.88	7.87	7.84	7.82
AB06	ON07	421.53	7.88	7.87	7.84	7.82
AB06	ON08	421.53	7.88	7.87	7.84	7.82
AB06	ON09	421.53	7.88	7.87	7.84	7.82
AB06	ON10	438.71	10.47	10.46	10.45	10.44
AB06	PE01	423.4	7.9	7.88	7.86	7.83
AB06	QC01	421.53	7.88	7.87	7.84	7.82
AB06	QC02	421.53	7.88	7.87	7.84	7.82
AB06	QC03	421.53	7.88	7.87	7.84	7.82
AB06	QC04	421.53	7.88	7.87	7.84	7.82

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
AB06	QC05	421.53	7.88	7.87	7.84	7.82
AB06	QC06	421.53	7.88	7.88	7.87	7.86
AB06	QC07	536.53	12.01	12	11.99	11.97
AB06	SK01	419.7	7.87	7.86	7.83	7.77
AB06	SK02	419.7	7.87	7.86	7.83	7.77
AB06	SK03	419.7	7.87	7.86	7.83	7.77
AB06	SK04	419.7	7.87	7.86	7.83	7.77
AB06	YT01	873.24	20.53	20.52	20.51	20.5
BC01	AB01	92.32	0.52	0.41	0.39	0.37
BC01	AB02	88.28	0.55	0.41	0.39	0.37
BC01	AB03	108.41	0.93	0.9	0.88	0.85
BC01	AB04	142.52	1.84	1.77	1.76	1.75
BC01	AB05	176	1.56	1.52	1.49	1.46
BC01	AB06	329.74	5.94	5.88	5.86	5.84
BC01	BC01	90.32	0.4	0.32	0.28	0.25
BC01	BC02	97.63	0.44	0.37	0.34	0.3
BC01	BC03	119.33	0.61	0.56	0.5	0.49
BC01	BC04	115.97	0.92	0.87	0.82	0.8
BC01	BC05	112.95	0.87	0.77	0.73	0.69
BC01	BC06	139.35	1.21	1.16	1.14	1.12
BC01	BC07	208.89	1.75	1.68	1.64	1.63
BC01	BC08	325.55	5.46	5.45	5.38	5.37
BC01	MB01	81.89	0.68	0.62	0.6	0.58
BC01	MB02	99.97	1.2	1.15	1.13	1.1
BC01	MB03	136.23	1.75	1.68	1.64	1.63
BC01	MB04	458.28	11.46	11.45	11.44	11.43
BC01	NB01	118.07	1.78	1.67	1.64	1.63
BC01	NB02	79.72	1.14	1.1	1.08	1.04
BC01	NB03	80.07	1.12	1.08	1.04	1.01
BC01	NB04	83.15	1.19	1.14	1.12	1.09
BC01	NB05	84.7	1.07	1.03	0.98	0.95
BC01	NB06	128.95	1.91	1.8	1.7	1.68
BC01	NL01	82.74	1.52	1.49	1.46	1.44
BC01	NL02	138.6	3.12	3.06	3.01	2.99
BC01	NL03	157.18	2.85	2.8	2.73	2.72
BC01	NL04	123.51	2.9	2.84	2.83	2.81
BC01	NL05	121.84	2.84	2.73	2.68	2.67
BC01	NL06	133.17	2.69	2.63	2.62	2.61
BC01	NL07	94.02	1.56	1.54	1.5	1.48
BC01	NL08	133.2	2.98	2.95	2.92	2.89
BC01	NL09	258.82	4.77	4.74	4.71	4.68
BC01	NS01	80.51	1.21	1.16	1.14	1.12
BC01	NS02	80.51	1.15	1.12	1.09	1.07
BC01	NS03	82.64	1.27	1.22	1.2	1.16
BC01	NS04	82.64	1.16	1.14	1.12	1.09
BC01	NS05	101.07	1.79	1.75	1.73	1.68
BC01	NT01	683.21	16.05	15.78	15.77	15.76

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
BC01	NT02	806.17	27.95	27.94	27.93	27.92
BC01	NU01	806.17	27.95	27.94	27.93	27.92
BC01	ON01	81.46	0.85	0.77	0.7	0.68
BC01	ON02	81.89	0.89	0.77	0.7	0.68
BC01	ON03	83.45	0.93	0.84	0.82	0.77
BC01	ON04	87.57	0.95	0.89	0.87	0.84
BC01	ON05	87.57	1.14	0.97	0.94	0.92
BC01	ON06	87.57	1.01	0.93	0.9	0.88
BC01	ON07	98.66	1.15	1.12	1.09	1.07
BC01	ON08	103.62	1.4	1.36	1.32	1.27
BC01	ON09	114.24	1.7	1.67	1.64	1.61
BC01	ON10	241.73	5.05	5	4.98	4.97
BC01	PE01	81.14	1.19	1.13	1.1	1.07
BC01	QC01	123.66	1.56	1.4	1.27	1.26
BC01	QC02	176.05	1.56	1.41	1.33	1.32
BC01	QC03	99.15	1.09	1.04	1.01	0.97
BC01	QC04	114.57	1.52	1.4	1.26	1.23
BC01	QC05	105.38	1.45	1.42	1.4	1.37
BC01	QC06	145.02	2.58	2.52	2.5	2.49
BC01	QC07	338.13	6.63	6.5	6.48	6.47
BC01	SK01	95.68	0.7	0.64	0.61	0.59
BC01	SK02	90.75	0.62	0.56	0.53	0.5
BC01	SK03	114.4	1.22	1.2	1.16	1.14
BC01	SK04	126	1.7	1.67	1.64	1.61
BC01	YT01	684.63	16.05	15.73	15.72	15.7
BC02	AB01	99.63	0.59	0.56	0.53	0.49
BC02	AB02	127.84	0.92	0.88	0.85	0.84
BC02	AB03	135.39	1.5	1.46	1.45	1.44
BC02	AB04	155.09	2.02	1.98	1.97	1.96
BC02	AB05	224.93	2.28	2.26	2.25	2.22
BC02	AB06	342.32	6.07	6.06	6.05	6.04
BC02	BC01	86.03	0.39	0.32	0.28	0.25
BC02	BC02	150.9	0.26	0.22	0.21	0.19
BC02	BC03	91.04	0.5	0.46	0.43	0.39
BC02	BC04	127.14	1.08	1.06	1.01	0.98
BC02	BC05	131.34	1.08	1.06	1.01	0.98
BC02	BC06	169.06	1.61	1.56	1.55	1.54
BC02	BC07	220.06	1.9	1.87	1.86	1.84
BC02	BC08	336.74	5.62	5.61	5.59	5.58
BC02	MB01	117.79	1.13	1.06	0.97	0.95
BC02	MB02	127.84	1.68	1.66	1.65	1.64
BC02	MB03	148.1	1.94	1.9	1.89	1.87
BC02	MB04	469.45	11.67	11.66	11.65	11.64
BC02	NB01	130.64	1.97	1.9	1.84	1.83
BC02	NB02	139.71	2.13	2.07	1.96	1.95
BC02	NB03	142.52	2.12	2.02	1.91	1.9
BC02	NB04	135.23	2.13	2.07	1.96	1.95

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
BC02	NB05	138.33	2	1.9	1.84	1.83
BC02	NB06	141.11	2.1	2	1.95	1.94
BC02	NL01	132.04	2.9	2.85	2.8	2.79
BC02	NL02	150.9	3.3	3.25	3.21	3.2
BC02	NL03	169.75	3.03	3.01	2.95	2.93
BC02	NL04	135.81	3.09	3.06	3.05	3.03
BC02	NL05	134.12	3.02	2.97	2.89	2.88
BC02	NL06	145.33	2.88	2.85	2.8	2.79
BC02	NL07	148.1	3.09	3.06	3.01	2.99
BC02	NL08	192.8	3.85	3.79	3.78	3.77
BC02	NL09	343.69	6.63	6.62	6.61	6.6
BC02	NS01	77.82	1.22	1.2	1.16	1.14
BC02	NS02	117.09	2.27	2.21	2.16	2.13
BC02	NS03	131.34	2.22	2.17	2.09	2.08
BC02	NS04	132.04	2.19	2.09	2.02	2.01
BC02	NS05	117.64	2.33	2.2	2.07	2.05
BC02	NT01	695.81	16.05	16.04	16.03	16.02
BC02	NT02	817.36	28.21	28.2	28.19	28.18
BC02	NU01	817.36	28.21	28.2	28.19	28.18
BC02	ON01	78.49	0.88	0.84	0.82	0.77
BC02	ON02	78.94	0.9	0.85	0.83	0.8
BC02	ON03	133.17	1.58	1.46	1.4	1.38
BC02	ON04	126.59	1.5	1.48	1.46	1.45
BC02	ON05	128.27	1.65	1.56	1.49	1.48
BC02	ON06	134.12	2.05	2.02	2.01	2
BC02	ON07	133.17	1.75	1.73	1.7	1.68
BC02	ON08	98.66	1.42	1.4	1.37	1.33
BC02	ON09	154.38	2.52	2.49	2.48	2.47
BC02	ON10	253.59	5.21	5.2	5.19	5.18
BC02	PE01	121.27	2.09	2.02	1.96	1.95
BC02	QC01	84.2	1.01	0.95	0.93	0.9
BC02	QC02	187.93	1.75	1.65	1.54	1.52
BC02	QC03	138.33	1.97	1.86	1.77	1.76
BC02	QC04	127.14	1.7	1.61	1.49	1.48
BC02	QC05	139.71	2.27	2.21	2.2	2.19
BC02	QC06	157.6	2.77	2.74	2.73	2.72
BC02	QC07	350.69	6.79	6.78	6.77	6.76
BC02	SK01	118.77	1.12	1.07	1.01	0.98
BC02	SK02	120.15	1.09	1.06	0.97	0.95
BC02	SK03	128.54	1.73	1.68	1.67	1.66
BC02	SK04	154.8	2.53	2.5	2.49	2.48
BC02	YT01	695.81	16.05	16.04	16.03	16.02
BC03	AB01	86.89	0.37	0.32	0.28	0.25
BC03	AB02	100.88	0.74	0.73	0.7	0.69
BC03	AB03	107.86	1.26	1.23	1.22	1.21
BC03	AB04	127.98	1.84	1.83	1.8	1.79
BC03	AB05	195.61	1.97	1.96	1.95	1.94

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
BC03	AB06	315.76	5.94	5.92	5.91	5.9
BC03	BC01	119.44	0.64	0.58	0.53	0.52
BC03	BC02	132.04	0.85	0.82	0.78	0.77
BC03	BC03	102	0.41	0.4	0.39	0.39
BC03	BC04	105.04	1.19	1.16	1.15	1.14
BC03	BC05	107.77	1.19	1.16	1.15	1.14
BC03	BC06	144.61	1.73	1.7	1.68	1.67
BC03	BC07	196.31	2.01	2	1.98	1.97
BC03	BC08	312.98	5.72	5.71	5.7	5.69
BC03	MB01	76.17	0.5	0.46	0.41	0.39
BC03	MB02	100.61	1.48	1.46	1.45	1.44
BC03	MB03	121.27	1.73	1.7	1.68	1.67
BC03	MB04	442.91	11.46	11.45	11.44	11.43
BC03	NB01	106.87	2.1	2.09	2.04	2.02
BC03	NB02	115.97	2.28	2.25	2.19	2.17
BC03	NB03	119.18	2.27	2.2	2.13	2.12
BC03	NB04	111.77	2.28	2.25	2.19	2.17
BC03	NB05	114.57	2.13	2.09	2.04	2.02
BC03	NB06	117.37	2.26	2.19	2.17	2.16
BC03	NL01	108.29	3.05	3.03	3.02	3.01
BC03	NL02	127.14	3.44	3.43	3.42	3.41
BC03	NL03	146	3.18	3.17	3.16	3.15
BC03	NL04	112.06	3.22	3.21	3.2	3.19
BC03	NL05	110.38	3.17	3.16	3.09	3.07
BC03	NL06	121.98	3.02	3.01	2.99	2.98
BC03	NL07	124.35	3.22	3.21	3.2	3.19
BC03	NL08	169.06	4	3.99	3.98	3.97
BC03	NL09	319.95	6.79	6.78	6.77	6.76
BC03	NS01	75.85	1.1	1.08	1.04	1.01
BC03	NS02	93.19	2.4	2.39	2.38	2.35
BC03	NS03	78.66	1.19	1.15	1.12	1.09
BC03	NS04	108.29	2.32	2.28	2.27	2.26
BC03	NS05	96.2	2.47	2.38	2.27	2.26
BC03	NT01	669.27	16.05	15.85	15.84	15.83
BC03	NT02	790.81	27.95	27.94	27.93	27.92
BC03	NU01	790.81	27.95	27.94	27.93	27.92
BC03	ON01	84.58	0.77	0.74	0.7	0.66
BC03	ON02	100.03	1.63	1.54	1.46	1.45
BC03	ON03	109.69	1.73	1.65	1.64	1.63
BC03	ON04	103.24	1.65	1.64	1.63	1.61
BC03	ON05	104.8	1.78	1.76	1.68	1.67
BC03	ON06	82.98	0.89	0.85	0.83	0.8
BC03	ON07	109.69	1.89	1.87	1.86	1.84
BC03	ON08	98.96	1.27	1.22	1.2	1.16
BC03	ON09	130.64	2.65	2.64	2.63	2.62
BC03	ON10	230.53	5.36	5.35	5.33	5.32
BC03	PE01	97.51	2.26	2.2	2.13	2.12

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
BC03	QC01	82.91	0.89	0.82	0.77	0.7
BC03	QC02	164.85	1.89	1.83	1.75	1.74
BC03	QC03	114.57	2.12	2.05	1.98	1.97
BC03	QC04	103.4	1.84	1.78	1.73	1.7
BC03	QC05	116.25	2.4	2.39	2.38	2.35
BC03	QC06	133.43	2.9	2.89	2.88	2.86
BC03	QC07	326.95	6.9	6.89	6.88	6.86
BC03	SK01	90.09	0.82	0.8	0.78	0.77
BC03	SK02	92.49	0.83	0.82	0.8	0.78
BC03	SK03	108.41	1.08	1.04	1.01	0.97
BC03	SK04	126.86	2.26	2.25	2.22	2.21
BC03	YT01	669.27	16.05	15.85	15.84	15.83
BC04	AB01	127.95	1.27	1.26	1.22	1.2
BC04	AB02	127.95	1.27	1.26	1.23	1.22
BC04	AB03	127.95	1.76	1.76	1.76	1.76
BC04	AB04	139.65	2.32	2.3	2.29	2.28
BC04	AB05	197.06	2.64	2.63	2.62	2.61
BC04	AB06	314.39	6.45	6.43	6.41	6.4
BC04	BC01	122.09	0.94	0.85	0.82	0.77
BC04	BC02	127.44	1.29	1.27	1.23	1.21
BC04	BC03	127.44	1.29	1.27	1.23	1.21
BC04	BC04	126.79	1.4	1.38	1.37	1.36
BC04	BC05	129.79	1.41	1.4	1.4	1.4
BC04	BC06	158.89	1.91	1.9	1.9	1.9
BC04	BC07	198.68	2.27	2.26	2.25	2.22
BC04	BC08	310.18	6.02	6	5.97	5.96
BC04	MB01	128.9	1.41	1.4	1.38	1.37
BC04	MB02	128.9	1.91	1.91	1.91	1.91
BC04	MB03	132.84	2.25	2.22	2.21	2.2
BC04	MB04	441.51	12.01	12	11.99	11.97
BC04	NB01	131.33	2.19	2.19	2.19	2.17
BC04	NB02	131.33	2.4	2.39	2.38	2.35
BC04	NB03	131.33	2.4	2.39	2.38	2.35
BC04	NB04	131.33	2.38	2.35	2.34	2.33
BC04	NB05	131.33	2.26	2.25	2.22	2.21
BC04	NB06	131.33	2.38	2.35	2.34	2.33
BC04	NL01	133.23	3.12	3.1	3.09	3.07
BC04	NL02	133.23	3.61	3.6	3.59	3.57
BC04	NL03	140.85	3.41	3.4	3.39	3.38
BC04	NL04	133.23	3.35	3.34	3.3	3.28
BC04	NL05	133.23	3.23	3.22	3.21	3.2
BC04	NL06	133.23	3.17	3.16	3.15	3.12
BC04	NL07	127.02	2.04	2.02	2	1.97
BC04	NL08	164.18	4.23	4.21	4.2	4.19
BC04	NL09	315.76	7.05	7.04	7.03	7.02
BC04	NS01	131.33	2.29	2.29	2.29	2.29
BC04	NS02	131.33	2.52	2.5	2.49	2.48

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
BC04	NS03	131.33	2.46	2.44	2.44	2.41
BC04	NS04	131.33	2.4	2.39	2.38	2.35
BC04	NS05	131.33	2.58	2.57	2.55	2.54
BC04	NT01	667.86	16.49	16.48	16.47	16.46
BC04	NT02	790.81	28.51	28.5	28.48	28.47
BC04	NU01	790.81	28.51	28.5	28.48	28.47
BC04	ON01	129.39	1.77	1.74	1.73	1.7
BC04	ON02	129.39	1.76	1.75	1.74	1.73
BC04	ON03	129.39	1.8	1.79	1.78	1.77
BC04	ON04	129.39	1.75	1.74	1.73	1.73
BC04	ON05	129.39	1.86	1.86	1.86	1.86
BC04	ON06	129.39	2.29	2.29	2.29	2.29
BC04	ON07	129.39	1.98	1.98	1.98	1.98
BC04	ON08	129.39	2.49	2.48	2.47	2.46
BC04	ON09	131.58	2.85	2.84	2.83	2.81
BC04	ON10	225.65	5.59	5.58	5.57	5.55
BC04	PE01	131.33	2.38	2.35	2.34	2.33
BC04	QC01	123.34	1.44	1.41	1.38	1.36
BC04	QC02	123.34	1.44	1.41	1.38	1.36
BC04	QC03	129.39	2.25	2.22	2.21	2.2
BC04	QC04	129.39	1.91	1.9	1.89	1.87
BC04	QC05	129.39	2.53	2.52	2.5	2.5
BC04	QC06	134.96	3.1	3.09	3.07	3.06
BC04	QC07	321.34	7.12	7.11	7.08	7.07
BC04	SK01	128.39	1.4	1.38	1.37	1.37
BC04	SK02	128.39	1.4	1.38	1.37	1.36
BC04	SK03	132.49	2.02	2.01	2	1.98
BC04	SK04	144.47	2.8	2.79	2.77	2.76
BC04	YT01	667.86	16.49	16.48	16.47	16.46
BC05	AB01	127.47	1.22	1.21	1.19	1.15
BC05	AB02	127.47	1.22	1.21	1.21	1.21
BC05	AB03	127.47	1.78	1.77	1.77	1.77
BC05	AB04	136.13	2.35	2.34	2.33	2.32
BC05	AB05	199.8	2.64	2.63	2.62	2.61
BC05	AB06	317.17	6.47	6.46	6.45	6.43
BC05	BC01	127.02	1.21	1.2	1.16	1.14
BC05	BC02	131.19	1.21	1.2	1.16	1.14
BC05	BC03	127.02	1.21	1.2	1.16	1.14
BC05	BC04	127.02	1.21	1.2	1.16	1.14
BC05	BC05	126.58	1.38	1.38	1.38	1.38
BC05	BC06	154.37	1.96	1.95	1.94	1.91
BC05	BC07	196.31	2.3	2.29	2.28	2.27
BC05	BC08	312.98	6.02	6	5.97	5.96
BC05	MB01	128.39	1.22	1.21	1.19	1.15
BC05	MB02	128.39	1.94	1.94	1.94	1.94
BC05	MB03	130.13	2.27	2.26	2.25	2.22
BC05	MB04	445.7	12	11.99	11.97	11.96

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
BC05	NB01	132.1	2.2	2.19	2.19	2.17
BC05	NB02	132.1	2.41	2.4	2.39	2.38
BC05	NB03	132.1	2.41	2.4	2.39	2.38
BC05	NB04	132.1	2.39	2.38	2.35	2.34
BC05	NB05	132.1	1.5	1.48	1.45	1.42
BC05	NB06	132.1	2.39	2.38	2.35	2.34
BC05	NL01	133.92	3.15	3.12	3.1	3.09
BC05	NL02	133.92	3.63	3.62	3.61	3.6
BC05	NL03	144.61	3.41	3.4	3.39	3.38
BC05	NL04	133.92	3.36	3.35	3.34	3.3
BC05	NL05	133.92	3.24	3.23	3.22	3.21
BC05	NL06	133.92	3.18	3.17	3.16	3.15
BC05	NL07	133.92	3.4	3.39	3.38	3.37
BC05	NL08	168.22	4.23	4.21	4.2	4.19
BC05	NL09	318.55	7.05	7.04	7.03	7.02
BC05	NS01	132.1	2.3	2.3	2.3	2.3
BC05	NS02	132.1	2.44	2.44	2.44	2.44
BC05	NS03	132.1	2.47	2.46	2.44	2.41
BC05	NS04	132.1	2.41	2.4	2.39	2.38
BC05	NS05	132.1	2.49	2.48	2.47	2.46
BC05	NT01	670.65	16.49	16.48	16.47	16.46
BC05	NT02	793.59	28.64	28.62	28.61	28.59
BC05	NU01	793.59	28.64	28.62	28.61	28.59
BC05	ON01	130.25	1.29	1.23	1.21	1.19
BC05	ON02	130.25	1.33	1.29	1.23	1.21
BC05	ON03	130.25	1.83	1.8	1.79	1.78
BC05	ON04	130.25	1.74	1.74	1.74	1.74
BC05	ON05	130.25	1.87	1.87	1.86	1.86
BC05	ON06	130.25	2.32	2.3	2.3	2.3
BC05	ON07	130.25	2	2	2	2
BC05	ON08	130.25	1.77	1.77	1.74	1.7
BC05	ON09	130.25	2.88	2.86	2.85	2.84
BC05	ON10	229.14	5.61	5.59	5.58	5.57
BC05	PE01	132.1	2.28	2.28	2.28	2.28
BC05	QC01	136.22	1.5	1.46	1.44	1.41
BC05	QC02	163.47	2.1	2.05	2.04	2.02
BC05	QC03	130.25	2.26	2.25	2.22	2.22
BC05	QC04	130.25	1.94	1.91	1.9	1.9
BC05	QC05	130.25	2.54	2.53	2.52	2.5
BC05	QC06	132.53	3.15	3.12	3.1	3.09
BC05	QC07	325.55	7.12	7.11	7.08	7.07
BC05	SK01	127.95	1.4	1.38	1.37	1.37
BC05	SK02	127.95	1.38	1.37	1.36	1.36
BC05	SK03	129.78	1.96	1.96	1.96	1.96
BC05	SK04	141.03	2.84	2.83	2.81	2.8
BC05	YT01	670.65	16.49	16.48	16.47	16.46
BC06	AB01	185.84	2.02	2.01	1.98	1.96

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
BC06	AB02	185.84	2.02	2.01	1.98	1.96
BC06	AB03	185.84	2.21	2.21	2.21	2.21
BC06	AB04	185.84	2.83	2.81	2.8	2.79
BC06	AB05	237.52	3.19	3.18	3.17	3.16
BC06	AB06	354.89	7	6.98	6.97	6.96
BC06	BC01	184	2.01	2	1.97	1.94
BC06	BC02	184	2.01	2	1.97	1.94
BC06	BC03	184	2.01	2	1.97	1.94
BC06	BC04	184	2.01	2	1.97	1.96
BC06	BC05	184	2.01	2	1.97	1.96
BC06	BC06	182.75	2.54	2.53	2.52	2.5
BC06	BC07	234.04	2.84	2.83	2.81	2.8
BC06	BC08	350.69	6.57	6.54	6.52	6.51
BC06	MB01	189.54	2.05	2.04	2.01	1.98
BC06	MB02	189.54	2.48	2.47	2.47	2.47
BC06	MB03	189.54	2.68	2.67	2.67	2.67
BC06	MB04	483.42	12.54	12.52	12.51	12.5
BC06	NB01	193.23	2.74	2.73	2.72	2.69
BC06	NB02	193.23	2.83	2.83	2.83	2.81
BC06	NB03	193.23	2.83	2.81	2.8	2.79
BC06	NB04	193.23	2.8	2.8	2.8	2.8
BC06	NB05	193.23	2.67	2.67	2.67	2.67
BC06	NB06	193.23	2.8	2.8	2.79	2.79
BC06	NL01	195.04	3.55	3.55	3.55	3.55
BC06	NL02	195.04	4.03	4.02	4.01	4
BC06	NL03	195.04	3.87	3.85	3.83	3.82
BC06	NL04	195.04	3.76	3.76	3.76	3.76
BC06	NL05	195.04	3.65	3.65	3.65	3.65
BC06	NL06	195.04	3.59	3.57	3.57	3.57
BC06	NL07	195.04	3.81	3.8	3.79	3.78
BC06	NL08	205.37	4.75	4.74	4.72	4.71
BC06	NL09	356.28	7.53	7.52	7.5	7.49
BC06	NS01	193.23	2.86	2.85	2.84	2.83
BC06	NS02	193.23	3.01	2.99	2.98	2.97
BC06	NS03	193.23	3.01	2.99	2.98	2.97
BC06	NS04	193.23	2.83	2.83	2.83	2.83
BC06	NS05	193.23	3.07	3.06	3.05	3.03
BC06	NT01	708.38	16.98	16.95	16.93	16.92
BC06	NT02	831.35	29.06	29.05	29.04	29.03
BC06	NU01	831.35	29.06	29.05	29.04	29.03
BC06	ON01	191.37	2.25	2.22	2.21	2.2
BC06	ON02	191.37	2.25	2.22	2.21	2.2
BC06	ON03	191.37	2.38	2.35	2.34	2.33
BC06	ON04	191.37	2.28	2.27	2.27	2.27
BC06	ON05	191.37	2.41	2.4	2.39	2.38
BC06	ON06	191.37	2.73	2.73	2.73	2.73
BC06	ON07	191.37	2.55	2.54	2.53	2.52

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
BC06	ON08	191.37	2.9	2.9	2.9	2.9
BC06	ON09	191.37	3.28	3.25	3.24	3.23
BC06	ON10	266.87	6.14	6.11	6.1	6.09
BC06	PE01	193.23	2.86	2.85	2.84	2.83
BC06	QC01	191.37	2.44	2.44	2.41	2.4
BC06	QC02	201.21	2.64	2.61	2.58	2.52
BC06	QC03	191.37	2.65	2.65	2.64	2.63
BC06	QC04	191.37	2.49	2.48	2.47	2.46
BC06	QC05	191.37	2.95	2.95	2.95	2.95
BC06	QC06	191.37	2.62	2.58	2.55	2.52
BC06	QC07	363.27	7.68	7.67	7.66	7.65
BC06	SK01	187.65	2.04	2.02	2	1.97
BC06	SK02	187.65	2.04	2.02	2	1.97
BC06	SK03	187.65	2.52	2.5	2.49	2.49
BC06	SK04	187.65	3.35	3.34	3.3	3.28
BC06	YT01	708.38	16.98	16.95	16.93	16.92
BC07	AB01	261.4	2.48	2.44	2.4	2.38
BC07	AB02	261.4	2.48	2.44	2.4	2.38
BC07	AB03	261.4	2.48	2.48	2.48	2.48
BC07	AB04	261.4	3.01	3.01	3.01	3.01
BC07	AB05	289.22	3.45	3.44	3.43	3.42
BC07	AB06	406.58	7.29	7.28	7.25	7.24
BC07	BC01	259.58	2.47	2.41	2.39	2.35
BC07	BC02	259.58	2.47	2.41	2.39	2.35
BC07	BC03	259.58	2.47	2.41	2.39	2.35
BC07	BC04	259.58	2.47	2.41	2.39	2.35
BC07	BC05	259.58	2.47	2.41	2.39	2.35
BC07	BC06	259.58	2.69	2.68	2.68	2.68
BC07	BC07	285.04	3.15	3.12	3.1	3.09
BC07	BC08	402.39	6.84	6.83	6.82	6.81
BC07	MB01	265.08	2.52	2.48	2.46	2.41
BC07	MB02	265.08	2.69	2.68	2.68	2.68
BC07	MB03	265.08	2.89	2.88	2.86	2.85
BC07	MB04	535.11	12.82	12.81	12.8	12.79
BC07	NB01	268.78	3.01	2.99	2.98	2.97
BC07	NB02	268.78	3.21	3.2	3.19	3.18
BC07	NB03	268.78	3.17	3.16	3.15	3.12
BC07	NB04	268.78	3.17	3.16	3.15	3.12
BC07	NB05	268.78	3.02	3.01	2.99	2.98
BC07	NB06	268.78	3.16	3.15	3.12	3.1
BC07	NL01	270.61	3.91	3.89	3.88	3.87
BC07	NL02	270.61	4.21	4.21	4.21	4.21
BC07	NL03	270.61	4.03	4.02	4.01	4
BC07	NL04	270.61	4.11	4.1	4.08	4.07
BC07	NL05	270.61	4.05	4.03	4.02	4.01
BC07	NL06	270.61	3.77	3.77	3.77	3.77
BC07	NL07	270.61	3.99	3.99	3.99	3.99

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
BC07	NL08	270.61	4.97	4.96	4.95	4.92
BC07	NL09	407.98	7.83	7.82	7.8	7.77
BC07	NS01	268.78	3.12	3.1	3.09	3.09
BC07	NS02	268.78	3.24	3.23	3.22	3.22
BC07	NS03	268.78	3.23	3.22	3.21	3.2
BC07	NS04	268.78	3.21	3.2	3.19	3.18
BC07	NS05	268.78	3.3	3.28	3.25	3.24
BC07	NT01	760.09	17.33	17.31	17.3	17.29
BC07	NT02	883.04	29.34	29.33	29.32	29.3
BC07	NU01	883.04	29.34	29.33	29.32	29.3
BC07	ON01	266.9	2.53	2.5	2.49	2.48
BC07	ON02	266.9	2.53	2.5	2.49	2.48
BC07	ON03	266.9	2.53	2.53	2.53	2.53
BC07	ON04	266.9	2.53	2.52	2.52	2.52
BC07	ON05	266.9	2.58	2.57	2.55	2.53
BC07	ON06	266.9	3.09	3.07	3.07	3.07
BC07	ON07	266.9	2.79	2.77	2.77	2.77
BC07	ON08	266.9	3.28	3.25	3.24	3.23
BC07	ON09	266.9	3.44	3.44	3.44	3.44
BC07	ON10	318.55	6.4	6.39	6.38	6.35
BC07	PE01	268.78	3.09	3.07	3.06	3.05
BC07	QC01	266.9	2.79	2.77	2.76	2.74
BC07	QC02	266.9	2.86	2.85	2.84	2.83
BC07	QC03	266.9	3.07	3.03	3.02	3.01
BC07	QC04	266.9	2.8	2.79	2.77	2.76
BC07	QC05	266.9	3.28	3.25	3.25	3.25
BC07	QC06	266.9	3.75	3.75	3.75	3.75
BC07	QC07	414.96	7.96	7.94	7.93	7.92
BC07	SK01	263.24	2.5	2.47	2.44	2.4
BC07	SK02	263.24	2.5	2.47	2.44	2.4
BC07	SK03	263.24	2.76	2.74	2.74	2.74
BC07	SK04	263.24	3.47	3.47	3.47	3.47
BC07	YT01	760.09	17.33	17.31	17.3	17.29
BC08	AB01	436.29	6.59	6.58	6.54	6.51
BC08	AB02	436.29	6.59	6.58	6.54	6.51
BC08	AB03	436.29	6.59	6.58	6.54	6.51
BC08	AB04	436.29	6.59	6.58	6.58	6.58
BC08	AB05	436.29	7.02	7.01	7.01	7
BC08	AB06	523.95	11.02	11.01	11	10.96
BC08	BC01	435.26	6.58	6.57	6.52	6.5
BC08	BC02	435.26	6.58	6.57	6.52	6.5
BC08	BC03	435.26	6.58	6.57	6.52	6.5
BC08	BC04	435.26	6.58	6.57	6.52	6.5
BC08	BC05	435.26	6.58	6.57	6.52	6.5
BC08	BC06	435.26	6.58	6.57	6.52	6.5
BC08	BC07	435.26	6.64	6.63	6.62	6.61
BC08	BC08	519.75	10.56	10.53	10.52	10.51

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
BC08	MB01	438.14	6.6	6.59	6.57	6.52
BC08	MB02	438.14	6.6	6.59	6.57	6.52
BC08	MB03	438.14	6.6	6.59	6.58	6.57
BC08	MB04	651.07	16.55	16.54	16.53	16.51
BC08	NB01	436.29	6.62	6.61	6.6	6.59
BC08	NB02	436.29	6.62	6.61	6.61	6.61
BC08	NB03	436.29	6.62	6.61	6.61	6.6
BC08	NB04	436.29	6.62	6.61	6.61	6.61
BC08	NB05	436.29	6.62	6.61	6.6	6.59
BC08	NB06	436.29	6.62	6.61	6.6	6.59
BC08	NL01	438.14	7.17	7.17	7.17	7.17
BC08	NL02	436.29	7.65	7.65	7.65	7.65
BC08	NL03	436.29	7.48	7.48	7.48	7.48
BC08	NL04	436.29	7.39	7.39	7.39	7.39
BC08	NL05	436.29	7.3	7.3	7.3	7.3
BC08	NL06	436.29	7.21	7.21	7.21	7.21
BC08	NL07	436.29	7.44	7.44	7.44	7.44
BC08	NL08	436.29	8.43	8.4	8.39	8.38
BC08	NL09	525.34	11.6	11.59	11.56	11.55
BC08	NS01	436.29	6.62	6.61	6.6	6.6
BC08	NS02	436.29	6.62	6.62	6.62	6.62
BC08	NS03	436.29	6.62	6.62	6.62	6.62
BC08	NS04	436.29	6.62	6.61	6.61	6.61
BC08	NS05	436.29	6.62	6.62	6.62	6.62
BC08	NT01	877.43	20.96	20.94	20.93	20.92
BC08	NT02	999	33.25	33.24	33.23	33.21
BC08	NU01	999	33.25	33.24	33.23	33.21
BC08	ON01	436.29	6.61	6.6	6.58	6.54
BC08	ON02	436.29	6.61	6.6	6.58	6.54
BC08	ON03	436.29	6.61	6.6	6.58	6.54
BC08	ON04	436.29	6.61	6.6	6.58	6.54
BC08	ON05	436.29	6.61	6.6	6.58	6.54
BC08	ON06	436.29	6.61	6.6	6.6	6.6
BC08	ON07	436.29	6.61	6.6	6.58	6.57
BC08	ON08	436.29	6.61	6.61	6.61	6.61
BC08	ON09	436.29	6.86	6.86	6.86	6.86
BC08	ON10	436.29	10.1	10.09	10.08	10.07
BC08	PE01	436.29	6.62	6.61	6.6	6.59
BC08	QC01	436.29	6.61	6.6	6.58	6.54
BC08	QC02	436.29	6.61	6.6	6.58	6.54
BC08	QC03	436.29	6.61	6.6	6.59	6.58
BC08	QC04	436.29	6.61	6.6	6.58	6.54
BC08	QC05	436.29	6.61	6.61	6.61	6.61
BC08	QC06	436.29	7.17	7.17	7.17	7.17
BC08	QC07	530.94	11.73	11.72	11.71	11.7
BC08	SK01	438.14	6.6	6.59	6.57	6.52
BC08	SK02	438.14	6.6	6.59	6.57	6.52

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
BC08	SK03	438.14	6.6	6.59	6.57	6.54
BC08	SK04	438.14	6.88	6.88	6.88	6.88
BC08	YT01	877.43	20.96	20.94	20.93	20.92
MB01	AB01	82.37	0.62	0.59	0.56	0.53
MB01	AB02	75.61	0.65	0.58	0.55	0.52
MB01	AB03	102.71	1.4	1.38	1.37	1.36
MB01	AB04	110.57	1.44	1.41	1.38	1.36
MB01	AB05	182.33	2.29	2.26	2.2	2.19
MB01	AB06	299	5.96	5.95	5.94	5.92
MB01	BC01	84.2	0.93	0.89	0.87	0.84
MB01	BC02	89.9	1.04	1.01	0.95	0.93
MB01	BC03	84.2	1.03	0.97	0.94	0.92
MB01	BC04	107.18	1.68	1.67	1.66	1.65
MB01	BC05	110.07	1.68	1.67	1.66	1.65
MB01	BC06	139.22	2.27	2.26	2.25	2.22
MB01	BC07	185.12	2.58	2.57	2.49	2.48
MB01	BC08	302.49	6.29	6.27	6.26	6.25
MB01	MB01	70.47	0.28	0.22	0.21	0.18
MB01	MB02	82.93	0.69	0.66	0.64	0.61
MB01	MB03	102.93	1.13	1.12	1.06	1.04
MB01	MB04	419.15	10.85	10.84	10.83	10.82
MB01	NB01	80.35	1.23	1.13	1.07	1.06
MB01	NB02	89.71	1.41	1.29	1.2	1.19
MB01	NB03	92.93	1.38	1.26	1.15	1.14
MB01	NB04	68.37	0.77	0.73	0.69	0.66
MB01	NB05	72.04	0.66	0.62	0.6	0.56
MB01	NB06	82.47	1.23	1.21	1.19	1.15
MB01	NL01	70.08	1.15	1.13	1.1	1.07
MB01	NL02	76.7	1.3	1.26	1.21	1.19
MB01	NL03	119.33	2.3	2.25	2.19	2.17
MB01	NL04	70.33	1.19	1.15	1.13	1.1
MB01	NL05	84.13	2.28	2.22	2.08	2.07
MB01	NL06	95.44	2.13	2.08	2.07	2.05
MB01	NL07	97.81	2.34	2.3	2.26	2.25
MB01	NL08	142.52	3.12	3.07	2.95	2.93
MB01	NL09	293.42	5.94	5.89	5.88	5.86
MB01	NS01	72.66	1.38	1.29	1.21	1.2
MB01	NS02	70.83	0.77	0.73	0.69	0.66
MB01	NS03	81.31	1.49	1.4	1.34	1.33
MB01	NS04	67.24	0.77	0.69	0.66	0.64
MB01	NS05	88.73	1.49	1.48	1.36	1.3
MB01	NT01	652.48	15.94	15.93	15.91	15.9
MB01	NT02	774.04	28.07	28.06	28.05	28.04
MB01	NU01	774.04	28.07	28.06	28.05	28.04
MB01	ON01	66.02	0.43	0.39	0.37	0.34
MB01	ON02	66.45	0.47	0.39	0.37	0.34
MB01	ON03	67.9	0.53	0.41	0.39	0.37

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
MB01	ON04	72.13	0.58	0.5	0.47	0.43
MB01	ON05	72.13	0.69	0.59	0.56	0.53
MB01	ON06	72.13	0.59	0.53	0.5	0.47
MB01	ON07	86.11	1.01	0.95	0.9	0.89
MB01	ON08	87.23	0.94	0.92	0.89	0.87
MB01	ON09	104.24	1.77	1.74	1.67	1.66
MB01	ON10	203.98	4.49	4.45	4.44	4.42
MB01	PE01	71.26	1.37	1.26	1.16	1.15
MB01	QC01	85.93	1.03	0.85	0.74	0.73
MB01	QC02	138.33	1.01	0.88	0.77	0.76
MB01	QC03	81.46	0.64	0.58	0.55	0.52
MB01	QC04	77.38	0.97	0.84	0.74	0.73
MB01	QC05	89.02	1.04	0.97	0.94	0.92
MB01	QC06	101.07	1.4	1.37	1.33	1.29
MB01	QC07	300.4	6.07	6.03	5.95	5.94
MB01	SK01	84.91	0.53	0.52	0.46	0.44
MB01	SK02	77.73	0.53	0.46	0.41	0.39
MB01	SK03	98.66	0.94	0.92	0.89	0.87
MB01	SK04	117.52	2.08	2.07	2.05	2.04
MB01	YT01	652.48	15.94	15.93	15.91	15.9
MB02	AB01	100.32	1.15	1.14	1.12	1.09
MB02	AB02	104.29	1.32	1.3	1.29	1.29
MB02	AB03	115.7	1.95	1.94	1.91	1.91
MB02	AB04	128.99	2.44	2.41	2.4	2.39
MB02	AB05	192.11	2.85	2.84	2.83	2.81
MB02	AB06	308.07	6.54	6.52	6.51	6.5
MB02	BC01	118.77	1.77	1.74	1.67	1.66
MB02	BC02	130.91	1.98	1.97	1.9	1.89
MB02	BC03	107.34	1.77	1.76	1.75	1.74
MB02	BC04	120.22	2.25	2.22	2.21	2.21
MB02	BC05	123.2	2.25	2.22	2.21	2.21
MB02	BC06	152.37	2.81	2.8	2.79	2.77
MB02	BC07	194.9	3.16	3.15	3.12	3.1
MB02	BC08	312.27	6.86	6.85	6.84	6.83
MB02	MB01	100.41	1.21	1.2	1.16	1.14
MB02	MB02	100.01	1.41	1.4	1.4	1.4
MB02	MB03	115.98	1.67	1.66	1.65	1.64
MB02	MB04	428.94	11.46	11.45	11.44	11.43
MB02	NB01	99.41	1.2	1.16	1.14	1.12
MB02	NB02	104.29	1.95	1.94	1.87	1.86
MB02	NB03	104.29	1.95	1.87	1.83	1.8
MB02	NB04	104.29	1.91	1.9	1.89	1.87
MB02	NB05	104.29	1.78	1.77	1.74	1.73
MB02	NB06	104.29	1.91	1.9	1.8	1.79
MB02	NL01	106.18	2.65	2.64	2.63	2.62
MB02	NL02	111.08	3.15	3.12	3.1	3.09
MB02	NL03	129.23	2.86	2.85	2.84	2.83

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
MB02	NL04	106.18	2.86	2.85	2.84	2.83
MB02	NL05	106.18	2.79	2.77	2.76	2.74
MB02	NL06	106.18	2.69	2.68	2.67	2.65
MB02	NL07	107.86	2.9	2.89	2.88	2.86
MB02	NL08	152.71	3.67	3.66	3.61	3.6
MB02	NL09	303.18	6.5	6.48	6.47	6.46
MB02	NS01	99.41	1.29	1.27	1.22	1.2
MB02	NS02	104.29	1.96	1.96	1.96	1.96
MB02	NS03	104.29	1.98	1.97	1.96	1.95
MB02	NS04	99.41	1.23	1.21	1.19	1.15
MB02	NS05	104.29	2.01	2	1.98	1.97
MB02	NT01	662.28	16.49	16.48	16.47	16.46
MB02	NT02	782.42	28.64	28.62	28.61	28.59
MB02	NU01	782.42	28.64	28.62	28.61	28.59
MB02	ON01	102.33	1.22	1.22	1.19	1.15
MB02	ON02	102.33	1.22	1.21	1.19	1.15
MB02	ON03	97.57	1.16	1.15	1.13	1.1
MB02	ON04	102.33	1.26	1.26	1.26	1.26
MB02	ON05	102.33	1.4	1.38	1.37	1.36
MB02	ON06	102.33	1.84	1.83	1.8	1.79
MB02	ON07	102.33	1.52	1.5	1.49	1.49
MB02	ON08	104.4	2.01	2	1.98	1.97
MB02	ON09	115.39	2.33	2.32	2.3	2.29
MB02	ON10	213.78	5.05	5.03	5.02	5
MB02	PE01	104.29	1.79	1.78	1.77	1.76
MB02	QC01	97.57	1.16	1.15	1.13	1.1
MB02	QC02	148.1	1.56	1.5	1.44	1.42
MB02	QC03	102.33	1.77	1.76	1.65	1.64
MB02	QC04	102.33	1.45	1.44	1.42	1.41
MB02	QC05	106.3	2.05	2.04	2.02	2.01
MB02	QC06	118.95	2.58	2.57	2.55	2.54
MB02	QC07	310.18	6.63	6.62	6.61	6.6
MB02	SK01	104.08	1.21	1.2	1.16	1.14
MB02	SK02	102.33	1.21	1.2	1.19	1.16
MB02	SK03	116.82	1.63	1.63	1.63	1.63
MB02	SK04	130.63	2.63	2.62	2.61	2.58
MB02	YT01	663.68	16.49	16.48	16.47	16.46
MB03	AB01	135.19	1.59	1.58	1.56	1.55
MB03	AB02	135.19	1.59	1.58	1.56	1.55
MB03	AB03	135.19	2.2	2.19	2.17	2.16
MB03	AB04	144.82	2.68	2.67	2.65	2.64
MB03	AB05	212.78	3.1	3.09	3.07	3.06
MB03	AB06	329.05	6.79	6.78	6.77	6.76
MB03	BC01	139.03	2.01	2	1.98	1.84
MB03	BC02	151.61	2.22	2.21	2.2	2.19
MB03	BC03	137.09	1.96	1.95	1.94	1.94
MB03	BC04	137.09	2.49	2.48	2.47	2.46

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
MB03	BC05	139.13	2.5	2.49	2.48	2.47
MB03	BC06	168.31	3.07	3.06	3.05	3.03
MB03	BC07	215.87	3.4	3.39	3.38	3.37
MB03	BC08	332.53	7.07	7.06	7.05	7.04
MB03	MB01	133.23	1.58	1.56	1.54	1.5
MB03	MB02	133.23	1.58	1.58	1.58	1.58
MB03	MB03	131.9	1.94	1.91	1.9	1.89
MB03	MB04	449.89	11.68	11.67	11.66	11.65
MB03	NB01	137.09	1.9	1.89	1.89	1.87
MB03	NB02	137.09	2.1	2.09	2.08	2.07
MB03	NB03	137.09	2.1	2.09	2.08	2.07
MB03	NB04	137.09	2.09	2.08	2.07	2.05
MB03	NB05	137.09	1.96	1.95	1.94	1.91
MB03	NB06	137.09	2.08	2.07	2.05	2.04
MB03	NL01	139.04	2.83	2.81	2.8	2.8
MB03	NL02	139.04	3.35	3.34	3.3	3.28
MB03	NL03	150.2	3.09	3.07	3.06	3.05
MB03	NL04	139.04	3.03	3.02	3.01	2.99
MB03	NL05	139.04	2.95	2.93	2.92	2.9
MB03	NL06	139.04	2.86	2.85	2.84	2.83
MB03	NL07	139.04	3.09	3.07	3.06	3.05
MB03	NL08	173.25	3.91	3.89	3.88	3.87
MB03	NL09	324.15	6.71	6.68	6.67	6.66
MB03	NS01	137.09	2	2	2	2
MB03	NS02	137.09	2.25	2.22	2.21	2.2
MB03	NS03	137.09	2.16	2.13	2.13	2.12
MB03	NS04	137.09	2.1	2.09	2.08	2.07
MB03	NS05	137.09	2.2	2.19	2.17	2.16
MB03	NT01	683.21	16.76	16.75	16.74	16.72
MB03	NT02	803.4	29.06	29.05	29.04	29.03
MB03	NU01	803.4	29.06	29.05	29.04	29.03
MB03	ON01	135.19	1.59	1.58	1.55	1.52
MB03	ON02	135.19	1.59	1.58	1.55	1.52
MB03	ON03	135.19	1.59	1.58	1.55	1.52
MB03	ON04	135.19	1.59	1.58	1.55	1.54
MB03	ON05	135.19	1.59	1.59	1.58	1.56
MB03	ON06	135.19	2.01	2	2	2
MB03	ON07	135.19	1.68	1.68	1.68	1.68
MB03	ON08	135.19	2.2	2.19	2.17	2.16
MB03	ON09	135.19	2.57	2.55	2.54	2.53
MB03	ON10	234.73	5.28	5.26	5.25	5.24
MB03	PE01	137.09	2.08	2.07	2.05	2.04
MB03	QC01	135.19	1.73	1.7	1.68	1.67
MB03	QC02	169.06	1.79	1.74	1.73	1.7
MB03	QC03	135.19	1.96	1.95	1.94	1.91
MB03	QC04	135.19	1.63	1.63	1.61	1.59
MB03	QC05	135.19	2.25	2.22	2.21	2.21

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
MB03	QC06	138.04	2.83	2.81	2.8	2.79
MB03	QC07	331.13	6.84	6.83	6.82	6.81
MB03	SK01	133.23	1.58	1.56	1.54	1.5
MB03	SK02	133.23	1.58	1.56	1.54	1.5
MB03	SK03	133.23	1.89	1.89	1.89	1.89
MB03	SK04	146.58	2.9	2.89	2.88	2.86
MB03	YT01	684.63	16.76	16.75	16.74	16.72
MB04	AB01	631.42	16.66	16.57	16.54	16.51
MB04	AB02	631.42	16.66	16.57	16.54	16.51
MB04	AB03	631.42	16.66	16.57	16.54	16.51
MB04	AB04	631.42	16.66	16.57	16.54	16.51
MB04	AB05	631.42	16.66	16.57	16.54	16.51
MB04	AB06	649.71	16.66	16.57	16.54	16.51
MB04	BC01	633.39	16.67	16.65	16.57	16.54
MB04	BC02	633.39	16.67	16.65	16.57	16.54
MB04	BC03	633.39	16.67	16.65	16.57	16.54
MB04	BC04	633.39	16.67	16.65	16.57	16.54
MB04	BC05	633.39	16.67	16.65	16.57	16.54
MB04	BC06	633.39	16.67	16.65	16.57	16.54
MB04	BC07	633.39	16.67	16.65	16.57	16.54
MB04	BC08	653.87	16.85	16.76	16.75	16.74
MB04	MB01	629.53	16.65	16.55	16.53	16.5
MB04	MB02	629.53	16.65	16.55	16.53	16.5
MB04	MB03	629.53	16.65	16.55	16.53	16.5
MB04	MB04	771.24	21.37	21.36	21.35	21.34
MB04	NB01	633.39	16.67	16.65	16.57	16.54
MB04	NB02	633.39	16.67	16.65	16.57	16.54
MB04	NB03	633.39	16.67	16.65	16.57	16.54
MB04	NB04	633.39	16.67	16.65	16.57	16.54
MB04	NB05	633.39	16.67	16.65	16.57	16.54
MB04	NB06	633.39	16.67	16.65	16.57	16.54
MB04	NL01	635.32	16.69	16.66	16.62	16.55
MB04	NL02	635.32	16.69	16.66	16.62	16.55
MB04	NL03	635.32	16.69	16.66	16.62	16.55
MB04	NL04	635.32	16.69	16.66	16.62	16.55
MB04	NL05	635.32	16.69	16.66	16.62	16.55
MB04	NL06	635.32	16.69	16.66	16.62	16.55
MB04	NL07	635.32	16.69	16.66	16.62	16.55
MB04	NL08	635.32	16.69	16.66	16.62	16.55
MB04	NL09	646.91	16.69	16.66	16.62	16.55
MB04	NS01	633.39	16.67	16.65	16.57	16.54
MB04	NS02	633.39	16.67	16.65	16.57	16.54
MB04	NS03	633.39	16.67	16.65	16.57	16.54
MB04	NS04	633.39	16.67	16.65	16.57	16.54
MB04	NS05	633.39	16.67	16.65	16.57	16.54
MB04	NT01	1005.97	29.06	23.74	23.74	23.74
MB04	NT02	1124.73	38.57	38.56	38.54	38.53

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
MB04	NU01	1124.73	38.57	38.56	38.54	38.53
MB04	ON01	631.42	16.66	16.54	16.51	16.49
MB04	ON02	631.42	16.66	16.54	16.51	16.49
MB04	ON03	631.42	16.66	16.54	16.51	16.49
MB04	ON04	631.42	16.66	16.54	16.51	16.49
MB04	ON05	631.42	16.66	16.54	16.51	16.49
MB04	ON06	631.42	16.66	16.54	16.51	16.49
MB04	ON07	631.42	16.66	16.54	16.51	16.49
MB04	ON08	631.42	16.66	16.54	16.51	16.49
MB04	ON09	631.42	16.66	16.54	16.51	16.49
MB04	ON10	631.42	16.66	16.54	16.51	16.49
MB04	PE01	633.39	16.67	16.65	16.57	16.54
MB04	QC01	631.42	16.66	16.57	16.54	16.51
MB04	QC02	631.42	16.66	16.57	16.54	16.51
MB04	QC03	631.42	16.66	16.57	16.54	16.51
MB04	QC04	631.42	16.66	16.57	16.54	16.51
MB04	QC05	631.42	16.66	16.57	16.54	16.51
MB04	QC06	631.42	16.66	16.57	16.54	16.51
MB04	QC07	652.48	16.66	16.54	16.51	16.49
MB04	SK01	629.53	16.65	16.55	16.53	16.5
MB04	SK02	629.53	16.65	16.55	16.53	16.5
MB04	SK03	629.53	16.65	16.55	16.53	16.5
MB04	SK04	629.53	16.65	16.55	16.53	16.5
MB04	YT01	1005.97	29.06	23.74	23.74	23.74
NB01	AB01	78.34	1.03	0.97	0.94	0.92
NB01	AB02	102	2.1	2.09	2.08	2.04
NB01	AB03	110.38	2.76	2.74	2.73	2.72
NB01	AB04	106.77	1.9	1.87	1.84	1.79
NB01	AB05	199.8	3.6	3.59	3.57	3.56
NB01	AB06	315.76	7.28	7.25	7.24	7.23
NB01	BC01	78.62	1.16	1.1	1.08	1.04
NB01	BC02	88.05	1.33	1.3	1.26	1.22
NB01	BC03	81.15	1.27	1.23	1.21	1.16
NB01	BC04	107.29	2.83	2.81	2.8	2.79
NB01	BC05	111.08	2.83	2.81	2.8	2.79
NB01	BC06	148.8	3.37	3.36	3.35	3.34
NB01	BC07	200.5	3.63	3.62	3.61	3.6
NB01	BC08	317.17	7.38	7.37	7.34	7.31
NB01	MB01	86.34	1.77	1.68	1.61	1.59
NB01	MB02	80.74	1.33	1.29	1.23	1.21
NB01	MB03	116.67	2.57	2.55	2.49	2.48
NB01	MB04	438.71	12.29	12.28	12.27	12.24
NB01	NB01	74.74	0.37	0.25	0.21	0.2
NB01	NB02	49.38	0.23	0.21	0.2	0.18
NB01	NB03	49.72	0.23	0.21	0.2	0.18
NB01	NB04	54.05	0.36	0.24	0.23	0.21
NB01	NB05	55.84	0.23	0.21	0.2	0.18

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NB01	NB06	67.09	0.69	0.66	0.64	0.61
NB01	NL01	52.58	0.6	0.55	0.52	0.49
NB01	NL02	52.77	0.61	0.56	0.53	0.5
NB01	NL03	54.63	0.68	0.64	0.61	0.59
NB01	NL04	54.63	0.62	0.59	0.56	0.53
NB01	NL05	77.13	1.36	1.26	1.2	1.19
NB01	NL06	56.02	0.6	0.55	0.52	0.49
NB01	NL07	63.76	0.62	0.59	0.56	0.53
NB01	NL08	100.52	1.98	1.96	1.91	1.89
NB01	NL09	228.91	4.05	4.01	3.99	3.97
NB01	NS01	50.08	0.32	0.3	0.26	0.24
NB01	NS02	50.08	0.24	0.21	0.2	0.18
NB01	NS03	52.16	0.38	0.28	0.25	0.23
NB01	NS04	52.16	0.25	0.21	0.2	0.18
NB01	NS05	68.57	0.8	0.77	0.7	0.68
NB01	NT01	670.65	17.33	17.31	17.3	17.29
NB01	NT02	790.81	29.34	29.33	29.32	29.3
NB01	NU01	790.81	29.34	29.33	29.32	29.3
NB01	ON01	58	0.46	0.4	0.38	0.36
NB01	ON02	58.43	0.52	0.4	0.38	0.36
NB01	ON03	59.81	0.55	0.46	0.41	0.39
NB01	ON04	84.52	1.13	1.1	1.06	1.04
NB01	ON05	68.78	0.62	0.47	0.44	0.4
NB01	ON06	91.93	1.67	1.64	1.63	1.61
NB01	ON07	74.46	0.73	0.69	0.66	0.64
NB01	ON08	78.78	0.93	0.9	0.88	0.85
NB01	ON09	88.92	1.29	1.23	1.21	1.19
NB01	ON10	211.68	4.84	4.83	4.82	4.81
NB01	PE01	48.85	0.24	0.21	0.2	0.18
NB01	QC01	67.88	0.41	0.3	0.26	0.24
NB01	QC02	62.23	0.43	0.39	0.37	0.34
NB01	QC03	62.23	0.43	0.38	0.36	0.32
NB01	QC04	62.56	0.38	0.26	0.24	0.22
NB01	QC05	77.22	0.85	0.8	0.73	0.69
NB01	QC06	90.11	1.16	1.13	1.1	1.08
NB01	QC07	228.91	4.05	4.01	3.99	3.97
NB01	SK01	89.83	2.04	2	1.98	1.97
NB01	SK02	93.33	2.16	2.1	2.02	2.01
NB01	SK03	99.48	2.65	2.64	2.58	2.57
NB01	SK04	127.56	3.6	3.59	3.47	3.46
NB01	YT01	670.65	17.33	17.31	17.3	17.29
NB02	AB01	109.96	2.3	2.27	2.2	2.19
NB02	AB02	111.23	2.28	2.25	2.17	2.16
NB02	AB03	119.59	2.93	2.88	2.83	2.81
NB02	AB04	138.33	3.39	3.38	3.28	3.25
NB02	AB05	208.89	3.78	3.77	3.64	3.63
NB02	AB06	325.55	7.43	7.42	7.41	7.4

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NB02	BC01	132.74	2.44	2.34	2.22	2.21
NB02	BC02	145.33	2.64	2.58	2.47	2.46
NB02	BC03	120.85	2.72	2.65	2.64	2.63
NB02	BC04	116.67	2.99	2.93	2.92	2.9
NB02	BC05	120.15	2.99	2.93	2.92	2.9
NB02	BC06	157.89	3.54	3.49	3.39	3.38
NB02	BC07	209.58	3.81	3.8	3.7	3.69
NB02	BC08	326.95	7.5	7.49	7.48	7.47
NB02	MB01	95.85	1.95	1.84	1.74	1.73
NB02	MB02	105.49	2.5	2.49	2.38	2.35
NB02	MB03	126.43	2.74	2.73	2.62	2.61
NB02	MB04	447.1	12.46	12.44	12.43	12.42
NB02	NB01	49.96	0.23	0.21	0.2	0.18
NB02	NB02	89.41	0.41	0.26	0.19	0.18
NB02	NB03	51.95	0.28	0.21	0.2	0.18
NB02	NB04	56.28	0.4	0.36	0.32	0.28
NB02	NB05	60.34	0.24	0.22	0.21	0.18
NB02	NB06	68.93	0.77	0.7	0.68	0.65
NB02	NL01	54.8	0.65	0.61	0.59	0.56
NB02	NL02	97.11	1.23	1.15	1.09	1.08
NB02	NL03	56.88	0.8	0.7	0.68	0.65
NB02	NL04	87.33	1.44	1.37	1.33	1.32
NB02	NL05	86.63	1.52	1.4	1.34	1.33
NB02	NL06	98.22	1.38	1.3	1.26	1.23
NB02	NL07	99.61	1.44	1.37	1.33	1.32
NB02	NL08	103.1	2.05	2.02	2	1.97
NB02	NL09	231.56	4.15	4.1	4.07	4.05
NB02	NS01	52.39	0.38	0.32	0.28	0.25
NB02	NS02	52.53	0.34	0.24	0.23	0.21
NB02	NS03	54.92	0.46	0.38	0.36	0.32
NB02	NS04	54.92	0.36	0.24	0.23	0.21
NB02	NS05	70.89	0.89	0.87	0.84	0.82
NB02	NT01	680.43	17.46	17.45	17.44	17.43
NB02	NT02	800.59	29.62	29.61	29.6	29.59
NB02	NU01	800.59	29.62	29.61	29.6	29.59
NB02	ON01	92.93	1.27	1.1	1.01	0.98
NB02	ON02	90.82	1.27	1.1	1.01	0.98
NB02	ON03	100.18	1.37	1.22	1.14	1.13
NB02	ON04	66.45	0.65	0.59	0.56	0.53
NB02	ON05	66.65	0.65	0.53	0.5	0.47
NB02	ON06	101.29	1.84	1.78	1.74	1.73
NB02	ON07	76.05	0.85	0.8	0.73	0.69
NB02	ON08	109.42	1.91	1.86	1.84	1.83
NB02	ON09	91.42	1.4	1.36	1.32	1.27
NB02	ON10	220.76	5.02	5	4.92	4.91
NB02	PE01	51.19	0.34	0.23	0.22	0.2
NB02	QC01	96.69	1.01	0.84	0.69	0.68

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NB02	QC02	66.82	0.55	0.47	0.43	0.4
NB02	QC03	64.56	0.53	0.46	0.41	0.39
NB02	QC04	64.9	0.46	0.37	0.34	0.3
NB02	QC05	79.64	0.92	0.89	0.87	0.84
NB02	QC06	118.07	2.02	1.97	1.91	1.9
NB02	QC07	310.18	6.07	5.96	5.95	5.94
NB02	SK01	99.2	2.22	2.12	2.07	2.05
NB02	SK02	102.69	2.32	2.25	2.22	2.21
NB02	SK03	108.97	2.83	2.81	2.68	2.67
NB02	SK04	136.92	3.77	3.76	3.65	3.64
NB02	YT01	679.02	17.46	17.45	17.44	17.43
NB03	AB01	113.16	2.29	2.26	2.17	2.16
NB03	AB02	84.28	1.33	1.29	1.26	1.21
NB03	AB03	97.49	1.64	1.61	1.58	1.55
NB03	AB04	141.11	3.39	3.35	3.24	3.23
NB03	AB05	212.37	3.78	3.69	3.67	3.66
NB03	AB06	328.33	7.43	7.42	7.41	7.4
NB03	BC01	136.23	2.44	2.29	2.25	2.22
NB03	BC02	148.1	2.64	2.54	2.47	2.46
NB03	BC03	123.66	2.72	2.65	2.61	2.58
NB03	BC04	119.74	2.99	2.93	2.86	2.85
NB03	BC05	103	1.75	1.7	1.67	1.64
NB03	BC06	161.38	3.49	3.47	3.42	3.41
NB03	BC07	212.37	3.81	3.75	3.7	3.69
NB03	BC08	329.74	7.52	7.49	7.43	7.42
NB03	MB01	98.91	1.95	1.8	1.75	1.74
NB03	MB02	108.56	2.5	2.46	2.39	2.38
NB03	MB03	99.85	1.59	1.56	1.54	1.5
NB03	MB04	451.29	12.43	12.42	12.41	12.39
NB03	NB01	55.23	0.26	0.21	0.2	0.18
NB03	NB02	55.28	0.37	0.24	0.23	0.21
NB03	NB03	55.83	0.26	0.2	0.19	0.18
NB03	NB04	57.82	0.43	0.38	0.36	0.32
NB03	NB05	93.88	0.49	0.36	0.24	0.23
NB03	NB06	70.5	0.82	0.77	0.7	0.68
NB03	NL01	57.52	0.69	0.64	0.61	0.59
NB03	NL02	56.44	0.69	0.65	0.62	0.6
NB03	NL03	58.37	0.84	0.73	0.69	0.66
NB03	NL04	62.33	0.8	0.74	0.7	0.68
NB03	NL05	59.81	0.8	0.69	0.66	0.64
NB03	NL06	59.2	0.68	0.64	0.61	0.59
NB03	NL07	73.3	0.78	0.73	0.69	0.66
NB03	NL08	104.57	2.12	2.02	2	1.97
NB03	NL09	232.96	4.17	4.15	4.11	4.08
NB03	NS01	53.87	0.4	0.34	0.3	0.26
NB03	NS02	53.87	0.36	0.26	0.24	0.22
NB03	NS03	55.84	0.47	0.4	0.38	0.36

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NB03	NS04	55.84	0.37	0.28	0.25	0.23
NB03	NS05	72.64	0.9	0.89	0.87	0.84
NB03	NT01	681.82	17.46	17.45	17.33	17.31
NB03	NT02	803.4	29.62	29.61	29.6	29.59
NB03	NU01	803.4	29.62	29.61	29.6	29.59
NB03	ON01	66.45	0.6	0.58	0.53	0.5
NB03	ON02	94.04	1.26	1.1	0.97	0.95
NB03	ON03	63.61	0.62	0.58	0.55	0.52
NB03	ON04	67.9	0.66	0.6	0.58	0.55
NB03	ON05	94.73	1.1	0.97	0.88	0.87
NB03	ON06	104.51	1.84	1.77	1.73	1.7
NB03	ON07	103.4	1.54	1.46	1.41	1.4
NB03	ON08	82.75	1.07	1.03	0.98	0.95
NB03	ON09	92.97	1.41	1.4	1.37	1.33
NB03	ON10	224.24	5.02	5	4.9	4.89
NB03	PE01	53.45	0.36	0.26	0.24	0.22
NB03	QC01	99.91	1.01	0.82	0.68	0.66
NB03	QC02	66.02	0.55	0.5	0.47	0.43
NB03	QC03	68.84	0.56	0.52	0.49	0.46
NB03	QC04	66.37	0.47	0.39	0.37	0.34
NB03	QC05	81.08	0.94	0.92	0.89	0.87
NB03	QC06	92.97	1.27	1.22	1.2	1.16
NB03	QC07	314.39	6.02	6	5.94	5.92
NB03	SK01	86.06	1.23	1.21	1.16	1.14
NB03	SK02	105.9	2.32	2.25	2.17	2.16
NB03	SK03	112.18	2.83	2.77	2.73	2.72
NB03	SK04	139.99	3.77	3.69	3.63	3.62
NB03	YT01	681.82	17.46	17.45	17.33	17.31
NB04	AB01	105.76	2.34	2.28	2.27	2.26
NB04	AB02	107.17	2.32	2.27	2.2	2.19
NB04	AB03	115.7	2.98	2.9	2.89	2.88
NB04	AB04	134.12	3.42	3.41	3.34	3.3
NB04	AB05	169.01	2.35	2.3	2.28	2.22
NB04	AB06	321.34	7.5	7.49	7.4	7.39
NB04	BC01	128.54	2.49	2.38	2.27	2.26
NB04	BC02	141.11	2.68	2.63	2.5	2.49
NB04	BC03	116.67	2.76	2.74	2.62	2.61
NB04	BC04	112.18	3.03	2.98	2.97	2.95
NB04	BC05	115.97	3.03	2.98	2.97	2.95
NB04	BC06	153.7	3.57	3.56	3.45	3.44
NB04	BC07	205.37	3.85	3.83	3.75	3.7
NB04	BC08	322.75	7.58	7.53	7.52	7.5
NB04	MB01	91.51	1.98	1.89	1.78	1.77
NB04	MB02	101.29	2.55	2.52	2.46	2.44
NB04	MB03	121.98	2.79	2.77	2.68	2.67
NB04	MB04	444.29	12.5	12.49	12.46	12.44
NB04	NB01	58.62	0.36	0.26	0.24	0.22

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NB04	NB02	58.62	0.41	0.38	0.36	0.32
NB04	NB03	58.62	0.4	0.36	0.32	0.28
NB04	NB04	58	0.34	0.23	0.22	0.2
NB04	NB05	86.63	0.55	0.4	0.3	0.28
NB04	NB06	74.36	0.89	0.87	0.84	0.82
NB04	NL01	60.08	0.82	0.7	0.68	0.65
NB04	NL02	60.08	0.84	0.77	0.7	0.68
NB04	NL03	62.13	0.92	0.89	0.87	0.84
NB04	NL04	83.28	1.48	1.42	1.33	1.32
NB04	NL05	82.44	1.56	1.44	1.37	1.36
NB04	NL06	94.04	1.44	1.33	1.32	1.3
NB04	NL07	71.39	0.85	0.8	0.73	0.69
NB04	NL08	139.99	2.26	2.17	2.13	2.1
NB04	NL09	300.4	6.02	5.88	5.86	5.84
NB04	NS01	58.62	0.5	0.43	0.4	0.38
NB04	NS02	58.62	0.43	0.38	0.36	0.32
NB04	NS03	59.99	0.56	0.52	0.49	0.46
NB04	NS04	59.99	0.46	0.39	0.37	0.34
NB04	NS05	76.12	1.03	0.95	0.93	0.9
NB04	NT01	674.84	17.46	17.45	17.44	17.43
NB04	NT02	796.4	29.62	29.61	29.6	29.59
NB04	NU01	796.4	29.62	29.61	29.6	29.59
NB04	ON01	65.59	0.64	0.61	0.59	0.56
NB04	ON02	66.02	0.68	0.61	0.59	0.56
NB04	ON03	67.49	0.7	0.64	0.61	0.59
NB04	ON04	71.72	0.8	0.68	0.65	0.62
NB04	ON05	87.33	1.15	1.04	0.93	0.92
NB04	ON06	97.11	1.89	1.84	1.75	1.74
NB04	ON07	96.14	1.58	1.52	1.46	1.45
NB04	ON08	86.51	1.15	1.12	1.09	1.07
NB04	ON09	117.22	2.34	2.29	2.25	2.22
NB04	ON10	216.57	5.06	5.05	4.96	4.95
NB04	PE01	59.66	0.44	0.39	0.37	0.32
NB04	QC01	72.91	0.61	0.53	0.5	0.47
NB04	QC02	75.29	0.68	0.62	0.6	0.58
NB04	QC03	93.61	1.15	1.01	0.89	0.88
NB04	QC04	83.42	1.01	0.85	0.77	0.76
NB04	QC05	86.52	1.07	1.04	1.01	0.97
NB04	QC06	97.11	1.4	1.36	1.32	1.27
NB04	QC07	305.98	6.07	6.06	5.96	5.95
NB04	SK01	95.01	2.27	2.2	2.09	2.08
NB04	SK02	83.95	1.33	1.29	1.23	1.21
NB04	SK03	105.38	2.86	2.85	2.73	2.72
NB04	SK04	132.74	3.8	3.79	3.69	3.67
NB04	YT01	676.25	17.46	17.45	17.44	17.43
NB05	AB01	108.29	2.17	2.1	2.05	2.04
NB05	AB02	109.69	2.12	2.1	2.02	2.01

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NB05	AB03	118.07	2.79	2.77	2.68	2.67
NB05	AB04	114.6	1.9	1.87	1.84	1.79
NB05	AB05	207.49	3.62	3.61	3.56	3.55
NB05	AB06	324.15	7.29	7.28	7.25	7.24
NB05	BC01	131.07	2.29	2.19	2.08	2.07
NB05	BC02	143.91	2.5	2.41	2.32	2.3
NB05	BC03	119.18	2.57	2.52	2.5	2.49
NB05	BC04	114.98	2.84	2.83	2.74	2.73
NB05	BC05	118.77	2.84	2.83	2.74	2.73
NB05	BC06	156.48	3.38	3.37	3.28	3.25
NB05	BC07	208.18	3.65	3.64	3.6	3.59
NB05	BC08	325.55	7.38	7.37	7.34	7.31
NB05	MB01	93.88	1.79	1.67	1.63	1.61
NB05	MB02	88.63	1.33	1.29	1.23	1.21
NB05	MB03	124.35	2.61	2.54	2.53	2.52
NB05	MB04	445.7	12.29	12.28	12.27	12.24
NB05	NB01	63.76	0.23	0.21	0.2	0.18
NB05	NB02	63.76	0.24	0.21	0.2	0.18
NB05	NB03	63.76	0.23	0.21	0.2	0.18
NB05	NB04	63.76	0.36	0.24	0.23	0.21
NB05	NB05	63.47	0.22	0.2	0.19	0.17
NB05	NB06	74.91	0.7	0.68	0.65	0.62
NB05	NL01	65.5	0.6	0.55	0.52	0.49
NB05	NL02	95.44	1.09	1.03	0.93	0.92
NB05	NL03	120.15	1.4	1.3	1.29	1.27
NB05	NL04	65.5	0.62	0.59	0.56	0.53
NB05	NL05	84.94	1.37	1.27	1.19	1.16
NB05	NL06	65.5	0.6	0.55	0.52	0.49
NB05	NL07	79.45	0.69	0.65	0.62	0.59
NB05	NL08	108.41	1.98	1.96	1.91	1.89
NB05	NL09	236.85	4.05	4.01	3.99	3.97
NB05	NS01	63.76	0.32	0.22	0.21	0.19
NB05	NS02	63.76	0.24	0.21	0.2	0.18
NB05	NS03	83.42	0.62	0.52	0.46	0.44
NB05	NS04	63.76	0.25	0.21	0.2	0.18
NB05	NS05	76.49	0.8	0.73	0.69	0.66
NB05	NT01	677.64	17.33	17.31	17.3	17.29
NB05	NT02	799.18	29.34	29.33	29.32	29.3
NB05	NU01	799.18	29.34	29.33	29.32	29.3
NB05	ON01	91.1	1.12	0.97	0.87	0.85
NB05	ON02	68	0.53	0.41	0.39	0.37
NB05	ON03	76.66	0.61	0.52	0.49	0.44
NB05	ON04	75.36	0.61	0.55	0.5	0.47
NB05	ON05	89.83	0.95	0.84	0.78	0.77
NB05	ON06	99.61	1.7	1.64	1.63	1.61
NB05	ON07	98.49	1.4	1.33	1.32	1.3
NB05	ON08	86.51	0.93	0.9	0.88	0.85

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NB05	ON09	119.74	2.16	2.13	2.04	2.02
NB05	ON10	219.36	4.88	4.87	4.79	4.78
NB05	PE01	72.23	0.46	0.34	0.24	0.23
NB05	QC01	95.01	0.87	0.68	0.58	0.56
NB05	QC02	69.62	0.43	0.39	0.37	0.34
NB05	QC03	69.62	0.43	0.38	0.36	0.32
NB05	QC04	85.93	0.82	0.68	0.58	0.56
NB05	QC05	84.89	0.87	0.82	0.77	0.7
NB05	QC06	108.46	1.3	1.23	1.21	1.19
NB05	QC07	308.79	5.88	5.86	5.84	5.82
NB05	SK01	97.51	2.07	2.01	1.94	1.91
NB05	SK02	101.01	2.19	2.12	2.02	2.01
NB05	SK03	107.17	2.68	2.63	2.62	2.61
NB05	SK04	135.23	3.62	3.57	3.56	3.55
NB05	YT01	677.64	17.33	17.31	17.3	17.29
NB06	AB01	111.5	2.28	2.22	2.17	2.16
NB06	AB02	112.74	2.27	2.21	2.12	2.1
NB06	AB03	121.14	2.9	2.89	2.8	2.79
NB06	AB04	139.71	3.38	3.34	3.3	3.28
NB06	AB05	210.98	3.76	3.75	3.63	3.62
NB06	AB06	326.95	7.43	7.42	7.37	7.34
NB06	BC01	134.12	2.41	2.3	2.21	2.2
NB06	BC02	146.71	2.63	2.52	2.5	2.49
NB06	BC03	121.98	2.69	2.63	2.62	2.61
NB06	BC04	117.92	2.98	2.9	2.89	2.88
NB06	BC05	121.54	2.98	2.9	2.89	2.88
NB06	BC06	159.28	3.47	3.46	3.41	3.4
NB06	BC07	210.98	3.79	3.78	3.7	3.69
NB06	BC08	328.33	7.5	7.49	7.44	7.43
NB06	MB01	97.11	1.94	1.8	1.73	1.7
NB06	MB02	106.87	2.49	2.44	2.41	2.4
NB06	MB03	127.56	2.73	2.65	2.64	2.63
NB06	MB04	448.51	12.43	12.42	12.41	12.39
NB06	NB01	84.67	1.32	1.29	1.23	1.21
NB06	NB02	84.67	1.32	1.29	1.23	1.21
NB06	NB03	84.67	1.32	1.29	1.23	1.21
NB06	NB04	84.67	1.32	1.29	1.23	1.21
NB06	NB05	85.79	1.34	1.32	1.26	1.22
NB06	NB06	84.59	1.29	1.27	1.22	1.2
NB06	NL01	86.51	1.38	1.32	1.27	1.22
NB06	NL02	86.51	1.33	1.32	1.27	1.22
NB06	NL03	123.23	1.52	1.42	1.37	1.36
NB06	NL04	88.72	1.42	1.37	1.27	1.26
NB06	NL05	88.02	1.5	1.38	1.32	1.3
NB06	NL06	99.61	1.36	1.32	1.27	1.22
NB06	NL07	100.88	1.42	1.34	1.27	1.26
NB06	NL08	146	2.57	2.55	2.52	2.49

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NB06	NL09	305.98	5.88	5.86	5.84	5.82
NB06	NS01	84.67	1.32	1.29	1.23	1.21
NB06	NS02	84.67	1.32	1.29	1.23	1.21
NB06	NS03	84.67	1.32	1.29	1.23	1.21
NB06	NS04	84.67	1.32	1.29	1.23	1.21
NB06	NS05	86.45	1.41	1.4	1.37	1.33
NB06	NT01	680.43	17.46	17.45	17.33	17.31
NB06	NT02	801.99	29.47	29.46	29.44	29.43
NB06	NU01	801.99	29.47	29.46	29.44	29.43
NB06	ON01	94.31	1.33	1.32	1.27	1.22
NB06	ON02	86.51	1.33	1.32	1.27	1.22
NB06	ON03	101.72	1.36	1.32	1.27	1.22
NB06	ON04	95.44	1.33	1.32	1.27	1.22
NB06	ON05	92.93	1.33	1.32	1.27	1.22
NB06	ON06	102.69	1.83	1.77	1.73	1.7
NB06	ON07	101.72	1.52	1.45	1.4	1.38
NB06	ON08	110.93	1.9	1.84	1.78	1.77
NB06	ON09	122.96	2.29	2.25	2.19	2.17
NB06	ON10	222.16	4.98	4.97	4.89	4.88
NB06	PE01	84.67	1.32	1.29	1.23	1.21
NB06	QC01	98.07	1.33	1.32	1.27	1.22
NB06	QC02	152.71	1.33	1.32	1.27	1.22
NB06	QC03	86.51	1.33	1.32	1.27	1.22
NB06	QC04	89.15	1.33	1.32	1.27	1.22
NB06	QC05	103.4	1.59	1.54	1.46	1.45
NB06	QC06	119.33	2	1.98	1.84	1.83
NB06	QC07	311.58	6.07	5.9	5.89	5.88
NB06	SK01	104.67	2.19	2.12	2.02	2.01
NB06	SK02	104.09	2.3	2.25	2.17	2.16
NB06	SK03	116.9	2.77	2.76	2.74	2.73
NB06	SK04	138.33	3.76	3.67	3.66	3.65
NB06	YT01	680.43	17.46	17.45	17.33	17.31
NL01	AB01	79.53	1.08	1.04	1.01	0.97
NL01	AB02	73.45	1.15	1.09	1.07	1.03
NL01	AB03	94.8	1.58	1.54	1.5	1.48
NL01	AB04	107.98	1.97	1.91	1.89	1.86
NL01	AB05	194.21	3.8	3.79	3.78	3.77
NL01	AB06	310.18	7.48	7.47	7.46	7.44
NL01	BC01	79.89	1.21	1.15	1.13	1.1
NL01	BC02	79.89	1.22	1.2	1.16	1.14
NL01	BC03	105.49	2.74	2.73	2.72	2.69
NL01	BC04	101.29	3.02	3.01	2.99	2.98
NL01	BC05	106.34	1.77	1.75	1.73	1.67
NL01	BC06	143.08	3.56	3.55	3.54	3.49
NL01	BC07	194.21	3.83	3.82	3.81	3.8
NL01	BC08	311.58	7.53	7.52	7.5	7.49
NL01	MB01	80.61	1.98	1.9	1.84	1.83

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NL01	MB02	90.54	2.54	2.53	2.52	2.5
NL01	MB03	111.08	2.79	2.77	2.76	2.74
NL01	MB04	433.14	12.49	12.46	12.44	12.43
NL01	NB01	52.27	0.24	0.22	0.21	0.18
NL01	NB02	77.25	0.68	0.58	0.52	0.5
NL01	NB03	56.29	0.28	0.22	0.21	0.19
NL01	NB04	55.68	0.39	0.32	0.28	0.25
NL01	NB05	75.72	0.53	0.44	0.37	0.36
NL01	NB06	68.65	0.77	0.7	0.68	0.65
NL01	NL01	48.71	0.22	0.2	0.19	0.15
NL01	NL02	51.53	0.46	0.39	0.37	0.34
NL01	NL03	51.53	0.25	0.2	0.19	0.15
NL01	NL04	51.53	0.26	0.2	0.19	0.15
NL01	NL05	51.53	0.23	0.2	0.19	0.15
NL01	NL06	51.53	0.23	0.21	0.2	0.18
NL01	NL07	59.39	0.26	0.2	0.19	0.15
NL01	NL08	95.8	1.56	1.52	1.49	1.46
NL01	NL09	229.75	4.08	4.05	4.01	3.99
NL01	NS01	51.36	0.37	0.26	0.24	0.22
NL01	NS02	56.6	0.32	0.23	0.22	0.2
NL01	NS03	53.59	0.41	0.36	0.32	0.28
NL01	NS04	53.59	0.32	0.23	0.22	0.2
NL01	NS05	70.13	0.87	0.82	0.77	0.7
NL01	NT01	663.68	17.46	17.45	17.44	17.43
NL01	NT02	786.61	29.62	29.61	29.6	29.59
NL01	NU01	786.61	29.62	29.61	29.6	29.59
NL01	ON01	66.15	0.58	0.5	0.47	0.44
NL01	ON02	61.64	0.58	0.47	0.43	0.4
NL01	ON03	62.61	0.6	0.53	0.49	0.46
NL01	ON04	78.94	1.34	1.33	1.29	1.27
NL01	ON05	76.44	1.14	1.07	1.03	1.01
NL01	ON06	86.19	1.87	1.86	1.84	1.83
NL01	ON07	74.83	0.8	0.73	0.69	0.66
NL01	ON08	79.52	0.97	0.94	0.92	0.89
NL01	ON09	90.21	1.36	1.32	1.27	1.22
NL01	ON10	206.09	5.06	5.05	5.03	5.02
NL01	PE01	52.6	0.3	0.21	0.2	0.18
NL01	QC01	81.73	1.04	0.9	0.82	0.8
NL01	QC02	136.23	1.22	1.12	1.06	1.04
NL01	QC03	63.53	0.5	0.41	0.39	0.37
NL01	QC04	72.39	0.98	0.89	0.83	0.82
NL01	QC05	78.62	0.89	0.87	0.84	0.82
NL01	QC06	90.21	1.21	1.16	1.14	1.12
NL01	QC07	229.75	4.08	4.05	4.01	3.99
NL01	SK01	84.13	2.26	2.25	2.17	2.16
NL01	SK02	77.85	1.16	1.14	1.12	1.09
NL01	SK03	98.22	2.84	2.83	2.81	2.8

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NL01	SK04	121.98	3.79	3.78	3.77	3.76
NL01	YT01	663.68	17.46	17.45	17.44	17.43
NL02	AB01	80.36	1.09	1.07	1.04	1.01
NL02	AB02	73.88	1.16	1.1	1.08	1.04
NL02	AB03	121.14	3.19	3.18	3.17	3.16
NL02	AB04	139.58	3.63	3.62	3.61	3.6
NL02	AB05	177.95	2.39	2.34	2.32	2.29
NL02	AB06	326.95	7.68	7.67	7.66	7.65
NL02	BC01	80.23	1.22	1.16	1.14	1.12
NL02	BC02	80.23	1.23	1.21	1.19	1.15
NL02	BC03	89.97	1.48	1.42	1.38	1.34
NL02	BC04	109.7	1.9	1.87	1.84	1.79
NL02	BC05	112.78	1.9	1.87	1.84	1.79
NL02	BC06	159.28	3.78	3.77	3.76	3.75
NL02	BC07	210.98	4.06	4.05	4.03	4.02
NL02	BC08	328.33	7.77	7.76	7.74	7.73
NL02	MB01	97.11	2.2	2.13	2.07	2.05
NL02	MB02	107.02	2.76	2.74	2.73	2.72
NL02	MB03	127.56	2.99	2.98	2.97	2.95
NL02	MB04	448.51	12.71	12.68	12.67	12.66
NL02	NB01	84.39	0.73	0.65	0.61	0.6
NL02	NB02	93.61	0.89	0.82	0.74	0.73
NL02	NB03	96.69	0.88	0.77	0.69	0.68
NL02	NB04	56.68	0.41	0.36	0.3	0.26
NL02	NB05	56.02	0.34	0.23	0.22	0.2
NL02	NB06	95.01	0.87	0.76	0.69	0.68
NL02	NL01	50.76	0.39	0.32	0.28	0.25
NL02	NL02	49.65	0.32	0.22	0.21	0.19
NL02	NL03	112.74	0.82	0.76	0.74	0.73
NL02	NL04	52.83	0.34	0.23	0.22	0.2
NL02	NL05	54.2	0.47	0.39	0.37	0.34
NL02	NL06	54.2	0.39	0.3	0.26	0.24
NL02	NL07	59.81	0.34	0.23	0.22	0.2
NL02	NL08	96.29	1.58	1.54	1.5	1.48
NL02	NL09	230.29	4.11	4.08	4.06	4.02
NL02	NS01	51.71	0.38	0.28	0.25	0.23
NL02	NS02	50.25	0.34	0.23	0.22	0.2
NL02	NS03	53.87	0.43	0.37	0.34	0.3
NL02	NS04	56.16	0.37	0.25	0.24	0.22
NL02	NS05	69.88	0.88	0.85	0.83	0.8
NL02	NT01	680.43	17.74	17.73	17.71	17.7
NL02	NT02	803.4	29.77	29.76	29.73	29.72
NL02	NU01	803.4	29.77	29.76	29.73	29.72
NL02	ON01	94.31	1.52	1.4	1.33	1.32
NL02	ON02	92.21	1.52	1.4	1.33	1.32
NL02	ON03	69.23	0.66	0.59	0.56	0.53
NL02	ON04	65.75	0.64	0.58	0.55	0.52

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NL02	ON05	65.75	0.64	0.53	0.5	0.47
NL02	ON06	102.69	2.09	2.08	2.07	2.05
NL02	ON07	101.57	1.78	1.77	1.76	1.75
NL02	ON08	79.81	1.03	0.95	0.93	0.9
NL02	ON09	90.66	1.37	1.33	1.29	1.23
NL02	ON10	222.85	5.26	5.25	5.24	5.21
NL02	PE01	51.36	0.36	0.23	0.22	0.2
NL02	QC01	98.07	1.26	1.13	1.06	1.04
NL02	QC02	152.29	1.45	1.34	1.27	1.26
NL02	QC03	70.13	0.56	0.49	0.44	0.41
NL02	QC04	88.99	1.21	1.12	1.06	1.04
NL02	QC05	78.96	0.9	0.88	0.85	0.83
NL02	QC06	90.57	1.22	1.2	1.16	1.14
NL02	QC07	230.29	4.11	4.08	4.06	4.02
NL02	SK01	100.61	2.47	2.46	2.39	2.38
NL02	SK02	103.81	2.57	2.55	2.5	2.49
NL02	SK03	110.38	3.07	3.06	3.05	3.03
NL02	SK04	138.04	4.01	4	3.99	3.98
NL02	YT01	680.43	17.74	17.73	17.71	17.7
NL03	AB01	83.71	1.2	1.16	1.14	1.12
NL03	AB02	133.43	2.46	2.44	2.41	2.4
NL03	AB03	141.8	3.1	3.09	3.07	3.06
NL03	AB04	160.68	3.56	3.55	3.54	3.49
NL03	AB05	231.92	3.92	3.91	3.89	3.88
NL03	AB06	347.89	7.62	7.61	7.6	7.59
NL03	BC01	155.09	2.61	2.55	2.49	2.48
NL03	BC02	167.67	2.81	2.8	2.73	2.72
NL03	BC03	143.2	2.88	2.86	2.85	2.84
NL03	BC04	138.75	3.17	3.16	3.15	3.12
NL03	BC05	142.52	3.17	3.16	3.15	3.12
NL03	BC06	180.22	3.67	3.66	3.65	3.64
NL03	BC07	231.92	3.99	3.98	3.97	3.94
NL03	BC08	349.3	7.68	7.67	7.66	7.65
NL03	MB01	117.79	2.1	2.07	1.98	1.97
NL03	MB02	127.84	2.67	2.65	2.64	2.63
NL03	MB03	148.8	2.9	2.89	2.88	2.86
NL03	MB04	469.45	12.61	12.6	12.59	12.57
NL03	NB01	50.4	0.32	0.23	0.22	0.2
NL03	NB02	114.57	0.82	0.73	0.65	0.64
NL03	NB03	117.79	0.78	0.69	0.61	0.6
NL03	NB04	110.38	0.82	0.73	0.64	0.62
NL03	NB05	113.16	0.65	0.59	0.52	0.5
NL03	NB06	115.97	0.9	0.88	0.85	0.83
NL03	NL01	49.65	0.25	0.2	0.19	0.15
NL03	NL02	53.59	0.58	0.52	0.49	0.46
NL03	NL03	49.38	0.22	0.2	0.19	0.17
NL03	NL04	97.81	0.59	0.53	0.52	0.5

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NL03	NL05	52.91	0.37	0.26	0.24	0.22
NL03	NL06	54.73	0.28	0.2	0.19	0.17
NL03	NL07	109.96	0.59	0.53	0.52	0.5
NL03	NL08	97.92	1.67	1.63	1.59	1.56
NL03	NL09	326.95	6.07	6.06	6.05	6.04
NL03	NS01	53.45	0.46	0.4	0.38	0.36
NL03	NS02	53.45	0.4	0.36	0.32	0.28
NL03	NS03	107.58	0.93	0.89	0.84	0.83
NL03	NS04	107.58	0.88	0.8	0.76	0.74
NL03	NS05	93.03	1.03	0.93	0.9	0.88
NL03	NT01	701.39	17.61	17.6	17.57	17.56
NL03	NT02	822.93	29.77	29.76	29.73	29.72
NL03	NU01	822.93	29.77	29.76	29.73	29.72
NL03	ON01	115.13	1.44	1.33	1.26	1.23
NL03	ON02	65.02	0.68	0.61	0.59	0.56
NL03	ON03	71.8	0.78	0.69	0.66	0.62
NL03	ON04	67.49	0.73	0.65	0.62	0.6
NL03	ON05	113.86	1.27	1.2	1.15	1.14
NL03	ON06	123.66	2.01	2	1.98	1.97
NL03	ON07	122.55	1.7	1.68	1.67	1.66
NL03	ON08	131.76	2.08	2.07	2.05	2.04
NL03	ON09	92.4	1.48	1.44	1.41	1.38
NL03	ON10	243.11	5.17	5.16	5.15	5.13
NL03	PE01	95.99	0.77	0.69	0.62	0.61
NL03	QC01	119.18	1.16	1.06	0.95	0.94
NL03	QC02	173.25	1.36	1.27	1.19	1.16
NL03	QC03	65.59	0.6	0.55	0.52	0.49
NL03	QC04	109.96	1.13	1.04	0.94	0.93
NL03	QC05	80.93	1.03	0.95	0.93	0.9
NL03	QC06	140.42	2.2	2.19	2.17	2.16
NL03	QC07	332.53	6.23	6.21	6.2	6.18
NL03	SK01	121.54	2.38	2.35	2.34	2.33
NL03	SK02	124.91	2.49	2.48	2.44	2.41
NL03	SK03	131.34	2.99	2.98	2.97	2.95
NL03	SK04	159.28	3.92	3.91	3.89	3.88
NL03	YT01	701.39	17.61	17.6	17.57	17.56
NL04	AB01	79.03	1.1	1.08	1.04	1.01
NL04	AB02	72.92	1.19	1.12	1.09	1.07
NL04	AB03	108.42	3.2	3.19	3.18	3.17
NL04	AB04	126.71	3.64	3.63	3.62	3.61
NL04	AB05	197.69	4.03	4.02	4.01	4
NL04	AB06	314.39	7.71	7.69	7.68	7.67
NL04	BC01	121.54	2.72	2.67	2.57	2.55
NL04	BC02	133.7	2.92	2.9	2.84	2.83
NL04	BC03	109.27	2.98	2.97	2.95	2.93
NL04	BC04	105.22	3.24	3.23	3.22	3.21
NL04	BC05	108.97	3.24	3.23	3.22	3.21

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NL04	BC06	130.88	2.13	2.1	2.08	2.05
NL04	BC07	197.69	4.08	4.07	4.06	4.05
NL04	BC08	315.76	7.77	7.76	7.74	7.73
NL04	MB01	84.13	2.22	2.17	2.09	2.08
NL04	MB02	94.04	2.79	2.77	2.76	2.74
NL04	MB03	114.57	3.02	3.01	2.99	2.98
NL04	MB04	435.93	12.72	12.71	12.68	12.67
NL04	NB01	47.82	0.24	0.22	0.21	0.19
NL04	NB02	81.03	0.9	0.84	0.77	0.76
NL04	NB03	83.82	0.89	0.8	0.73	0.7
NL04	NB04	76.57	0.9	0.84	0.76	0.74
NL04	NB05	79.35	0.77	0.68	0.62	0.61
NL04	NB06	82.44	0.88	0.78	0.74	0.73
NL04	NL01	48.41	0.26	0.21	0.2	0.18
NL04	NL02	49.57	0.37	0.28	0.25	0.23
NL04	NL03	50.5	0.39	0.32	0.28	0.25
NL04	NL04	46.55	0.22	0.2	0.19	0.15
NL04	NL05	53.2	0.38	0.26	0.24	0.22
NL04	NL06	51.36	0.26	0.2	0.19	0.15
NL04	NL07	57.49	0.23	0.21	0.2	0.18
NL04	NL08	93.71	1.45	1.42	1.4	1.37
NL04	NL09	229.17	4.15	4.1	4.07	4.05
NL04	NS01	50.86	0.39	0.32	0.28	0.25
NL04	NS02	58.13	1.04	0.98	0.94	0.93
NL04	NS03	73.62	1.06	0.98	0.94	0.93
NL04	NS04	55.21	0.37	0.28	0.25	0.22
NL04	NS05	68.85	1.08	1.03	0.88	0.87
NL04	NT01	667.86	17.74	17.73	17.71	17.7
NL04	NT02	789.42	29.77	29.76	29.73	29.72
NL04	NU01	789.42	29.77	29.76	29.73	29.72
NL04	ON01	81.31	1.54	1.42	1.37	1.36
NL04	ON02	79.35	1.54	1.42	1.37	1.36
NL04	ON03	88.72	1.64	1.58	1.46	1.45
NL04	ON04	64.9	0.65	0.59	0.56	0.53
NL04	ON05	64.9	0.65	0.55	0.52	0.49
NL04	ON06	90.12	2.1	2.09	2.08	2.07
NL04	ON07	88.72	1.79	1.78	1.77	1.76
NL04	ON08	78.91	1.04	0.97	0.94	0.92
NL04	ON09	89.65	1.4	1.36	1.32	1.27
NL04	ON10	209.58	5.28	5.26	5.25	5.24
NL04	PE01	62.46	0.88	0.8	0.74	0.73
NL04	QC01	63.93	0.47	0.39	0.37	0.34
NL04	QC02	139.71	1.46	1.37	1.32	1.3
NL04	QC03	86.34	1.38	1.29	1.21	1.2
NL04	QC04	76.14	1.22	1.14	1.07	1.06
NL04	QC05	90.4	1.87	1.86	1.84	1.83
NL04	QC06	106.46	2.29	2.28	2.27	2.26

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NL04	QC07	299	6.29	6.27	6.26	6.25
NL04	SK01	87.76	2.49	2.48	2.41	2.4
NL04	SK02	91.23	2.58	2.57	2.55	2.54
NL04	SK03	97.57	3.09	3.07	3.06	3.05
NL04	SK04	125.33	4.02	4.01	4	3.99
NL04	YT01	667.86	17.74	17.73	17.71	17.7
NL05	AB01	96.82	2.46	2.44	2.38	2.35
NL05	AB02	98.22	2.44	2.41	2.33	2.32
NL05	AB03	106.46	3.07	3.06	3.01	2.99
NL05	AB04	125.06	3.55	3.54	3.45	3.44
NL05	AB05	196.31	3.91	3.89	3.88	3.87
NL05	AB06	312.98	7.61	7.6	7.59	7.58
NL05	BC01	119.87	2.58	2.52	2.38	2.35
NL05	BC02	132.46	2.8	2.73	2.67	2.65
NL05	BC03	107.58	2.86	2.85	2.8	2.79
NL05	BC04	103.4	3.16	3.15	3.07	3.06
NL05	BC05	107.29	3.16	3.15	3.07	3.06
NL05	BC06	145.02	3.66	3.65	3.6	3.59
NL05	BC07	196.31	3.98	3.97	3.89	3.88
NL05	BC08	312.98	7.68	7.67	7.66	7.65
NL05	MB01	82.44	2.09	2.02	1.9	1.89
NL05	MB02	92.49	2.65	2.64	2.58	2.57
NL05	MB03	113.16	2.89	2.88	2.83	2.81
NL05	MB04	434.53	12.63	12.62	12.61	12.6
NL05	NB01	69.86	0.62	0.52	0.47	0.46
NL05	NB02	79.35	0.8	0.66	0.6	0.59
NL05	NB03	55.69	0.37	0.24	0.23	0.21
NL05	NB04	74.74	0.8	0.66	0.59	0.58
NL05	NB05	77.54	0.64	0.53	0.46	0.44
NL05	NB06	80.76	0.87	0.85	0.83	0.8
NL05	NL01	52.58	0.23	0.21	0.2	0.18
NL05	NL02	54.92	0.55	0.46	0.41	0.39
NL05	NL03	53.07	0.36	0.24	0.23	0.21
NL05	NL04	52.58	0.37	0.26	0.24	0.22
NL05	NL05	52.46	0.22	0.2	0.19	0.15
NL05	NL06	53.95	0.23	0.21	0.2	0.18
NL05	NL07	62.93	0.37	0.26	0.24	0.22
NL05	NL08	119.18	1.63	1.59	1.56	1.54
NL05	NL09	291.32	6.07	6.03	6.02	6
NL05	NS01	63.15	0.82	0.73	0.65	0.64
NL05	NS02	56.44	0.92	0.84	0.77	0.76
NL05	NS03	71.96	0.92	0.84	0.77	0.76
NL05	NS04	56.95	0.39	0.34	0.3	0.26
NL05	NS05	73.75	0.93	0.9	0.88	0.85
NL05	NT01	666.45	17.61	17.6	17.57	17.56
NL05	NT02	789.42	29.77	29.76	29.73	29.72
NL05	NU01	789.42	29.77	29.76	29.73	29.72

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NL05	ON01	62.81	0.59	0.55	0.52	0.49
NL05	ON02	63.17	0.61	0.56	0.53	0.5
NL05	ON03	64.64	0.65	0.59	0.56	0.53
NL05	ON04	80.76	1.45	1.41	1.4	1.38
NL05	ON05	78.51	1.26	1.15	1.1	1.09
NL05	ON06	88.44	2	1.95	1.94	1.91
NL05	ON07	87.04	1.68	1.65	1.64	1.63
NL05	ON08	96.4	2.07	2.05	1.96	1.95
NL05	ON09	108.42	2.47	2.41	2.4	2.39
NL05	ON10	208.18	5.17	5.16	5.15	5.13
NL05	PE01	60.78	0.76	0.64	0.56	0.55
NL05	QC01	71.22	0.56	0.44	0.41	0.38
NL05	QC02	138.04	1.34	1.22	1.12	1.1
NL05	QC03	84.8	1.26	1.13	1.06	1.04
NL05	QC04	74.63	1.12	0.97	0.9	0.89
NL05	QC05	82.31	0.95	0.93	0.9	0.88
NL05	QC06	94.07	1.29	1.27	1.22	1.2
NL05	QC07	297.6	6.23	6.15	6.14	6.11
NL05	SK01	86.19	2.35	2.3	2.26	2.25
NL05	SK02	89.41	2.48	2.41	2.34	2.33
NL05	SK03	102.18	2.93	2.92	2.9	2.89
NL05	SK04	123.66	3.91	3.89	3.83	3.82
NL05	YT01	666.45	17.61	17.6	17.57	17.56
NL06	AB01	84.13	1.08	1.04	1.01	0.97
NL06	AB02	109.69	2.29	2.28	2.27	2.26
NL06	AB03	118.07	2.93	2.92	2.9	2.89
NL06	AB04	136.51	3.4	3.39	3.38	3.37
NL06	AB05	207.49	3.78	3.77	3.76	3.75
NL06	AB06	324.15	7.44	7.43	7.42	7.41
NL06	BC01	84.46	1.2	1.16	1.14	1.12
NL06	BC02	143.91	2.65	2.64	2.58	2.57
NL06	BC03	119.02	2.73	2.72	2.69	2.68
NL06	BC04	114.86	2.99	2.98	2.97	2.95
NL06	BC05	118.77	2.99	2.98	2.97	2.95
NL06	BC06	156.48	3.55	3.54	3.49	3.47
NL06	BC07	208.18	3.81	3.8	3.79	3.78
NL06	BC08	325.55	7.53	7.52	7.5	7.49
NL06	MB01	69.56	0.89	0.85	0.83	0.8
NL06	MB02	103.95	2.52	2.5	2.49	2.48
NL06	MB03	124.35	2.76	2.74	2.73	2.72
NL06	MB04	447.1	12.46	12.44	12.43	12.42
NL06	NB01	56.88	0.24	0.22	0.21	0.19
NL06	NB02	56.88	0.26	0.22	0.21	0.19
NL06	NB03	56.88	0.25	0.22	0.21	0.19
NL06	NB04	59.47	0.38	0.34	0.3	0.26
NL06	NB05	59.73	0.24	0.22	0.21	0.19
NL06	NB06	71.72	0.77	0.7	0.68	0.65

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NL06	NL01	57.2	0.23	0.21	0.2	0.18
NL06	NL02	56.88	0.46	0.39	0.37	0.34
NL06	NL03	56.88	0.25	0.21	0.2	0.18
NL06	NL04	56.88	0.26	0.21	0.2	0.18
NL06	NL05	56.88	0.23	0.21	0.2	0.18
NL06	NL06	55.33	0.22	0.2	0.19	0.15
NL06	NL07	63.17	0.26	0.21	0.2	0.18
NL06	NL08	100.61	1.54	1.52	1.49	1.46
NL06	NL09	303.18	5.94	5.92	5.91	5.9
NL06	NS01	56.88	0.37	0.26	0.24	0.22
NL06	NS02	56.88	0.28	0.22	0.21	0.19
NL06	NS03	57.24	0.41	0.36	0.32	0.28
NL06	NS04	57.24	0.32	0.23	0.22	0.2
NL06	NS05	72.8	0.87	0.82	0.77	0.7
NL06	NT01	677.64	17.46	17.45	17.44	17.43
NL06	NT02	799.18	29.62	29.61	29.6	29.59
NL06	NU01	799.18	29.62	29.61	29.6	29.59
NL06	ON01	63.35	0.52	0.46	0.41	0.39
NL06	ON02	63.69	0.56	0.46	0.41	0.39
NL06	ON03	64.98	0.59	0.52	0.49	0.46
NL06	ON04	92.21	1.32	1.3	1.29	1.27
NL06	ON05	89.98	1.12	1.06	1.04	1.03
NL06	ON06	99.77	1.86	1.84	1.83	1.8
NL06	ON07	98.49	1.55	1.54	1.52	1.5
NL06	ON08	83.12	0.97	0.94	0.92	0.89
NL06	ON09	119.74	2.3	2.29	2.28	2.27
NL06	ON10	219.36	5.03	5.02	5	4.98
NL06	PE01	61.81	0.32	0.23	0.22	0.2
NL06	QC01	66.28	0.41	0.36	0.32	0.28
NL06	QC02	149.49	1.2	1.12	1.06	1.04
NL06	QC03	67.56	0.5	0.41	0.39	0.37
NL06	QC04	85.93	0.97	0.88	0.82	0.8
NL06	QC05	81.72	0.89	0.87	0.84	0.82
NL06	QC06	94.8	1.21	1.16	1.14	1.12
NL06	QC07	308.79	6.07	6.06	6.05	6.04
NL06	SK01	84.84	1.15	1.12	1.09	1.07
NL06	SK02	100.88	2.33	2.32	2.3	2.29
NL06	SK03	107.58	2.84	2.83	2.81	2.8
NL06	SK04	135.11	3.78	3.77	3.76	3.75
NL06	YT01	677.64	17.46	17.45	17.44	17.43
NL07	AB01	110.65	2.57	2.55	2.54	2.53
NL07	AB02	112.06	2.54	2.53	2.52	2.5
NL07	AB03	120.43	3.2	3.19	3.18	3.17
NL07	AB04	138.88	3.64	3.63	3.62	3.61
NL07	AB05	209.58	4.03	4.02	4.01	4
NL07	AB06	326.95	7.71	7.69	7.68	7.67
NL07	BC01	90.09	1.23	1.19	1.15	1.13

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NL07	BC02	146	2.9	2.89	2.84	2.83
NL07	BC03	121.54	2.98	2.97	2.95	2.93
NL07	BC04	117.37	3.24	3.23	3.22	3.21
NL07	BC05	121.27	3.24	3.23	3.22	3.21
NL07	BC06	158.57	3.79	3.78	3.77	3.76
NL07	BC07	210.26	4.07	4.06	4.05	4.03
NL07	BC08	326.95	7.82	7.8	7.77	7.76
NL07	MB01	96.4	2.21	2.16	2.13	2.12
NL07	MB02	106.18	2.79	2.77	2.76	2.74
NL07	MB03	126.71	3.01	2.99	2.98	2.97
NL07	MB04	448.51	12.72	12.71	12.68	12.67
NL07	NB01	69.48	0.24	0.22	0.21	0.19
NL07	NB02	92.93	0.9	0.84	0.77	0.76
NL07	NB03	68.93	0.28	0.22	0.21	0.19
NL07	NB04	88.59	0.9	0.83	0.77	0.76
NL07	NB05	68.93	0.24	0.22	0.21	0.19
NL07	NB06	94.31	0.88	0.78	0.74	0.73
NL07	NL01	68.93	0.26	0.21	0.2	0.18
NL07	NL02	68.93	0.37	0.28	0.25	0.23
NL07	NL03	68.93	0.39	0.32	0.28	0.25
NL07	NL04	68.93	0.23	0.21	0.2	0.18
NL07	NL05	68.93	0.37	0.26	0.24	0.22
NL07	NL06	68.93	0.26	0.21	0.2	0.18
NL07	NL07	68.43	0.22	0.2	0.19	0.15
NL07	NL08	105.38	1.45	1.42	1.4	1.37
NL07	NL09	240.59	4.15	4.1	4.07	4.05
NL07	NS01	76.84	0.93	0.87	0.85	0.84
NL07	NS02	70.14	1.04	0.98	0.94	0.93
NL07	NS03	85.93	1.06	0.98	0.94	0.93
NL07	NS04	80.57	0.32	0.26	0.24	0.22
NL07	NS05	80.99	1.08	1.03	0.88	0.87
NL07	NT01	681.82	17.74	17.73	17.71	17.7
NL07	NT02	800.59	29.77	29.76	29.73	29.72
NL07	NU01	800.59	29.77	29.76	29.73	29.72
NL07	ON01	69.4	0.55	0.5	0.47	0.43
NL07	ON02	69.82	0.59	0.5	0.47	0.43
NL07	ON03	71.86	0.61	0.55	0.52	0.49
NL07	ON04	75.43	0.65	0.59	0.56	0.53
NL07	ON05	92.21	1.38	1.3	1.29	1.27
NL07	ON06	102	2.1	2.09	2.08	2.07
NL07	ON07	85.58	0.85	0.8	0.73	0.69
NL07	ON08	91.14	1.04	0.97	0.94	0.92
NL07	ON09	100.99	1.4	1.36	1.32	1.27
NL07	ON10	222.16	5.28	5.26	5.25	5.24
NL07	PE01	68.93	0.34	0.24	0.23	0.21
NL07	QC01	97.39	1.27	1.15	1.08	1.07
NL07	QC02	152.01	1.46	1.37	1.32	1.3

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NL07	QC03	98.49	1.38	1.29	1.22	1.21
NL07	QC04	88.31	1.23	1.12	1.1	1.09
NL07	QC05	89.39	0.92	0.89	0.87	0.84
NL07	QC06	101.07	1.23	1.21	1.19	1.15
NL07	QC07	311.58	6.29	6.27	6.26	6.25
NL07	SK01	99.91	2.49	2.48	2.41	2.4
NL07	SK02	103.13	2.58	2.57	2.55	2.54
NL07	SK03	109.69	3.09	3.07	3.06	3.05
NL07	SK04	137.64	4.02	4.01	4	3.99
NL07	YT01	680.43	17.74	17.73	17.71	17.7
NL08	AB01	155.79	3.36	3.35	3.25	3.24
NL08	AB02	141.75	2.88	2.81	2.79	2.74
NL08	AB03	165.57	3.98	3.97	3.89	3.88
NL08	AB04	183.74	4.42	4.39	4.38	4.36
NL08	AB05	254.98	4.81	4.79	4.78	4.77
NL08	AB06	371.63	8.5	8.49	8.48	8.45
NL08	BC01	143.59	2.89	2.83	2.8	2.76
NL08	BC02	190.44	3.67	3.63	3.57	3.56
NL08	BC03	166.26	3.76	3.75	3.7	3.69
NL08	BC04	162.07	4.02	4.01	4	3.99
NL08	BC05	165.57	4.02	4.01	4	3.99
NL08	BC06	203.31	4.55	4.54	4.52	4.51
NL08	BC07	254.98	4.84	4.83	4.82	4.81
NL08	BC08	372.35	8.55	8.54	8.52	8.51
NL08	MB01	141.11	2.98	2.97	2.76	2.74
NL08	MB02	150.9	3.56	3.55	3.45	3.44
NL08	MB03	171.85	3.78	3.77	3.76	3.75
NL08	MB04	493.22	13.51	13.5	13.49	13.48
NL08	NB01	138.06	2.8	2.74	2.72	2.68
NL08	NB02	138.06	2.8	2.74	2.72	2.68
NL08	NB03	138.06	2.8	2.74	2.72	2.68
NL08	NB04	138.06	2.8	2.74	2.72	2.68
NL08	NB05	138.06	2.8	2.74	2.72	2.68
NL08	NB06	139.03	2.8	2.74	2.72	2.68
NL08	NL01	138.06	2.79	2.73	2.69	2.67
NL08	NL02	138.06	2.79	2.73	2.69	2.67
NL08	NL03	138.06	2.79	2.73	2.69	2.67
NL08	NL04	138.06	2.79	2.73	2.69	2.67
NL08	NL05	138.06	2.79	2.73	2.69	2.67
NL08	NL06	138.06	2.79	2.73	2.69	2.67
NL08	NL07	138.06	2.79	2.73	2.69	2.67
NL08	NL08	137.63	2.74	2.72	2.68	2.65
NL08	NL09	349.3	7	6.93	6.84	6.83
NL08	NS01	138.06	2.8	2.74	2.72	2.68
NL08	NS02	138.06	2.8	2.74	2.72	2.68
NL08	NS03	138.06	2.8	2.74	2.72	2.68
NL08	NS04	138.06	2.8	2.74	2.72	2.68

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NL08	NS05	138.06	2.8	2.74	2.72	2.68
NL08	NT01	726.53	18.46	18.44	18.43	18.41
NL08	NT02	846.69	30.61	30.57	30.56	30.55
NL08	NU01	846.69	30.61	30.57	30.56	30.55
NL08	ON01	138.06	2.81	2.79	2.74	2.72
NL08	ON02	138.06	2.81	2.79	2.74	2.72
NL08	ON03	138.06	2.81	2.79	2.74	2.72
NL08	ON04	139.3	2.81	2.79	2.74	2.72
NL08	ON05	138.06	2.81	2.79	2.74	2.72
NL08	ON06	146.71	2.88	2.86	2.8	2.79
NL08	ON07	138.06	2.81	2.79	2.74	2.72
NL08	ON08	138.06	2.81	2.79	2.74	2.72
NL08	ON09	166.96	3.36	3.35	3.24	3.23
NL08	ON10	266.16	6.06	6.05	5.97	5.96
NL08	PE01	138.06	2.8	2.74	2.72	2.68
NL08	QC01	138.06	2.81	2.79	2.74	2.72
NL08	QC02	196.31	2.81	2.79	2.74	2.72
NL08	QC03	143.2	2.81	2.79	2.74	2.72
NL08	QC04	138.06	2.81	2.79	2.74	2.72
NL08	QC05	147.39	2.81	2.79	2.74	2.72
NL08	QC06	163.73	3.06	3.05	2.98	2.97
NL08	QC07	355.58	7.05	7.04	7.03	7.02
NL08	SK01	144.61	3.24	3.2	3.16	3.15
NL08	SK02	148.1	3.37	3.36	3.22	3.21
NL08	SK03	154.38	3.87	3.85	3.81	3.8
NL08	SK04	182.33	4.79	4.78	4.77	4.75
NL08	YT01	725.14	18.46	18.44	18.43	18.41
NL09	AB01	410.5	7.84	7.77	7.74	7.72
NL09	AB02	410.5	7.84	7.77	7.74	7.72
NL09	AB03	410.5	7.84	7.77	7.74	7.72
NL09	AB04	410.5	7.84	7.77	7.74	7.72
NL09	AB05	412.18	8.13	8.11	8.1	8.09
NL09	AB06	528.12	11.8	11.79	11.77	11.75
NL09	BC01	412.34	7.86	7.82	7.76	7.73
NL09	BC02	412.34	7.86	7.82	7.76	7.73
NL09	BC03	412.34	7.86	7.82	7.76	7.73
NL09	BC04	412.34	7.86	7.82	7.76	7.73
NL09	BC05	412.34	7.86	7.82	7.76	7.73
NL09	BC06	412.34	7.86	7.82	7.8	7.77
NL09	BC07	412.34	8.18	8.16	8.14	8.13
NL09	BC08	529.54	11.89	11.87	11.86	11.84
NL09	MB01	408.66	7.82	7.76	7.73	7.71
NL09	MB02	408.66	7.82	7.76	7.73	7.71
NL09	MB03	408.66	7.82	7.76	7.73	7.71
NL09	MB04	649.71	16.85	16.84	16.8	16.79
NL09	NB01	404.98	7.76	7.73	7.71	7.68
NL09	NB02	404.98	7.76	7.73	7.71	7.68

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NL09	NB03	404.98	7.76	7.73	7.71	7.68
NL09	NB04	404.98	7.76	7.73	7.71	7.68
NL09	NB05	404.98	7.76	7.73	7.71	7.68
NL09	NB06	404.98	7.76	7.73	7.71	7.68
NL09	NL01	404.98	7.74	7.72	7.69	7.67
NL09	NL02	404.98	7.74	7.72	7.69	7.67
NL09	NL03	404.98	7.74	7.72	7.69	7.67
NL09	NL04	404.98	7.74	7.72	7.69	7.67
NL09	NL05	404.98	7.74	7.72	7.69	7.67
NL09	NL06	404.98	7.74	7.72	7.69	7.67
NL09	NL07	404.98	7.74	7.72	7.69	7.67
NL09	NL08	404.98	7.74	7.72	7.69	7.67
NL09	NL09	507.19	10.33	10.31	10.3	10.29
NL09	NS01	404.98	7.76	7.73	7.71	7.68
NL09	NS02	404.98	7.76	7.73	7.71	7.68
NL09	NS03	404.98	7.76	7.73	7.71	7.68
NL09	NS04	404.98	7.76	7.73	7.71	7.68
NL09	NS05	404.98	7.76	7.73	7.71	7.68
NL09	NT01	881.63	30.61	18.65	18.64	18.64
NL09	NT02	1003.19	33.95	33.94	33.92	33.9
NL09	NU01	1003.19	33.95	33.94	33.92	33.9
NL09	ON01	406.81	7.77	7.74	7.72	7.69
NL09	ON02	406.81	7.77	7.74	7.72	7.69
NL09	ON03	406.81	7.77	7.74	7.72	7.69
NL09	ON04	406.81	7.77	7.74	7.72	7.69
NL09	ON05	406.81	7.77	7.74	7.72	7.69
NL09	ON06	406.81	7.77	7.74	7.72	7.69
NL09	ON07	406.81	7.77	7.74	7.72	7.69
NL09	ON08	406.81	7.77	7.74	7.72	7.69
NL09	ON09	406.81	7.77	7.74	7.72	7.69
NL09	ON10	423.35	9.41	9.39	9.38	9.35
NL09	PE01	404.98	7.76	7.73	7.71	7.68
NL09	QC01	406.81	7.77	7.74	7.72	7.69
NL09	QC02	406.81	7.77	7.74	7.72	7.69
NL09	QC03	406.81	7.77	7.74	7.72	7.69
NL09	QC04	406.81	7.77	7.74	7.72	7.69
NL09	QC05	406.81	7.77	7.74	7.72	7.69
NL09	QC06	406.81	7.77	7.74	7.72	7.69
NL09	QC07	512.76	10.47	10.46	10.45	10.44
NL09	SK01	408.66	7.82	7.76	7.73	7.71
NL09	SK02	408.66	7.82	7.76	7.73	7.71
NL09	SK03	408.66	7.82	7.76	7.73	7.71
NL09	SK04	408.66	7.82	7.8	7.77	7.76
NL09	YT01	881.63	30.61	18.65	18.64	18.64
NS01	AB01	82.86	1.12	1.09	1.07	1.03
NS01	AB02	94.73	2.25	2.22	2.17	2.16
NS01	AB03	103.13	2.89	2.88	2.8	2.79

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NS01	AB04	120.88	2.22	2.19	2.16	2.12
NS01	AB05	163.38	2.21	2.2	2.17	2.13
NS01	AB06	308.79	7.41	7.4	7.39	7.38
NS01	BC01	115.97	2.4	2.32	2.25	2.22
NS01	BC02	83.15	1.32	1.27	1.22	1.2
NS01	BC03	83.15	1.37	1.33	1.29	1.23
NS01	BC04	111.14	1.94	1.9	1.86	1.83
NS01	BC05	103.19	1.77	1.73	1.68	1.66
NS01	BC06	141.11	3.46	3.45	3.44	3.43
NS01	BC07	192.8	3.78	3.77	3.76	3.75
NS01	BC08	310.18	7.47	7.46	7.44	7.43
NS01	MB01	76.26	1.07	1.04	1.01	0.95
NS01	MB02	88.72	2.48	2.47	2.4	2.39
NS01	MB03	99.79	1.61	1.58	1.55	1.52
NS01	MB04	431.72	12.42	12.41	12.39	12.37
NS01	NB01	51.71	0.25	0.21	0.2	0.18
NS01	NB02	52.99	0.36	0.26	0.24	0.22
NS01	NB03	52.99	0.34	0.23	0.22	0.2
NS01	NB04	56.95	0.43	0.38	0.36	0.32
NS01	NB05	62.39	0.26	0.22	0.21	0.18
NS01	NB06	69.88	0.87	0.82	0.77	0.7
NS01	NL01	56.37	0.68	0.64	0.61	0.59
NS01	NL02	56.37	0.7	0.65	0.62	0.6
NS01	NL03	58.43	0.84	0.77	0.7	0.68
NS01	NL04	58.43	0.73	0.66	0.64	0.61
NS01	NL05	59.55	0.8	0.7	0.68	0.65
NS01	NL06	59.55	0.68	0.64	0.61	0.59
NS01	NL07	67.37	0.73	0.66	0.64	0.61
NS01	NL08	104.48	2.08	2.05	2.02	2
NS01	NL09	232.03	4.26	4.24	4.21	4.19
NS01	NS01	51.65	0.24	0.2	0.19	0.15
NS01	NS02	52.16	0.37	0.26	0.24	0.22
NS01	NS03	53.28	0.38	0.28	0.25	0.23
NS01	NS04	53.28	0.37	0.26	0.24	0.22
NS01	NS05	70.41	0.88	0.85	0.83	0.8
NS01	NT01	662.28	17.46	17.45	17.44	17.43
NS01	NT02	785.22	29.47	29.46	29.44	29.43
NS01	NU01	785.22	29.47	29.46	29.44	29.43
NS01	ON01	61.98	0.58	0.53	0.5	0.47
NS01	ON02	62.23	0.6	0.53	0.5	0.47
NS01	ON03	63.53	0.64	0.58	0.55	0.52
NS01	ON04	68.25	0.66	0.61	0.59	0.56
NS01	ON05	70.93	0.7	0.58	0.55	0.52
NS01	ON06	84.67	1.8	1.77	1.76	1.75
NS01	ON07	77.86	0.88	0.85	0.83	0.8
NS01	ON08	81.29	1.08	1.04	1.01	0.97
NS01	ON09	92.49	1.42	1.4	1.37	1.33

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NS01	ON10	203.98	4.97	4.96	4.95	4.92
NS01	PE01	52.46	0.36	0.28	0.25	0.23
NS01	QC01	79.91	0.97	0.82	0.73	0.7
NS01	QC02	66.2	0.56	0.5	0.47	0.43
NS01	QC03	66.2	0.55	0.5	0.47	0.43
NS01	QC04	70.84	0.92	0.82	0.7	0.69
NS01	QC05	80.18	0.94	0.92	0.89	0.87
NS01	QC06	91.5	1.29	1.23	1.21	1.19
NS01	QC07	294.11	6.02	6	5.97	5.96
NS01	SK01	83.51	2.19	2.13	2.07	2.05
NS01	SK02	80.07	1.21	1.19	1.15	1.13
NS01	SK03	101.62	2.74	2.73	2.72	2.69
NS01	SK04	120.15	3.7	3.69	3.67	3.66
NS01	YT01	662.28	17.46	17.45	17.44	17.43
NS02	AB01	81	1.1	1.08	1.04	1.01
NS02	AB02	88.02	2.35	2.34	2.33	2.32
NS02	AB03	96.57	3.01	2.99	2.98	2.97
NS02	AB04	114.86	3.45	3.44	3.43	3.42
NS02	AB05	185.83	3.83	3.82	3.81	3.8
NS02	AB06	302.77	7.53	7.52	7.5	7.49
NS02	BC01	81.46	1.23	1.21	1.19	1.15
NS02	BC02	122.26	2.73	2.67	2.65	2.64
NS02	BC03	97.39	2.8	2.79	2.77	2.76
NS02	BC04	98.96	3.05	3.03	3.02	3.01
NS02	BC05	102.47	3.05	3.03	3.02	3.01
NS02	BC06	134.69	3.61	3.6	3.59	3.57
NS02	BC07	185.83	3.89	3.88	3.87	3.85
NS02	BC08	303.18	7.62	7.61	7.6	7.59
NS02	MB01	66.79	0.93	0.9	0.88	0.85
NS02	MB02	84.03	2.58	2.57	2.55	2.54
NS02	MB03	102.69	2.83	2.81	2.8	2.79
NS02	MB04	424.76	12.57	12.56	12.55	12.54
NS02	NB01	49.38	0.24	0.21	0.2	0.18
NS02	NB02	51.71	0.34	0.24	0.23	0.21
NS02	NB03	52.39	0.32	0.22	0.21	0.19
NS02	NB04	57.05	0.41	0.37	0.34	0.3
NS02	NB05	57.05	0.24	0.21	0.2	0.18
NS02	NB06	70.28	0.85	0.8	0.73	0.69
NS02	NL01	61.2	1.49	1.42	1.37	1.36
NS02	NL02	55.68	0.68	0.64	0.61	0.59
NS02	NL03	98.49	1.63	1.56	1.55	1.54
NS02	NL04	63.98	1.52	1.5	1.42	1.41
NS02	NL05	58.7	0.77	0.69	0.66	0.64
NS02	NL06	74.74	1.46	1.41	1.38	1.37
NS02	NL07	76.14	1.52	1.5	1.41	1.4
NS02	NL08	103.56	2.05	2.04	2.01	1.98
NS02	NL09	280.83	6.02	6	5.94	5.92

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NS02	NS01	52.58	0.39	0.34	0.3	0.26
NS02	NS02	48.51	0.22	0.2	0.19	0.15
NS02	NS03	61.77	0.87	0.77	0.74	0.73
NS02	NS04	55.07	0.37	0.26	0.24	0.22
NS02	NS05	70.13	0.87	0.82	0.77	0.7
NS02	NT01	656.69	17.46	17.45	17.44	17.43
NS02	NT02	776.83	29.62	29.61	29.6	29.59
NS02	NU01	776.83	29.62	29.61	29.6	29.59
NS02	ON01	60.42	0.56	0.52	0.49	0.46
NS02	ON02	65.66	0.62	0.58	0.55	0.5
NS02	ON03	76.84	1.45	1.37	1.29	1.27
NS02	ON04	70.7	1.38	1.37	1.33	1.32
NS02	ON05	66.72	0.66	0.55	0.52	0.49
NS02	ON06	78.1	1.94	1.91	1.86	1.84
NS02	ON07	76.49	0.87	0.82	0.77	0.7
NS02	ON08	85.93	2	1.98	1.97	1.96
NS02	ON09	98.07	2.39	2.38	2.35	2.34
NS02	ON10	197.69	5.1	5.09	5.07	5.06
NS02	PE01	57.79	0.38	0.3	0.26	0.24
NS02	QC01	73.35	1.09	0.94	0.84	0.83
NS02	QC02	127.84	1.27	1.16	1.09	1.08
NS02	QC03	64.64	0.53	0.5	0.47	0.43
NS02	QC04	65.24	1.06	0.92	0.87	0.85
NS02	QC05	78.7	1.68	1.67	1.61	1.59
NS02	QC06	94.73	2.1	2.09	2.02	2.01
NS02	QC07	287.82	6.15	6.09	6.07	6.06
NS02	SK01	82.64	1.2	1.16	1.14	1.12
NS02	SK02	79.29	1.2	1.16	1.14	1.12
NS02	SK03	100.32	2.84	2.83	2.81	2.8
NS02	SK04	114.24	3.83	3.82	3.81	3.8
NS02	YT01	656.69	17.46	17.45	17.44	17.43
NS03	AB01	101.29	2.29	2.28	2.25	2.22
NS03	AB02	102.69	2.27	2.26	2.25	2.22
NS03	AB03	111.08	2.92	2.9	2.89	2.88
NS03	AB04	129.65	3.39	3.38	3.34	3.3
NS03	AB05	200.5	3.77	3.76	3.75	3.7
NS03	AB06	317.17	7.43	7.42	7.41	7.4
NS03	BC01	124.35	2.44	2.34	2.26	2.25
NS03	BC02	79.72	1.45	1.41	1.38	1.36
NS03	BC03	81.46	1.5	1.48	1.45	1.42
NS03	BC04	107.86	2.98	2.97	2.95	2.93
NS03	BC05	111.5	2.98	2.97	2.95	2.93
NS03	BC06	149.49	3.49	3.47	3.46	3.45
NS03	BC07	200.5	3.8	3.79	3.78	3.77
NS03	BC08	317.86	7.5	7.49	7.48	7.47
NS03	MB01	86.91	1.95	1.84	1.78	1.77
NS03	MB02	96.69	2.5	2.49	2.44	2.41

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NS03	MB03	117.22	2.74	2.73	2.65	2.64
NS03	MB04	438.71	12.43	12.42	12.41	12.39
NS03	NB01	74.33	0.46	0.38	0.32	0.3
NS03	NB02	54.92	0.47	0.4	0.38	0.36
NS03	NB03	55.14	0.46	0.39	0.37	0.34
NS03	NB04	59.47	0.58	0.53	0.5	0.47
NS03	NB05	59.81	0.39	0.34	0.3	0.26
NS03	NB06	72.91	0.95	0.93	0.9	0.88
NS03	NL01	58	0.85	0.82	0.77	0.7
NS03	NL02	88.44	1.22	1.16	1.12	1.1
NS03	NL03	60.08	0.95	0.92	0.89	0.87
NS03	NL04	58.23	0.89	0.85	0.83	0.8
NS03	NL05	77.83	1.5	1.41	1.4	1.38
NS03	NL06	60.96	0.85	0.82	0.77	0.7
NS03	NL07	90.82	1.44	1.38	1.37	1.36
NS03	NL08	106.31	2.21	2.2	2.17	2.13
NS03	NL09	296.21	5.94	5.88	5.86	5.84
NS03	NS01	52.23	0.34	0.24	0.23	0.21
NS03	NS02	59.85	0.56	0.47	0.43	0.4
NS03	NS03	54.14	0.23	0.2	0.19	0.15
NS03	NS04	55.4	0.5	0.4	0.38	0.36
NS03	NS05	71.44	0.87	0.82	0.77	0.7
NS03	NT01	670.65	17.46	17.45	17.44	17.43
NS03	NT02	792.2	29.62	29.61	29.6	29.59
NS03	NU01	792.2	29.62	29.61	29.6	29.59
NS03	ON01	63.53	0.68	0.64	0.61	0.59
NS03	ON02	63.86	0.7	0.65	0.62	0.6
NS03	ON03	65.33	0.8	0.68	0.65	0.62
NS03	ON04	69.56	0.84	0.77	0.7	0.68
NS03	ON05	82.71	1.1	1.01	0.94	0.93
NS03	ON06	92.63	1.84	1.79	1.78	1.77
NS03	ON07	91.51	1.54	1.49	1.48	1.46
NS03	ON08	100.61	1.91	1.9	1.83	1.8
NS03	ON09	112.9	2.29	2.28	2.21	2.2
NS03	ON10	212.37	5	4.98	4.97	4.96
NS03	PE01	54.32	0.47	0.41	0.39	0.37
NS03	QC01	88.02	1.01	0.84	0.76	0.74
NS03	QC02	142.52	1.19	1.07	0.98	0.97
NS03	QC03	89.28	1.1	0.97	0.9	0.89
NS03	QC04	78.94	0.94	0.84	0.76	0.74
NS03	QC05	93.19	1.61	1.55	1.54	1.52
NS03	QC06	109.27	2.01	2	1.94	1.91
NS03	QC07	301.79	6.02	6	5.97	5.96
NS03	SK01	90.4	2.21	2.17	2.09	2.08
NS03	SK02	93.88	2.32	2.28	2.2	2.19
NS03	SK03	102.91	2.8	2.79	2.77	2.76
NS03	SK04	128.27	3.76	3.75	3.7	3.69

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NS03	YT01	670.65	17.46	17.45	17.44	17.43
NS04	AB01	95.84	1.34	1.32	1.27	1.23
NS04	AB02	88.42	1.44	1.37	1.34	1.3
NS04	AB03	100.88	1.73	1.68	1.66	1.63
NS04	AB04	118.53	2.17	2.13	2.1	2.08
NS04	AB05	202.59	3.83	3.82	3.78	3.77
NS04	AB06	318.55	7.5	7.49	7.48	7.47
NS04	BC01	85.14	1.36	1.29	1.23	1.21
NS04	BC02	138.33	2.73	2.63	2.62	2.61
NS04	BC03	85.64	1.42	1.4	1.37	1.33
NS04	BC04	109.69	3.06	3.05	2.99	2.98
NS04	BC05	105.93	1.84	1.79	1.77	1.74
NS04	BC06	150.9	3.6	3.59	3.54	3.49
NS04	BC07	202.59	3.88	3.87	3.82	3.81
NS04	BC08	319.95	7.61	7.6	7.59	7.58
NS04	MB01	70.33	1.03	0.97	0.94	0.92
NS04	MB02	98.49	2.58	2.53	2.52	2.5
NS04	MB03	119.44	2.81	2.8	2.73	2.72
NS04	MB04	440.12	12.54	12.52	12.51	12.5
NS04	NB01	56.88	0.38	0.32	0.28	0.25
NS04	NB02	56.88	0.39	0.36	0.32	0.28
NS04	NB03	56.88	0.38	0.32	0.28	0.25
NS04	NB04	59.3	0.43	0.38	0.36	0.32
NS04	NB05	60.7	0.38	0.32	0.28	0.25
NS04	NB06	74.18	0.88	0.85	0.83	0.8
NS04	NL01	58.76	0.77	0.69	0.66	0.64
NS04	NL02	58.76	0.8	0.7	0.68	0.65
NS04	NL03	60.82	0.89	0.85	0.83	0.8
NS04	NL04	60.82	0.82	0.73	0.69	0.66
NS04	NL05	79.65	1.59	1.5	1.4	1.38
NS04	NL06	65.16	0.8	0.74	0.69	0.66
NS04	NL07	71.75	0.83	0.76	0.73	0.68
NS04	NL08	107.5	2.16	2.13	2.1	2.08
NS04	NL09	297.6	6.02	5.94	5.92	5.91
NS04	NS01	56.88	0.38	0.32	0.28	0.25
NS04	NS02	56.88	0.4	0.36	0.32	0.28
NS04	NS03	56.88	0.39	0.36	0.32	0.28
NS04	NS04	56.88	0.37	0.28	0.25	0.23
NS04	NS05	74.3	0.9	0.88	0.85	0.83
NS04	NT01	673.45	17.46	17.45	17.44	17.43
NS04	NT02	793.59	29.62	29.61	29.6	29.59
NS04	NU01	793.59	29.62	29.61	29.6	29.59
NS04	ON01	85.93	1.34	1.2	1.1	1.09
NS04	ON02	64.75	0.65	0.59	0.56	0.53
NS04	ON03	66.2	0.68	0.62	0.6	0.58
NS04	ON04	70.5	0.73	0.66	0.64	0.61
NS04	ON05	70.5	0.73	0.61	0.59	0.56

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NS04	ON06	70.5	0.77	0.7	0.68	0.65
NS04	ON07	80.37	0.92	0.89	0.87	0.84
NS04	ON08	85.03	1.12	1.1	1.08	1.04
NS04	ON09	95.8	1.48	1.45	1.42	1.4
NS04	ON10	213.78	5.1	5.09	5.03	5.02
NS04	PE01	56.88	0.4	0.36	0.32	0.28
NS04	QC01	89.71	1.08	0.92	0.82	0.8
NS04	QC02	68.58	0.6	0.58	0.55	0.52
NS04	QC03	68.58	0.6	0.56	0.53	0.5
NS04	QC04	80.76	1.04	0.9	0.82	0.8
NS04	QC05	84.41	1.03	0.97	0.94	0.92
NS04	QC06	95.8	1.36	1.32	1.27	1.22
NS04	QC07	303.18	6.15	6.05	6.04	6.03
NS04	SK01	92.21	2.29	2.25	2.17	2.16
NS04	SK02	95.71	2.4	2.34	2.27	2.26
NS04	SK03	104.11	2.89	2.88	2.81	2.8
NS04	SK04	129.96	3.82	3.81	3.76	3.75
NS04	YT01	672.06	17.46	17.45	17.44	17.43
NS05	AB01	103.38	2.38	2.35	2.29	2.28
NS05	AB02	96.83	1.96	1.9	1.87	1.84
NS05	AB03	112.94	3.01	2.99	2.93	2.92
NS05	AB04	126.44	3.47	3.46	3.37	3.36
NS05	AB05	187.22	3.92	3.83	3.75	3.7
NS05	AB06	303.18	7.61	7.6	7.41	7.4
NS05	BC01	103.81	2.01	1.98	1.96	1.91
NS05	BC02	122.96	2.8	2.67	2.54	2.53
NS05	BC03	103.81	2.84	2.77	2.69	2.68
NS05	BC04	115.97	3.03	3.02	3.01	2.99
NS05	BC05	118.74	3.03	3.02	3.01	2.99
NS05	BC06	146.33	3.62	3.61	3.47	3.46
NS05	BC07	187.22	3.98	3.91	3.78	3.77
NS05	BC08	304.58	7.68	7.67	7.47	7.46
NS05	MB01	90.21	2.01	2	1.78	1.77
NS05	MB02	100.52	2.57	2.55	2.49	2.48
NS05	MB03	115.6	2.84	2.83	2.73	2.72
NS05	MB04	426.15	12.6	12.59	12.57	12.56
NS05	NB01	88.08	1.38	1.37	1.34	1.3
NS05	NB02	86.51	1.37	1.36	1.32	1.27
NS05	NB03	86.51	1.37	1.36	1.32	1.27
NS05	NB04	86.51	1.37	1.36	1.32	1.27
NS05	NB05	86.51	1.37	1.36	1.32	1.27
NS05	NB06	86.51	1.48	1.45	1.42	1.4
NS05	NL01	88.35	1.4	1.37	1.33	1.29
NS05	NL02	88.35	1.42	1.4	1.37	1.33
NS05	NL03	99.91	1.68	1.55	1.45	1.44
NS05	NL04	88.35	1.48	1.46	1.41	1.4
NS05	NL05	88.35	1.55	1.54	1.41	1.4

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NS05	NL06	88.35	1.4	1.37	1.33	1.29
NS05	NL07	88.35	1.54	1.52	1.38	1.37
NS05	NL08	122.26	2.72	2.69	2.67	2.64
NS05	NL09	282.23	6.07	5.94	5.92	5.91
NS05	NS01	86.51	1.37	1.36	1.32	1.27
NS05	NS02	86.51	1.37	1.36	1.32	1.27
NS05	NS03	86.51	1.37	1.36	1.32	1.27
NS05	NS04	86.51	1.37	1.36	1.32	1.27
NS05	NS05	85.14	1.36	1.33	1.29	1.23
NS05	NT01	656.69	17.61	17.6	17.46	17.45
NS05	NT02	779.64	29.9	29.77	29.62	29.61
NS05	NU01	779.64	29.9	29.77	29.62	29.61
NS05	ON01	88.35	1.4	1.37	1.33	1.29
NS05	ON02	88.35	1.4	1.37	1.33	1.29
NS05	ON03	88.35	1.46	1.37	1.33	1.29
NS05	ON04	88.35	1.4	1.37	1.33	1.29
NS05	ON05	88.35	1.4	1.37	1.33	1.29
NS05	ON06	88.35	1.96	1.9	1.8	1.79
NS05	ON07	93.24	1.63	1.61	1.49	1.48
NS05	ON08	98.41	2.01	2	1.89	1.87
NS05	ON09	108.62	2.41	2.35	2.26	2.25
NS05	ON10	199.09	5.17	5.1	4.97	4.96
NS05	PE01	86.51	1.37	1.36	1.32	1.27
NS05	QC01	88.35	1.4	1.37	1.33	1.29
NS05	QC02	129.23	1.4	1.37	1.33	1.29
NS05	QC03	88.35	1.4	1.37	1.33	1.29
NS05	QC04	88.35	1.4	1.37	1.33	1.29
NS05	QC05	96.75	1.58	1.56	1.54	1.5
NS05	QC06	108.62	2.1	2.09	1.96	1.95
NS05	QC07	288.51	6.23	6.07	6.02	6
NS05	SK01	105.12	2.22	2.21	2.2	2.19
NS05	SK02	101.23	2.38	2.35	2.28	2.27
NS05	SK03	117.18	2.83	2.81	2.8	2.79
NS05	SK04	130.05	3.82	3.81	3.8	3.79
NS05	YT01	656.69	17.61	17.6	17.46	17.45
NT01	AB01	659.47	15.58	15.57	15.56	15.54
NT01	AB02	658.07	15.31	15.29	15.28	15.27
NT01	AB03	667.86	16.05	16.04	16.03	16.02
NT01	AB04	684.63	16.49	16.48	16.47	16.46
NT01	AB05	758.68	17.06	17.04	17.03	17
NT01	AB06	873.24	20.53	20.52	20.51	20.5
NT01	BC01	684.63	16.05	15.99	15.94	15.93
NT01	BC02	698.59	16.15	16.13	16.11	16.09
NT01	BC03	670.65	16.05	16.04	16.03	16.02
NT01	BC04	670.65	16.49	16.48	16.47	16.46
NT01	BC05	672.06	16.49	16.48	16.47	16.46
NT01	BC06	711.16	17.06	17.04	17.03	17

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NT01	BC07	762.86	17.46	17.45	17.44	17.43
NT01	BC08	880.23	21.1	21.08	21.07	21.06
NT01	MB01	653.87	16.05	16.04	15.94	15.93
NT01	MB02	663.68	16.55	16.54	16.53	16.51
NT01	MB03	683.21	16.76	16.75	16.74	16.72
NT01	MB04	1004.59	26.56	26.54	26.51	26.5
NT01	NB01	670.65	17.18	17.17	17.15	17.13
NT01	NB02	679.02	17.33	17.31	17.3	17.29
NT01	NB03	681.82	17.33	17.31	17.3	17.29
NT01	NB04	676.25	17.33	17.31	17.3	17.29
NT01	NB05	677.64	17.18	17.17	17.15	17.13
NT01	NB06	681.82	17.33	17.31	17.3	17.29
NT01	NL01	670.65	18.16	18.14	18.13	18.12
NT01	NL02	691.62	18.57	18.56	18.55	18.54
NT01	NL03	709.77	18.3	18.29	18.28	18.27
NT01	NL04	676.25	18.3	18.29	18.28	18.27
NT01	NL05	673.45	18.3	18.29	18.28	18.27
NT01	NL06	684.63	18.16	18.14	18.13	18.12
NT01	NL07	687.42	18.3	18.29	18.28	18.27
NT01	NL08	733.53	19.15	19.14	19.13	19.11
NT01	NL09	883.04	21.93	21.92	21.91	21.9
NT01	NS01	663.68	17.33	17.31	17.3	17.29
NT01	NS02	656.69	17.46	17.45	17.44	17.43
NT01	NS03	670.65	17.46	17.45	17.44	17.43
NT01	NS04	670.65	17.4	17.38	17.36	17.35
NT01	NS05	656.69	17.53	17.52	17.51	17.48
NT01	NT01	1229.52	30.46	30.45	30.44	30.43
NT01	NT02	1351.08	42.61	42.6	42.59	42.58
NT01	NU01	1351.08	42.61	42.6	42.59	42.58
NT01	ON01	665.06	16.7	16.69	16.67	16.66
NT01	ON02	663.68	16.7	16.69	16.67	16.66
NT01	ON03	672.06	16.76	16.75	16.74	16.72
NT01	ON04	667.86	16.76	16.75	16.74	16.72
NT01	ON05	669.27	16.9	16.89	16.88	16.87
NT01	ON06	673.45	17.26	17.24	17.23	17.21
NT01	ON07	672.06	16.98	16.95	16.93	16.92
NT01	ON08	681.82	17.46	17.45	17.44	17.43
NT01	ON09	693.01	17.74	17.73	17.71	17.7
NT01	ON10	794.99	20.4	20.38	20.36	20.34
NT01	PE01	660.87	17.33	17.31	17.3	17.29
NT01	QC01	676.25	16.98	16.95	16.93	16.92
NT01	QC02	726.53	16.98	16.95	16.93	16.92
NT01	QC03	677.64	17.18	17.17	17.15	17.13
NT01	QC04	666.45	16.9	16.89	16.88	16.87
NT01	QC05	679.02	17.46	17.45	17.44	17.43
NT01	QC06	697.2	18.03	18	17.99	17.98
NT01	QC07	888.6	22	21.98	21.97	21.96

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NT01	SK01	653.87	15.85	15.84	15.83	15.81
NT01	SK02	652.48	15.64	15.58	15.57	15.56
NT01	SK03	663.68	16.49	16.48	16.47	16.46
NT01	SK04	684.63	16.98	16.95	16.93	16.92
NT01	YT01	1225.33	30.46	30.45	30.44	30.43
NT02	AB01	781.03	27.67	27.64	27.63	27.62
NT02	AB02	781.03	27.59	27.58	27.57	27.56
NT02	AB03	790.81	28.21	28.2	28.19	28.18
NT02	AB04	807.57	28.57	28.55	28.54	28.53
NT02	AB05	880.23	29.2	29.19	29.16	29.15
NT02	AB06	993.39	32.55	32.54	32.53	32.52
NT02	BC01	807.57	28.07	28.06	28.05	28.04
NT02	BC02	818.74	28.3	28.28	28.26	28.25
NT02	BC03	793.59	28.07	28.06	28.05	28.04
NT02	BC04	792.2	28.64	28.62	28.61	28.59
NT02	BC05	794.99	28.64	28.62	28.61	28.59
NT02	BC06	834.12	29.13	29.12	29.11	29.08
NT02	BC07	883.04	29.47	29.46	29.44	29.43
NT02	BC08	1001.78	33.19	33.18	33.16	33.14
NT02	MB01	775.45	28.07	28.06	28.05	28.04
NT02	MB02	783.83	28.64	28.62	28.61	28.59
NT02	MB03	804.78	28.92	28.91	28.9	28.87
NT02	MB04	1126.12	38.71	38.67	38.66	38.65
NT02	NB01	792.2	29.34	29.33	29.32	29.3
NT02	NB02	800.59	29.47	29.46	29.44	29.43
NT02	NB03	803.4	29.47	29.46	29.44	29.43
NT02	NB04	796.4	29.47	29.46	29.44	29.43
NT02	NB05	797.79	29.34	29.33	29.32	29.3
NT02	NB06	800.59	29.47	29.46	29.44	29.43
NT02	NL01	793.59	30.31	30.3	30.28	30.27
NT02	NL02	810.37	30.74	30.73	30.72	30.71
NT02	NL03	831.35	30.31	30.3	30.28	30.27
NT02	NL04	796.4	30.46	30.45	30.44	30.43
NT02	NL05	796.4	30.31	30.3	30.28	30.27
NT02	NL06	806.17	30.19	30.18	30.16	30.15
NT02	NL07	808.97	30.46	30.45	30.44	30.43
NT02	NL08	852.28	31.16	31.15	31.13	31.12
NT02	NL09	1003.19	33.95	33.94	33.92	33.9
NT02	NS01	782.42	29.62	29.61	29.6	29.59
NT02	NS02	776.83	29.62	29.61	29.6	29.59
NT02	NS03	792.2	29.62	29.61	29.6	29.59
NT02	NS04	792.2	29.47	29.46	29.44	29.43
NT02	NS05	778.23	29.77	29.76	29.73	29.72
NT02	NT01	1346.89	42.61	42.6	42.59	42.58
NT02	NT02	1471.25	54.92	54.91	54.88	54.87
NT02	NU01	1471.25	54.92	54.91	54.88	54.87
NT02	ON01	786.61	28.92	28.91	28.9	28.87

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
NT02	ON02	592.85	20.61	20.34	20.32	20.3
NT02	ON03	793.59	28.92	28.91	28.9	28.87
NT02	ON04	789.42	28.92	28.91	28.9	28.87
NT02	ON05	789.42	29.06	29.05	29.04	29.03
NT02	ON06	794.99	29.47	29.46	29.44	29.43
NT02	ON07	793.59	29.06	29.05	29.04	29.03
NT02	ON08	803.4	29.62	29.61	29.6	29.59
NT02	ON09	814.56	29.9	29.87	29.86	29.85
NT02	ON10	915.17	32.55	32.54	32.53	32.52
NT02	PE01	782.42	29.47	29.46	29.44	29.43
NT02	QC01	796.4	29.06	29.05	29.04	29.03
NT02	QC02	849.49	29.06	29.05	29.04	29.03
NT02	QC03	797.79	29.34	29.33	29.32	29.3
NT02	QC04	789.42	29.06	29.05	29.04	29.03
NT02	QC05	800.59	29.62	29.61	29.6	29.59
NT02	QC06	817.36	30.19	30.18	30.16	30.15
NT02	QC07	1010.17	34.09	34.08	34.06	34.05
NT02	SK01	775.45	28.07	28.06	28.05	28.04
NT02	SK02	772.66	27.67	27.64	27.63	27.62
NT02	SK03	783.83	28.64	28.62	28.61	28.59
NT02	SK04	808.97	29.06	29.05	29.04	29.03
NT02	YT01	1348.3	42.61	42.6	42.59	42.58
ON01	AB01	71.86	0.77	0.69	0.66	0.64
ON01	AB02	65.75	0.88	0.77	0.7	0.68
ON01	AB03	89.4	1.32	1.29	1.26	1.22
ON01	AB04	99.85	1.64	1.59	1.56	1.54
ON01	AB05	193.51	2.97	2.9	2.8	2.79
ON01	AB06	236.17	4.6	4.52	4.5	4.48
ON01	BC01	78.01	1.03	0.92	0.89	0.85
ON01	BC02	77.51	1.04	0.97	0.94	0.9
ON01	BC03	72.64	1.04	0.95	0.93	0.89
ON01	BC04	100.61	2.19	2.09	2.02	2.01
ON01	BC05	93.36	1.41	1.37	1.34	1.3
ON01	BC06	128.93	1.91	1.84	1.8	1.78
ON01	BC07	193.51	3.01	2.93	2.86	2.85
ON01	BC08	310.86	6.71	6.68	6.58	6.57
ON01	MB01	58.97	0.61	0.58	0.55	0.52
ON01	MB02	73.75	1.08	1.07	1.03	0.98
ON01	MB03	88.84	1.22	1.21	1.19	1.15
ON01	MB04	324.09	8.34	8.25	8.2	8.18
ON01	NB01	49.48	0.46	0.43	0.39	0.37
ON01	NB02	49.72	0.53	0.5	0.47	0.43
ON01	NB03	53.23	0.56	0.53	0.5	0.46
ON01	NB04	53.2	0.58	0.52	0.49	0.46
ON01	NB05	62.62	0.65	0.59	0.56	0.52
ON01	NB06	66.99	1.03	0.97	0.94	0.92
ON01	NL01	54.98	0.94	0.9	0.88	0.85

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
ON01	NL02	53.28	0.92	0.89	0.87	0.84
ON01	NL03	54.98	1.03	0.95	0.93	0.9
ON01	NL04	83.82	1.83	1.73	1.64	1.63
ON01	NL05	85.23	2	1.89	1.75	1.74
ON01	NL06	56.37	1.03	0.95	0.93	0.9
ON01	NL07	64.12	1.03	0.95	0.93	0.9
ON01	NL08	100.99	2.3	2.25	2.21	2.19
ON01	NL09	225.44	4.06	3.99	3.97	3.92
ON01	NS01	50.4	0.59	0.56	0.53	0.5
ON01	NS02	54.7	0.64	0.6	0.58	0.55
ON01	NS03	52.46	0.65	0.6	0.58	0.55
ON01	NS04	52.46	0.65	0.6	0.58	0.55
ON01	NS05	68.85	1.14	1.14	1.12	1.09
ON01	NT01	665.06	16.63	16.62	16.59	16.57
ON01	NT02	783.83	28.77	28.76	28.75	28.74
ON01	NU01	783.83	28.77	28.76	28.75	28.74
ON01	ON01	52.58	0.28	0.22	0.21	0.19
ON01	ON02	52.99	0.34	0.23	0.22	0.2
ON01	ON03	53.34	0.34	0.23	0.22	0.2
ON01	ON04	57.76	0.37	0.28	0.25	0.23
ON01	ON05	60.17	0.53	0.41	0.38	0.36
ON01	ON06	61.88	0.55	0.41	0.39	0.37
ON01	ON07	67.65	0.55	0.53	0.5	0.47
ON01	ON08	72.72	0.69	0.68	0.65	0.62
ON01	ON09	83.12	1.1	1.07	1.03	0.98
ON01	ON10	206.09	4.26	4.2	4.08	4.07
ON01	PE01	50.7	0.56	0.52	0.49	0.44
ON01	QC01	60.17	0.4	0.3	0.26	0.24
ON01	QC02	139.45	0.73	0.55	0.44	0.43
ON01	QC03	66.16	0.43	0.39	0.36	0.32
ON01	QC04	59.3	0.38	0.34	0.3	0.26
ON01	QC05	79.72	0.87	0.83	0.78	0.76
ON01	QC06	85.43	1.15	1.12	1.09	1.07
ON01	QC07	225.44	4.06	3.99	3.97	3.92
ON01	SK01	72.74	0.88	0.82	0.77	0.7
ON01	SK02	69.74	0.89	0.84	0.82	0.77
ON01	SK03	89.82	1.37	1.33	1.29	1.23
ON01	SK04	120.85	2.95	2.86	2.81	2.8
ON01	YT01	663.68	16.63	16.62	16.59	16.57
ON02	AB01	72.31	0.8	0.69	0.66	0.64
ON02	AB02	66.17	0.89	0.77	0.7	0.68
ON02	AB03	86.99	1.33	1.22	1.2	1.16
ON02	AB04	100.23	1.67	1.59	1.56	1.54
ON02	AB05	153.92	1.89	1.83	1.78	1.75
ON02	AB06	236.65	4.61	4.52	4.5	4.48
ON02	BC01	73.45	0.95	0.87	0.83	0.8
ON02	BC02	73.38	0.98	0.92	0.89	0.87

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
ON02	BC03	75.32	1.08	0.98	0.95	0.92
ON02	BC04	89.56	1.41	1.36	1.32	1.27
ON02	BC05	92.4	1.41	1.36	1.32	1.27
ON02	BC06	120.03	1.79	1.73	1.68	1.66
ON02	BC07	191.41	3.01	2.95	2.86	2.85
ON02	BC08	308.79	6.71	6.68	6.61	6.6
ON02	MB01	57.94	0.61	0.55	0.52	0.49
ON02	MB02	74.18	1.09	1.04	1.01	0.97
ON02	MB03	89.25	1.23	1.21	1.19	1.15
ON02	MB04	324.47	8.39	8.25	8.2	8.18
ON02	NB01	47.82	0.46	0.4	0.38	0.36
ON02	NB02	50.16	0.55	0.5	0.47	0.43
ON02	NB03	50.59	0.55	0.5	0.47	0.43
ON02	NB04	53.52	0.59	0.52	0.49	0.46
ON02	NB05	55.14	0.59	0.52	0.49	0.46
ON02	NB06	67.49	1.07	0.95	0.93	0.9
ON02	NL01	53.28	0.92	0.88	0.85	0.83
ON02	NL02	53.79	0.93	0.89	0.87	0.84
ON02	NL03	55.4	1.04	0.95	0.93	0.9
ON02	NL04	55.4	1.04	0.95	0.93	0.9
ON02	NL05	56.82	1.04	0.95	0.93	0.9
ON02	NL06	56.82	1.04	0.95	0.93	0.9
ON02	NL07	64.56	1.04	0.95	0.93	0.9
ON02	NL08	101.33	2.32	2.22	2.2	2.17
ON02	NL09	225.87	4.08	3.99	3.97	3.92
ON02	NS01	50.86	0.6	0.56	0.53	0.5
ON02	NS02	51.1	0.6	0.56	0.53	0.5
ON02	NS03	52.91	0.65	0.61	0.59	0.56
ON02	NS04	52.91	0.65	0.61	0.59	0.56
ON02	NS05	69.88	1.15	1.12	1.09	1.07
ON02	NT01	662.28	16.63	16.62	16.59	16.57
ON02	NT02	582.61	20.71	20.59	20.56	20.53
ON02	NU01	782.42	28.77	28.76	28.75	28.74
ON02	ON01	76.14	0.52	0.32	0.22	0.21
ON02	ON02	53.34	0.36	0.23	0.22	0.2
ON02	ON03	53.79	0.36	0.23	0.22	0.2
ON02	ON04	58.09	0.39	0.26	0.24	0.22
ON02	ON05	58.7	0.55	0.38	0.34	0.3
ON02	ON06	59.24	0.56	0.38	0.36	0.3
ON02	ON07	68.11	0.58	0.53	0.5	0.47
ON02	ON08	72.45	0.77	0.68	0.65	0.62
ON02	ON09	83.5	1.1	1.08	1.04	1.01
ON02	ON10	155.84	3.07	2.98	2.95	2.92
ON02	PE01	70.28	1.09	0.92	0.84	0.83
ON02	QC01	61.61	0.43	0.3	0.26	0.24
ON02	QC02	58.23	0.4	0.32	0.28	0.25
ON02	QC03	62.58	0.44	0.36	0.32	0.26

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
ON02	QC04	59.64	0.4	0.32	0.28	0.25
ON02	QC05	73.62	0.85	0.73	0.69	0.66
ON02	QC06	85.78	1.16	1.12	1.09	1.07
ON02	QC07	225.87	4.08	3.99	3.97	3.92
ON02	SK01	73.16	0.89	0.82	0.77	0.7
ON02	SK02	70.16	0.9	0.82	0.77	0.7
ON02	SK03	90.21	1.4	1.33	1.29	1.23
ON02	SK04	103.75	2	1.91	1.89	1.86
ON02	YT01	494.37	11.9	11.74	11.72	11.7
ON03	AB01	80.55	0.93	0.82	0.78	0.74
ON03	AB02	71.1	1.01	0.85	0.82	0.77
ON03	AB03	88.26	1.36	1.32	1.27	1.22
ON03	AB04	129.96	2.69	2.64	2.55	2.54
ON03	AB05	201.21	3.07	3.06	2.93	2.92
ON03	AB06	317.17	6.79	6.78	6.64	6.63
ON03	BC01	73.07	0.97	0.9	0.88	0.85
ON03	BC02	136.92	1.96	1.86	1.75	1.74
ON03	BC03	73.07	1.08	1.01	0.97	0.94
ON03	BC04	108.13	2.29	2.25	2.22	2.21
ON03	BC05	111.77	2.29	2.25	2.22	2.21
ON03	BC06	149.49	2.83	2.81	2.68	2.67
ON03	BC07	201.21	3.12	3.1	3.01	2.99
ON03	BC08	244.57	4.79	4.69	4.67	4.62
ON03	MB01	87.33	1.26	1.13	1.06	1.04
ON03	MB02	97.11	1.8	1.77	1.67	1.66
ON03	MB03	117.79	2.05	2	1.91	1.9
ON03	MB04	440.12	11.77	11.75	11.74	11.73
ON03	NB01	49.68	0.53	0.44	0.41	0.39
ON03	NB02	50.68	0.59	0.52	0.49	0.46
ON03	NB03	52.01	0.6	0.53	0.49	0.46
ON03	NB04	55.14	0.66	0.61	0.59	0.56
ON03	NB05	60.08	0.73	0.66	0.62	0.6
ON03	NB06	68.29	1.1	1.08	1.04	1.01
ON03	NL01	54.72	0.97	0.92	0.89	0.87
ON03	NL02	53.87	0.97	0.92	0.89	0.87
ON03	NL03	128.27	2.13	2.07	1.98	1.97
ON03	NL04	55.84	1.08	1.03	0.98	0.95
ON03	NL05	57.34	1.08	1.03	0.98	0.95
ON03	NL06	57.34	1.08	1.03	0.98	0.95
ON03	NL07	65.05	1.08	1.03	0.98	0.95
ON03	NL08	115.94	2.72	2.62	2.58	2.53
ON03	NL09	226.98	4.15	4.05	4.01	3.99
ON03	NS01	51.29	0.64	0.59	0.56	0.53
ON03	NS02	51.29	0.64	0.59	0.56	0.53
ON03	NS03	91.1	1.37	1.27	1.19	1.16
ON03	NS04	53.79	0.69	0.64	0.61	0.59
ON03	NS05	69.88	1.16	1.15	1.13	1.1

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
ON03	NT01	670.65	16.76	16.75	16.74	16.72
ON03	NT02	792.2	28.85	28.84	28.83	28.82
ON03	NU01	792.2	28.85	28.84	28.83	28.82
ON03	ON01	53.07	0.36	0.22	0.21	0.19
ON03	ON02	53.07	0.36	0.22	0.21	0.19
ON03	ON03	53.07	0.34	0.21	0.2	0.18
ON03	ON04	56.82	0.36	0.22	0.21	0.19
ON03	ON05	56.82	0.58	0.4	0.38	0.36
ON03	ON06	59.53	0.6	0.43	0.4	0.37
ON03	ON07	67.65	0.6	0.52	0.49	0.46
ON03	ON08	72.08	0.73	0.65	0.62	0.6
ON03	ON09	83.12	1.1	1.08	1.04	1.01
ON03	ON10	212.37	4.32	4.27	4.2	4.19
ON03	PE01	79.91	1.2	1.08	0.97	0.95
ON03	QC01	58.43	0.43	0.36	0.32	0.28
ON03	QC02	58.76	0.43	0.37	0.34	0.3
ON03	QC03	94.73	0.89	0.74	0.62	0.61
ON03	QC04	60.17	0.43	0.37	0.34	0.3
ON03	QC05	74.67	0.88	0.82	0.77	0.7
ON03	QC06	86.45	1.21	1.16	1.14	1.12
ON03	QC07	226.98	4.15	4.05	4.01	3.99
ON03	SK01	81	1.04	0.93	0.9	0.87
ON03	SK02	70.66	0.93	0.88	0.85	0.83
ON03	SK03	100.61	2.13	2.07	2.05	2.04
ON03	SK04	128.54	3.06	3.05	2.95	2.93
ON03	YT01	670.65	16.76	16.75	16.74	16.72
ON04	AB01	95.01	1.5	1.49	1.48	1.46
ON04	AB02	75.5	1.03	0.95	0.93	0.9
ON04	AB03	104.51	2.12	2.1	2.09	2.08
ON04	AB04	122.96	2.58	2.57	2.55	2.54
ON04	AB05	194.21	2.98	2.97	2.95	2.93
ON04	AB06	310.18	6.64	6.63	6.62	6.61
ON04	BC01	89.15	1.19	1.12	1.08	1.06
ON04	BC02	130.35	1.84	1.83	1.76	1.75
ON04	BC03	105.49	1.91	1.9	1.89	1.87
ON04	BC04	101.29	2.2	2.19	2.17	2.16
ON04	BC05	105.06	2.2	2.19	2.17	2.16
ON04	BC06	143.2	2.73	2.72	2.69	2.68
ON04	BC07	194.21	3.02	3.01	2.99	2.98
ON04	BC08	311.58	6.76	6.72	6.71	6.68
ON04	MB01	64.22	0.69	0.65	0.62	0.6
ON04	MB02	90.54	1.7	1.68	1.67	1.66
ON04	MB03	111.08	1.95	1.94	1.91	1.9
ON04	MB04	433.14	11.66	11.65	11.64	11.61
ON04	NB01	54.05	0.58	0.52	0.49	0.46
ON04	NB02	91.93	1.13	1.08	1.01	0.98
ON04	NB03	56.82	0.61	0.58	0.55	0.52

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
ON04	NB04	61.08	0.73	0.66	0.64	0.61
ON04	NB05	90.12	0.98	0.92	0.89	0.88
ON04	NB06	92.93	1.16	1.14	1.12	1.09
ON04	NL01	59.55	1.04	0.97	0.94	0.92
ON04	NL02	61.94	1.09	1.06	1.03	0.98
ON04	NL03	121.54	2.02	2.01	2	1.98
ON04	NL04	57.94	0.93	0.89	0.87	0.84
ON04	NL05	63.02	1.1	1.08	1.04	1.01
ON04	NL06	97.39	1.87	1.86	1.84	1.83
ON04	NL07	68.87	0.93	0.89	0.87	0.84
ON04	NL08	105.93	2.28	2.2	2.17	2.13
ON04	NL09	296.21	5.67	5.64	5.63	5.62
ON04	NS01	57.13	0.69	0.64	0.61	0.59
ON04	NS02	55.58	0.64	0.6	0.58	0.55
ON04	NS03	59.2	0.8	0.69	0.66	0.64
ON04	NS04	60.46	0.69	0.65	0.61	0.59
ON04	NS05	75.47	1.23	1.21	1.19	1.15
ON04	NT01	663.68	16.76	16.63	16.62	16.59
ON04	NT02	785.22	28.77	28.76	28.75	28.74
ON04	NU01	785.22	28.77	28.76	28.75	28.74
ON04	ON01	77.83	0.47	0.37	0.32	0.3
ON04	ON02	58.62	0.39	0.28	0.25	0.23
ON04	ON03	62.36	0.38	0.24	0.23	0.21
ON04	ON04	61.61	0.34	0.22	0.21	0.19
ON04	ON05	61.98	0.62	0.47	0.43	0.4
ON04	ON06	56.72	0.4	0.34	0.3	0.26
ON04	ON07	73.75	0.61	0.59	0.56	0.53
ON04	ON08	77.6	0.77	0.7	0.68	0.65
ON04	ON09	89.1	1.16	1.14	1.12	1.09
ON04	ON10	206.09	4.21	4.2	4.19	4.17
ON04	PE01	58.55	0.66	0.61	0.59	0.56
ON04	QC01	88.02	0.74	0.64	0.56	0.55
ON04	QC02	139.99	0.74	0.65	0.6	0.59
ON04	QC03	90.12	0.95	0.89	0.83	0.82
ON04	QC04	78.94	0.69	0.62	0.56	0.55
ON04	QC05	92.21	1.23	1.22	1.21	1.2
ON04	QC06	109.27	1.76	1.75	1.74	1.73
ON04	QC07	301.79	5.8	5.78	5.77	5.75
ON04	SK01	79.53	0.97	0.94	0.92	0.89
ON04	SK02	84	1.12	1.07	1.04	1.01
ON04	SK03	97	2.01	2	1.98	1.97
ON04	SK04	121.98	2.95	2.93	2.92	2.9
ON04	YT01	665.06	16.76	16.63	16.62	16.59
ON05	AB01	99.2	1.87	1.83	1.8	1.79
ON05	AB02	79	1.3	1.16	1.14	1.1
ON05	AB03	108.97	2.5	2.49	2.38	2.35
ON05	AB04	107.98	2.02	1.96	1.91	1.89

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
ON05	AB05	198.41	3.36	3.35	3.24	3.23
ON05	AB06	314.39	7.03	7.02	7.01	7
ON05	BC01	79.65	1.27	1.15	1.13	1.1
ON05	BC02	134.55	2.22	2.12	2.1	2.09
ON05	BC03	110.09	2.29	2.26	2.19	2.17
ON05	BC04	105.9	2.55	2.54	2.47	2.46
ON05	BC05	109.69	2.55	2.54	2.47	2.46
ON05	BC06	147.39	3.09	3.07	2.99	2.98
ON05	BC07	198.41	3.39	3.38	3.28	3.25
ON05	BC08	315.76	7.08	7.07	7.06	7.05
ON05	MB01	64.82	0.93	0.85	0.83	0.8
ON05	MB02	81.72	1.44	1.4	1.37	1.33
ON05	MB03	115.27	2.32	2.27	2.26	2.25
ON05	MB04	437.31	12.01	12	11.99	11.97
ON05	NB01	51.88	0.56	0.43	0.4	0.38
ON05	NB02	54.32	0.62	0.53	0.5	0.47
ON05	NB03	54.74	0.61	0.52	0.49	0.46
ON05	NB04	59.11	0.7	0.62	0.6	0.58
ON05	NB05	66.54	0.62	0.49	0.46	0.43
ON05	NB06	72.45	1.15	1.12	1.09	1.07
ON05	NL01	57.4	1.03	0.93	0.9	0.88
ON05	NL02	102.69	2.27	2.2	2.1	2.09
ON05	NL03	120.85	1.98	1.94	1.86	1.84
ON05	NL04	87.33	2.04	1.98	1.94	1.91
ON05	NL05	85.51	1.97	1.89	1.79	1.78
ON05	NL06	60.96	1.03	0.93	0.9	0.88
ON05	NL07	68.8	1.07	0.97	0.94	0.92
ON05	NL08	144.61	2.81	2.73	2.64	2.63
ON05	NL09	293.42	5.51	5.45	5.43	5.41
ON05	NS01	54.98	0.68	0.6	0.58	0.55
ON05	NS02	59.64	0.69	0.59	0.56	0.53
ON05	NS03	57.24	0.77	0.65	0.62	0.6
ON05	NS04	58.12	0.66	0.56	0.53	0.5
ON05	NS05	74.01	1.29	1.2	1.16	1.14
ON05	NT01	669.27	17.06	17.04	17.03	17
ON05	NT02	792.2	29.06	29.05	29.04	29.03
ON05	NU01	792.2	29.06	29.05	29.04	29.03
ON05	ON01	82.15	0.84	0.69	0.6	0.59
ON05	ON02	62.75	0.64	0.47	0.44	0.41
ON05	ON03	60.7	0.62	0.5	0.47	0.43
ON05	ON04	83.13	0.88	0.83	0.8	0.78
ON05	ON05	76.57	0.6	0.39	0.37	0.34
ON05	ON06	90.54	1.42	1.37	1.36	1.34
ON05	ON07	89.41	1.12	1.07	1.04	1.03
ON05	ON08	79.06	1.04	0.94	0.92	0.89
ON05	ON09	110.65	1.87	1.86	1.77	1.76
ON05	ON10	210.26	4.61	4.55	4.54	4.52

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
ON05	PE01	53.68	0.62	0.55	0.52	0.49
ON05	QC01	61.61	0.47	0.32	0.28	0.25
ON05	QC02	140.42	0.77	0.62	0.56	0.55
ON05	QC03	87.33	0.68	0.55	0.46	0.44
ON05	QC04	76.84	0.55	0.39	0.32	0.3
ON05	QC05	91.1	1.19	1.12	1.1	1.09
ON05	QC06	107.17	1.59	1.55	1.49	1.48
ON05	QC07	300.4	5.59	5.58	5.57	5.55
ON05	SK01	80.4	1.2	1.12	1.09	1.07
ON05	SK02	77.13	1.21	1.12	1.09	1.07
ON05	SK03	98.12	2.4	2.34	2.33	2.32
ON05	SK04	126.43	3.35	3.34	3.3	3.28
ON05	YT01	667.86	17.06	17.04	17.03	17
ON06	AB01	102.69	2.07	2.05	2.04	2.02
ON06	AB02	103.95	2.05	2.04	2.02	2.01
ON06	AB03	112.34	2.69	2.68	2.67	2.65
ON06	AB04	131.07	3.17	3.16	3.15	3.12
ON06	AB05	201.89	3.55	3.54	3.49	3.47
ON06	AB06	318.55	7.23	7.22	7.21	7.2
ON06	BC01	125.76	2.21	2.17	2.09	2.08
ON06	BC02	138.04	2.41	2.4	2.33	2.32
ON06	BC03	113.16	2.49	2.48	2.47	2.46
ON06	BC04	109.27	2.77	2.76	2.74	2.73
ON06	BC05	113.16	2.76	2.74	2.73	2.72
ON06	BC06	150.9	3.28	3.25	3.24	3.23
ON06	BC07	202.59	3.59	3.57	3.56	3.55
ON06	BC08	319.95	7.28	7.25	7.24	7.23
ON06	MB01	88.31	1.73	1.66	1.65	1.64
ON06	MB02	98.07	2.28	2.27	2.26	2.25
ON06	MB03	118.77	2.52	2.5	2.49	2.48
ON06	MB04	440.12	12.22	12.21	12.2	12.19
ON06	NB01	90.12	1.54	1.48	1.46	1.45
ON06	NB02	51.19	0.61	0.58	0.55	0.52
ON06	NB03	102.42	1.67	1.63	1.54	1.52
ON06	NB04	55.93	0.69	0.66	0.64	0.61
ON06	NB05	97.81	1.55	1.5	1.44	1.42
ON06	NB06	100.88	1.66	1.61	1.55	1.54
ON06	NL01	54.39	1.01	0.95	0.93	0.9
ON06	NL02	110.65	2.86	2.85	2.84	2.83
ON06	NL03	129.23	2.61	2.58	2.57	2.55
ON06	NL04	95.71	2.65	2.64	2.63	2.62
ON06	NL05	93.88	2.58	2.57	2.49	2.48
ON06	NL06	105.22	2.44	2.41	2.4	2.39
ON06	NL07	107.58	2.65	2.64	2.63	2.62
ON06	NL08	152.29	3.42	3.41	3.35	3.34
ON06	NL09	303.18	6.23	6.21	6.2	6.18
ON06	NS01	82.44	1.67	1.66	1.59	1.58

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
ON06	NS02	76.84	1.83	1.8	1.76	1.75
ON06	NS03	91.1	1.78	1.77	1.7	1.68
ON06	NS04	91.8	1.75	1.68	1.64	1.63
ON06	NS05	77.54	1.9	1.78	1.67	1.66
ON06	NT01	673.45	17.18	17.17	17.15	17.13
ON06	NT02	793.59	29.34	29.33	29.32	29.3
ON06	NU01	793.59	29.34	29.33	29.32	29.3
ON06	ON01	85.51	1.04	0.94	0.87	0.85
ON06	ON02	83.56	1.04	0.94	0.87	0.85
ON06	ON03	54.14	0.37	0.28	0.25	0.23
ON06	ON04	57.64	0.37	0.28	0.25	0.23
ON06	ON05	88.17	1.21	1.15	1.12	1.1
ON06	ON06	51.12	0.34	0.26	0.24	0.22
ON06	ON07	92.93	1.32	1.3	1.29	1.27
ON06	ON08	73.07	0.73	0.7	0.68	0.65
ON06	ON09	88.12	1.2	1.15	1.12	1.09
ON06	ON10	213.78	4.78	4.77	4.75	4.74
ON06	PE01	81.03	1.66	1.61	1.59	1.58
ON06	QC01	95.71	1.32	1.2	1.13	1.12
ON06	QC02	148.1	1.3	1.22	1.19	1.16
ON06	QC03	97.81	1.54	1.46	1.4	1.38
ON06	QC04	86.63	1.27	1.19	1.14	1.13
ON06	QC05	99.77	1.8	1.79	1.78	1.77
ON06	QC06	117.09	2.33	2.32	2.3	2.29
ON06	QC07	310.18	6.35	6.34	6.32	6.31
ON06	SK01	91.93	1.98	1.97	1.96	1.95
ON06	SK02	95.28	2.09	2.08	2.07	2.05
ON06	SK03	101.72	2.61	2.58	2.57	2.55
ON06	SK04	129.65	3.54	3.49	3.47	3.46
ON06	YT01	673.45	17.18	17.17	17.15	17.13
ON07	AB01	101.72	1.76	1.75	1.74	1.73
ON07	AB02	92.6	1.2	1.15	1.13	1.1
ON07	AB03	111.08	2.39	2.38	2.35	2.34
ON07	AB04	129.65	2.85	2.84	2.83	2.81
ON07	AB05	200.5	3.22	3.21	3.2	3.19
ON07	AB06	317.17	6.9	6.89	6.88	6.86
ON07	BC01	124.35	1.9	1.84	1.78	1.77
ON07	BC02	136.92	2.1	2.09	2.01	2
ON07	BC03	112.06	2.19	2.17	2.16	2.13
ON07	BC04	111	2.44	2.41	2.4	2.39
ON07	BC05	113.75	2.46	2.44	2.41	2.4
ON07	BC06	149.49	2.99	2.98	2.97	2.95
ON07	BC07	201.21	3.28	3.25	3.24	3.23
ON07	BC08	318.55	6.98	6.83	6.82	6.81
ON07	MB01	87.33	1.41	1.37	1.32	1.3
ON07	MB02	97.11	1.97	1.96	1.95	1.94
ON07	MB03	117.64	2.21	2.2	2.19	2.17

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
ON07	MB04	440.12	11.95	11.93	11.92	11.91
ON07	NB01	89.15	1.22	1.19	1.14	1.13
ON07	NB02	98.49	1.4	1.34	1.29	1.27
ON07	NB03	101.29	1.37	1.3	1.26	1.23
ON07	NB04	93.88	1.4	1.33	1.29	1.27
ON07	NB05	96.69	1.23	1.19	1.16	1.15
ON07	NB06	99.61	1.37	1.29	1.23	1.22
ON07	NL01	90.54	2.17	2.16	2.09	2.08
ON07	NL02	103.67	2.04	2.02	2.01	2
ON07	NL03	127.84	2.29	2.28	2.27	2.26
ON07	NL04	91.38	2.09	2.08	2.07	2.05
ON07	NL05	92.49	2.28	2.26	2.21	2.2
ON07	NL06	104.09	2.13	2.12	2.1	2.09
ON07	NL07	103.4	2.09	2.08	2.07	2.05
ON07	NL08	123.8	2.58	2.57	2.53	2.5
ON07	NL09	301.79	6.02	5.88	5.86	5.84
ON07	NS01	75.76	0.92	0.89	0.87	0.84
ON07	NS02	75.76	1.52	1.5	1.46	1.45
ON07	NS03	78.62	0.97	0.97	0.94	0.92
ON07	NS04	78.62	0.9	0.88	0.85	0.83
ON07	NS05	91.85	1.5	1.49	1.4	1.38
ON07	NT01	670.65	16.9	16.89	16.88	16.87
ON07	NT02	792.2	29.06	29.05	29.04	29.03
ON07	NU01	792.2	29.06	29.05	29.04	29.03
ON07	ON01	95.27	0.87	0.85	0.83	0.8
ON07	ON02	95.27	0.87	0.85	0.83	0.8
ON07	ON03	95.27	0.87	0.85	0.83	0.8
ON07	ON04	95.27	0.87	0.85	0.83	0.8
ON07	ON05	95.27	0.87	0.87	0.83	0.82
ON07	ON06	95.27	1.3	1.29	1.27	1.26
ON07	ON07	92.93	1.07	1.06	1.04	1.03
ON07	ON08	102	1.46	1.45	1.44	1.42
ON07	ON09	114.15	1.83	1.8	1.79	1.78
ON07	ON10	213.78	4.54	4.52	4.51	4.5
ON07	PE01	79.91	1.36	1.32	1.26	1.23
ON07	QC01	83.66	0.66	0.6	0.58	0.55
ON07	QC02	146.71	1.01	0.9	0.89	0.88
ON07	QC03	96.69	1.22	1.14	1.1	1.09
ON07	QC04	85.58	0.95	0.88	0.84	0.83
ON07	QC05	98.49	1.52	1.5	1.49	1.48
ON07	QC06	115.97	2.02	2.01	2	1.98
ON07	QC07	308.79	6.07	6.06	6.05	6.04
ON07	SK01	100.03	1.64	1.63	1.61	1.59
ON07	SK02	97	1.77	1.76	1.75	1.74
ON07	SK03	112.48	2.22	2.21	2.2	2.19
ON07	SK04	128.27	3.21	3.2	3.19	3.18
ON07	YT01	670.65	16.9	16.89	16.88	16.87

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
ON08	AB01	105.04	1.29	1.23	1.21	1.19
ON08	AB02	98.48	1.4	1.36	1.32	1.27
ON08	AB03	121.54	2.88	2.86	2.85	2.84
ON08	AB04	140.42	3.36	3.35	3.34	3.3
ON08	AB05	181.8	2.32	2.3	2.28	2.22
ON08	AB06	328.33	7.4	7.39	7.38	7.37
ON08	BC01	105.5	1.45	1.42	1.4	1.37
ON08	BC02	147.39	2.61	2.58	2.54	2.53
ON08	BC03	122.65	2.67	2.65	2.64	2.63
ON08	BC04	118.77	2.93	2.92	2.9	2.89
ON08	BC05	120.38	1.86	1.83	1.78	1.75
ON08	BC06	159.98	3.45	3.44	3.43	3.42
ON08	BC07	211.68	3.77	3.76	3.75	3.7
ON08	BC08	328.33	7.5	7.49	7.48	7.47
ON08	MB01	97.51	1.9	1.84	1.83	1.8
ON08	MB02	107.58	2.47	2.46	2.44	2.41
ON08	MB03	128.27	2.69	2.68	2.67	2.65
ON08	MB04	449.89	12.39	12.37	12.36	12.35
ON08	NB01	78.91	0.92	0.89	0.87	0.84
ON08	NB02	81.36	1.03	0.95	0.93	0.9
ON08	NB03	81.48	0.95	0.94	0.92	0.89
ON08	NB04	84.67	1.07	1.03	0.98	0.95
ON08	NB05	86.71	0.92	0.89	0.87	0.84
ON08	NB06	95.07	1.45	1.45	1.42	1.4
ON08	NL01	84.67	1.42	1.4	1.37	1.33
ON08	NL02	84.67	1.44	1.41	1.38	1.36
ON08	NL03	86.81	1.52	1.49	1.46	1.44
ON08	NL04	86.81	1.45	1.42	1.4	1.37
ON08	NL05	102	2.68	2.64	2.63	2.62
ON08	NL06	88.46	1.42	1.4	1.37	1.33
ON08	NL07	96.62	1.45	1.42	1.4	1.37
ON08	NL08	159.98	3.43	3.42	3.38	3.37
ON08	NL09	311.58	6.29	6.27	6.26	6.25
ON08	NS01	82.31	1.09	1.07	1.03	0.98
ON08	NS02	82.31	1.03	0.97	0.94	0.92
ON08	NS03	83.95	1.15	1.12	1.09	1.07
ON08	NS04	83.95	1.08	1.04	1.01	0.97
ON08	NS05	98.6	1.59	1.58	1.55	1.52
ON08	NT01	681.82	17.46	17.45	17.44	17.43
ON08	NT02	803.4	29.47	29.46	29.44	29.43
ON08	NU01	803.4	29.47	29.46	29.44	29.43
ON08	ON01	101.23	1.2	1.2	1.16	1.14
ON08	ON02	101.23	1.2	1.2	1.16	1.14
ON08	ON03	101.23	1.2	1.2	1.16	1.14
ON08	ON04	101.23	1.2	1.2	1.16	1.14
ON08	ON05	101.23	1.21	1.2	1.16	1.14
ON08	ON06	101.23	1.41	1.4	1.38	1.37

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
ON08	ON07	102.28	1.49	1.48	1.46	1.45
ON08	ON08	100.79	1.16	1.16	1.14	1.12
ON08	ON09	123.66	2.27	2.26	2.25	2.22
ON08	ON10	223.55	4.97	4.96	4.95	4.92
ON08	PE01	80.74	1.03	0.95	0.93	0.9
ON08	QC01	89.65	0.87	0.8	0.73	0.69
ON08	QC02	156.48	1.42	1.34	1.27	1.26
ON08	QC03	105.49	1.55	1.46	1.41	1.4
ON08	QC04	94.73	1.34	1.26	1.21	1.2
ON08	QC05	107.86	1.91	1.9	1.89	1.87
ON08	QC06	125.06	2.4	2.39	2.38	2.35
ON08	QC07	317.86	6.43	6.41	6.4	6.39
ON08	SK01	106.85	2.13	2.12	2.1	2.09
ON08	SK02	104.51	2.28	2.27	2.26	2.25
ON08	SK03	118.93	2.73	2.72	2.69	2.68
ON08	SK04	138.75	3.69	3.67	3.66	3.65
ON08	YT01	681.82	17.46	17.45	17.44	17.43
ON09	AB01	122.96	2.53	2.52	2.5	2.49
ON09	AB02	108.34	1.77	1.73	1.68	1.66
ON09	AB03	132.74	3.17	3.16	3.15	3.12
ON09	AB04	137.97	2.5	2.47	2.44	2.4
ON09	AB05	222.16	4	3.99	3.98	3.97
ON09	AB06	338.13	7.68	7.67	7.66	7.65
ON09	BC01	115.4	1.86	1.83	1.78	1.75
ON09	BC02	157.89	2.88	2.86	2.83	2.81
ON09	BC03	133.43	2.95	2.93	2.92	2.9
ON09	BC04	129.23	3.21	3.2	3.19	3.18
ON09	BC05	133.01	3.21	3.2	3.19	3.18
ON09	BC06	171.14	3.76	3.75	3.7	3.69
ON09	BC07	222.16	4.05	4.03	4.02	4.01
ON09	BC08	339.53	7.74	7.73	7.72	7.71
ON09	MB01	99.68	1.49	1.45	1.42	1.4
ON09	MB02	118.07	2.74	2.73	2.72	2.69
ON09	MB03	138.82	2.98	2.97	2.95	2.93
ON09	MB04	461.07	12.72	12.71	12.68	12.67
ON09	NB01	88.73	1.29	1.23	1.21	1.19
ON09	NB02	91.21	1.4	1.37	1.33	1.29
ON09	NB03	91.21	1.37	1.33	1.29	1.23
ON09	NB04	114.98	2.17	2.09	2.08	2.07
ON09	NB05	96.57	1.29	1.27	1.22	1.2
ON09	NB06	120.85	2.12	2.1	1.96	1.95
ON09	NL01	94.43	1.79	1.75	1.73	1.68
ON09	NL02	124.77	2.81	2.8	2.79	2.77
ON09	NL03	96.62	1.91	1.89	1.86	1.83
ON09	NL04	112.6	2.86	2.85	2.84	2.83
ON09	NL05	113.86	3.05	3.03	2.93	2.92
ON09	NL06	125.06	2.89	2.88	2.86	2.85

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
ON09	NL07	106.49	1.84	1.83	1.78	1.75
ON09	NL08	138.9	3.17	3.12	3.09	3.06
ON09	NL09	324.15	6.71	6.68	6.67	6.66
ON09	NS01	92.14	1.48	1.44	1.41	1.38
ON09	NS02	92.14	1.41	1.37	1.33	1.29
ON09	NS03	111.08	2.26	2.25	2.17	2.16
ON09	NS04	93.79	1.45	1.42	1.4	1.37
ON09	NS05	107.41	2.3	2.29	2.12	2.1
ON09	NT01	693.01	17.74	17.73	17.71	17.7
ON09	NT02	813.17	29.9	29.87	29.86	29.85
ON09	NU01	813.17	29.9	29.87	29.86	29.85
ON09	ON01	121.49	1.98	1.96	1.91	1.89
ON09	ON02	121.49	1.98	1.96	1.91	1.89
ON09	ON03	121.49	1.98	1.96	1.91	1.89
ON09	ON04	121.49	1.98	1.96	1.91	1.89
ON09	ON05	121.49	1.98	1.96	1.91	1.89
ON09	ON06	121.49	2.04	2.02	2.01	2
ON09	ON07	121.49	1.98	1.96	1.91	1.89
ON09	ON08	122.96	2.22	2.21	2.2	2.19
ON09	ON09	135.23	2.61	2.58	2.57	2.55
ON09	ON10	234.73	5.3	5.28	5.26	5.25
ON09	PE01	101.01	2.12	2.07	2.05	2.04
ON09	QC01	99.52	1.22	1.2	1.16	1.14
ON09	QC02	167.67	1.76	1.7	1.65	1.64
ON09	QC03	118.07	2	1.94	1.86	1.84
ON09	QC04	106.61	1.74	1.65	1.61	1.59
ON09	QC05	119.87	2.28	2.27	2.26	2.25
ON09	QC06	136.92	2.8	2.79	2.77	2.76
ON09	QC07	329.74	6.84	6.83	6.82	6.81
ON09	SK01	116.99	2.41	2.4	2.39	2.38
ON09	SK02	112.86	1.79	1.75	1.73	1.68
ON09	SK03	129.04	3.02	3.01	2.99	2.98
ON09	SK04	149.49	3.99	3.98	3.97	3.94
ON09	YT01	691.62	17.74	17.73	17.71	17.7
ON10	AB01	222.16	5.24	5.21	5.2	5.19
ON10	AB02	223.55	5.21	5.2	5.19	5.18
ON10	AB03	231.92	5.89	5.88	5.86	5.84
ON10	AB04	250.09	6.31	6.3	6.29	6.27
ON10	AB05	321.34	6.71	6.68	6.67	6.66
ON10	AB06	437.31	10.39	10.38	10.35	10.33
ON10	BC01	245.2	5.38	5.37	5.32	5.3
ON10	BC02	257.09	5.59	5.58	5.57	5.55
ON10	BC03	233.34	5.67	5.64	5.63	5.62
ON10	BC04	229.14	5.94	5.92	5.91	5.9
ON10	BC05	232.63	5.94	5.92	5.91	5.9
ON10	BC06	270.35	6.46	6.45	6.43	6.41
ON10	BC07	321.34	6.77	6.76	6.72	6.71

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
ON10	BC08	438.71	10.46	10.45	10.44	10.43
ON10	MB01	208.18	4.89	4.88	4.82	4.81
ON10	MB02	217.95	5.45	5.43	5.41	5.4
ON10	MB03	238.92	5.69	5.68	5.67	5.64
ON10	MB04	560.27	15.41	15.39	15.38	15.37
ON10	NB01	209.58	4.71	4.69	4.62	4.61
ON10	NB02	219.36	4.88	4.87	4.75	4.74
ON10	NB03	222.16	4.87	4.81	4.75	4.74
ON10	NB04	214.46	4.88	4.87	4.75	4.74
ON10	NB05	217.95	4.72	4.71	4.65	4.64
ON10	NB06	220.76	4.83	4.82	4.71	4.69
ON10	NL01	211.68	5.63	5.62	5.61	5.59
ON10	NL02	224.24	5.51	5.5	5.49	5.48
ON10	NL03	248.71	5.75	5.73	5.72	5.71
ON10	NL04	212.37	5.57	5.55	5.52	5.51
ON10	NL05	213.78	5.73	5.72	5.71	5.7
ON10	NL06	224.93	5.61	5.59	5.58	5.57
ON10	NL07	224.24	5.57	5.55	5.52	5.51
ON10	NL08	268.95	6.32	6.31	6.3	6.29
ON10	NL09	423.35	9.35	9.34	9.33	9.32
ON10	NS01	201.89	4.84	4.83	4.82	4.81
ON10	NS02	196.31	4.98	4.97	4.96	4.95
ON10	NS03	210.98	4.96	4.95	4.92	4.91
ON10	NS04	211.68	4.9	4.89	4.82	4.81
ON10	NS05	197.01	5.06	5	4.89	4.88
ON10	NT01	792.2	20.32	20.31	20.3	20.29
ON10	NT02	912.37	32.55	32.54	32.53	32.52
ON10	NU01	912.37	32.55	32.54	32.53	32.52
ON10	ON01	206.09	4.26	4.2	4.14	4.11
ON10	ON02	204.69	4.26	4.2	4.14	4.11
ON10	ON03	212.37	4.3	4.29	4.2	4.19
ON10	ON04	206.09	4.25	4.24	4.23	4.21
ON10	ON05	207.49	4.36	4.35	4.34	4.32
ON10	ON06	213.78	4.78	4.77	4.75	4.74
ON10	ON07	213.78	4.54	4.52	4.51	4.5
ON10	ON08	222.85	4.92	4.91	4.9	4.89
ON10	ON09	234.73	5.3	5.28	5.26	5.25
ON10	ON10	333.92	8.03	8.01	7.98	7.97
ON10	PE01	200.5	4.83	4.82	4.75	4.74
ON10	QC01	215.17	4.49	4.44	4.31	4.3
ON10	QC02	267.56	4.48	4.46	4.34	4.32
ON10	QC03	217.95	4.69	4.68	4.57	4.56
ON10	QC04	206.09	4.45	4.38	4.32	4.31
ON10	QC05	219.36	4.98	4.97	4.96	4.95
ON10	QC06	236.83	5.49	5.48	5.46	5.45
ON10	QC07	428.94	9.5	9.48	9.47	9.46
ON10	SK01	211.68	5.16	5.15	5.13	5.11

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
ON10	SK02	215.17	5.25	5.24	5.21	5.2
ON10	SK03	221.46	5.77	5.75	5.73	5.72
ON10	SK04	249.41	6.68	6.67	6.66	6.64
ON10	YT01	792.2	20.32	20.31	20.3	20.29
PE01	AB01	80.17	1.1	1.08	1.04	1.01
PE01	AB02	92.93	2.27	2.21	2.13	2.12
PE01	AB03	101.29	2.9	2.89	2.8	2.79
PE01	AB04	119.87	3.38	3.37	3.21	3.2
PE01	AB05	162.18	2.2	2.17	2.13	2.1
PE01	AB06	307.39	7.43	7.42	7.41	7.4
PE01	BC01	114.57	2.41	2.32	2.2	2.19
PE01	BC02	80.51	1.29	1.23	1.21	1.19
PE01	BC03	102.42	2.69	2.64	2.63	2.62
PE01	BC04	98.03	2.97	2.95	2.86	2.85
PE01	BC05	102	2.97	2.95	2.86	2.85
PE01	BC06	139.45	3.47	3.46	3.4	3.39
PE01	BC07	191.41	3.79	3.78	3.69	3.67
PE01	BC08	308.79	7.53	7.47	7.46	7.44
PE01	MB01	67.99	0.95	0.93	0.9	0.88
PE01	MB02	82.64	1.42	1.41	1.38	1.36
PE01	MB03	97.65	1.59	1.56	1.54	1.5
PE01	MB04	430.34	12.43	12.42	12.41	12.39
PE01	NB01	51.79	0.24	0.21	0.2	0.18
PE01	NB02	56.37	0.38	0.26	0.24	0.22
PE01	NB03	54.77	0.34	0.24	0.23	0.2
PE01	NB04	56.02	0.41	0.38	0.36	0.32
PE01	NB05	59.61	0.25	0.22	0.2	0.18
PE01	NB06	69.23	0.82	0.8	0.73	0.69
PE01	NL01	54.39	0.66	0.62	0.6	0.58
PE01	NL02	54.74	0.68	0.65	0.62	0.6
PE01	NL03	56.44	0.82	0.73	0.69	0.66
PE01	NL04	59.12	0.76	0.68	0.65	0.62
PE01	NL05	68.19	1.49	1.4	1.33	1.32
PE01	NL06	79.65	1.36	1.3	1.22	1.21
PE01	NL07	81.03	1.42	1.36	1.3	1.29
PE01	NL08	102.47	2.05	2.04	2.01	1.98
PE01	NL09	230.57	4.15	4.1	4.07	4.05
PE01	NS01	51.95	0.39	0.34	0.3	0.26
PE01	NS02	51.95	0.74	0.65	0.6	0.59
PE01	NS03	54.05	0.46	0.4	0.38	0.36
PE01	NS04	54.87	0.38	0.28	0.25	0.23
PE01	NS05	70.69	0.9	0.88	0.85	0.83
PE01	NT01	660.87	17.4	17.38	17.36	17.35
PE01	NT02	782.42	29.47	29.46	29.44	29.43
PE01	NU01	782.42	29.47	29.46	29.44	29.43
PE01	ON01	60.24	0.56	0.52	0.49	0.46
PE01	ON02	65.8	0.64	0.58	0.55	0.52

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
PE01	ON03	61.69	0.62	0.56	0.53	0.5
PE01	ON04	66.02	0.66	0.6	0.58	0.55
PE01	ON05	66.02	0.66	0.55	0.52	0.49
PE01	ON06	83.13	1.83	1.77	1.76	1.75
PE01	ON07	81.73	1.52	1.45	1.44	1.42
PE01	ON08	80.81	1.07	1.03	0.98	0.95
PE01	ON09	90.85	1.41	1.37	1.33	1.29
PE01	ON10	202.59	5.02	5	4.89	4.88
PE01	PE01	52.67	0.38	0.23	0.19	0.18
PE01	QC01	78.25	0.98	0.82	0.69	0.68
PE01	QC02	132.74	1.16	1.04	0.94	0.93
PE01	QC03	64.12	0.55	0.47	0.43	0.4
PE01	QC04	64.38	0.47	0.38	0.36	0.32
PE01	QC05	79.15	0.93	0.9	0.88	0.85
PE01	QC06	90.85	1.23	1.22	1.2	1.16
PE01	QC07	292.02	6.02	6	5.91	5.9
PE01	SK01	81.27	1.2	1.16	1.14	1.12
PE01	SK02	84.23	2.3	2.25	2.17	2.16
PE01	SK03	98.87	2.76	2.74	2.73	2.72
PE01	SK04	112.21	2.32	2.28	2.22	2.2
PE01	YT01	662.28	17.4	17.38	17.36	17.35
QC01	AB01	94.34	1.01	0.93	0.9	0.88
QC01	AB02	94.02	1.15	1.08	1.04	1.01
QC01	AB03	104.57	1.45	1.42	1.4	1.37
QC01	AB04	118.82	1.84	1.79	1.77	1.74
QC01	AB05	171.18	2.02	2	1.97	1.94
QC01	AB06	319.95	6.9	6.89	6.79	6.78
QC01	BC01	95.47	1.14	1.09	1.06	1.03
QC01	BC02	97.27	1.2	1.16	1.13	1.1
QC01	BC03	90.65	1.16	1.14	1.12	1.09
QC01	BC04	115.53	1.64	1.59	1.56	1.54
QC01	BC05	114.62	1.58	1.55	1.52	1.49
QC01	BC06	138.53	1.96	1.9	1.87	1.84
QC01	BC07	203.98	3.28	3.22	3.07	3.06
QC01	BC08	321.34	7	6.98	6.84	6.83
QC01	MB01	85.26	0.84	0.78	0.76	0.7
QC01	MB02	93.24	1.22	1.2	1.16	1.14
QC01	MB03	120.58	2.22	2.12	2.02	2.01
QC01	MB04	442.91	11.93	11.92	11.8	11.79
QC01	NB01	87.04	0.83	0.66	0.56	0.55
QC01	NB02	73.03	0.47	0.41	0.39	0.36
QC01	NB03	73.03	0.46	0.39	0.36	0.32
QC01	NB04	72.41	0.58	0.52	0.49	0.46
QC01	NB05	94.73	0.85	0.66	0.56	0.55
QC01	NB06	81.86	0.97	0.94	0.92	0.89
QC01	NL01	72.41	0.85	0.8	0.73	0.69
QC01	NL02	72.41	0.89	0.82	0.77	0.7

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
QC01	NL03	126.02	1.89	1.76	1.67	1.66
QC01	NL04	72.41	0.9	0.84	0.82	0.77
QC01	NL05	72.41	0.93	0.89	0.87	0.84
QC01	NL06	72.41	0.88	0.8	0.73	0.69
QC01	NL07	78.77	0.9	0.84	0.82	0.77
QC01	NL08	119.92	2.27	2.25	2.21	2.19
QC01	NL09	238.33	4.05	3.98	3.94	3.91
QC01	NS01	72.41	0.55	0.47	0.43	0.4
QC01	NS02	75.91	0.52	0.43	0.4	0.37
QC01	NS03	72.41	0.61	0.55	0.52	0.49
QC01	NS04	77.31	0.55	0.47	0.43	0.4
QC01	NS05	83.5	1.08	1.04	1.01	0.97
QC01	NT01	673.45	16.9	16.89	16.76	16.75
QC01	NT02	794.99	29.06	29.05	29.04	29.03
QC01	NU01	794.99	29.06	29.05	29.04	29.03
QC01	ON01	72.31	0.39	0.34	0.3	0.26
QC01	ON02	72.31	0.43	0.34	0.3	0.26
QC01	ON03	94.6	0.84	0.66	0.53	0.53
QC01	ON04	77.22	0.55	0.43	0.4	0.38
QC01	ON05	76.46	0.56	0.39	0.37	0.32
QC01	ON06	72.31	0.55	0.46	0.41	0.39
QC01	ON07	84.96	0.65	0.61	0.59	0.56
QC01	ON08	89.49	0.88	0.85	0.83	0.8
QC01	ON09	99.85	1.21	1.16	1.14	1.12
QC01	ON10	170.17	3.19	3.17	3.12	3.09
QC01	PE01	77.95	0.94	0.78	0.66	0.65
QC01	QC01	91.8	0.52	0.26	0.21	0.19
QC01	QC02	76.94	0.4	0.3	0.26	0.24
QC01	QC03	73.56	0.39	0.28	0.25	0.23
QC01	QC04	82.57	0.47	0.25	0.21	0.19
QC01	QC05	88.73	0.77	0.7	0.68	0.65
QC01	QC06	99.85	1.12	1.09	1.07	1.03
QC01	QC07	238.33	4.05	3.98	3.94	3.91
QC01	SK01	91.61	1.03	0.97	0.94	0.92
QC01	SK02	87.9	1.04	1.01	0.97	0.94
QC01	SK03	109.52	1.52	1.49	1.46	1.44
QC01	SK04	131.19	3.23	3.16	3.07	3.06
QC01	YT01	673.45	16.9	16.89	16.76	16.75
QC02	AB01	157.89	1.84	1.76	1.7	1.68
QC02	AB02	91.55	1.27	1.19	1.15	1.13
QC02	AB03	167.67	2.47	2.41	2.34	2.33
QC02	AB04	185.83	2.92	2.86	2.8	2.79
QC02	AB05	256.39	3.34	3.24	3.19	3.18
QC02	AB06	373.04	6.98	6.97	6.96	6.93
QC02	BC01	180.95	1.97	1.84	1.75	1.74
QC02	BC02	192.8	2.2	2.07	1.98	1.97
QC02	BC03	168.36	2.26	2.2	2.1	2.09

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
QC02	BC04	164.18	2.53	2.48	2.38	2.35
QC02	BC05	168.36	2.53	2.48	2.38	2.35
QC02	BC06	206.09	3.06	3.01	2.93	2.92
QC02	BC07	257.09	3.37	3.28	3.25	3.24
QC02	BC08	374.45	7.05	7.04	7	6.98
QC02	MB01	76.04	0.9	0.88	0.85	0.83
QC02	MB02	93.63	1.41	1.37	1.33	1.29
QC02	MB03	173.95	2.28	2.25	2.12	2.1
QC02	MB04	496	12.01	12	11.99	11.97
QC02	NB01	72.41	0.47	0.41	0.39	0.37
QC02	NB02	72.41	0.56	0.52	0.49	0.46
QC02	NB03	72.41	0.55	0.47	0.43	0.4
QC02	NB04	72.41	0.64	0.6	0.58	0.55
QC02	NB05	72.41	0.47	0.41	0.39	0.37
QC02	NB06	148.8	1.08	1.04	1.01	0.97
QC02	NL01	72.85	0.93	0.9	0.88	0.85
QC02	NL02	73.39	0.95	0.93	0.89	0.87
QC02	NL03	179.54	1.96	1.86	1.78	1.77
QC02	NL04	146	2	1.94	1.86	1.84
QC02	NL05	143.91	1.95	1.8	1.74	1.73
QC02	NL06	79.37	1.03	0.98	0.95	0.92
QC02	NL07	157.89	2	1.95	1.86	1.84
QC02	NL08	116.99	2.35	2.3	2.28	2.22
QC02	NL09	352.1	5.45	5.38	5.37	5.36
QC02	NS01	74.47	0.62	0.59	0.56	0.53
QC02	NS02	125.06	1.03	0.9	0.84	0.83
QC02	NS03	72.41	0.66	0.64	0.61	0.59
QC02	NS04	72.41	0.59	0.55	0.52	0.49
QC02	NS05	84.34	1.15	1.12	1.09	1.07
QC02	NT01	726.53	17.06	16.98	16.9	16.89
QC02	NT02	848.09	29.34	29.13	29.12	29.11
QC02	NU01	848.09	29.34	29.13	29.12	29.11
QC02	ON01	140.42	0.82	0.62	0.52	0.5
QC02	ON02	72.41	0.56	0.5	0.47	0.43
QC02	ON03	148.1	0.9	0.76	0.65	0.64
QC02	ON04	141.8	0.84	0.77	0.7	0.69
QC02	ON05	139.45	0.64	0.58	0.55	0.52
QC02	ON06	148.8	1.38	1.32	1.26	1.23
QC02	ON07	148.1	1.08	1.01	0.94	0.93
QC02	ON08	157.18	1.46	1.37	1.36	1.34
QC02	ON09	169.06	1.84	1.76	1.75	1.74
QC02	ON10	268.26	4.55	4.5	4.39	4.38
QC02	PE01	72.41	0.56	0.53	0.5	0.47
QC02	QC01	72.74	0.43	0.36	0.32	0.28
QC02	QC02	194.9	0.39	0.23	0.22	0.2
QC02	QC03	82.05	0.6	0.53	0.5	0.46
QC02	QC04	135.52	0.5	0.36	0.32	0.28

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
QC02	QC05	147.82	0.97	0.89	0.84	0.83
QC02	QC06	165.57	1.56	1.48	1.42	1.41
QC02	QC07	359.08	5.59	5.51	5.39	5.38
QC02	SK01	146.71	1.76	1.65	1.59	1.58
QC02	SK02	150.2	1.86	1.78	1.67	1.66
QC02	SK03	156.48	2.35	2.3	2.26	2.25
QC02	SK04	184.42	3.34	3.21	3.2	3.19
QC02	YT01	726.53	17.06	16.98	16.9	16.89
QC03	AB01	105.49	1.89	1.8	1.74	1.73
QC03	AB02	106.87	1.86	1.78	1.68	1.67
QC03	AB03	115.27	2.5	2.46	2.38	2.35
QC03	AB04	133.7	2.97	2.9	2.84	2.83
QC03	AB05	204.69	3.37	3.3	3.21	3.2
QC03	AB06	321.34	7.02	7.01	6.9	6.89
QC03	BC01	85.51	1.19	1.12	1.09	1.07
QC03	BC02	141.11	2.22	2.12	2.04	2.02
QC03	BC03	116.25	2.29	2.25	2.16	2.13
QC03	BC04	112.06	2.57	2.5	2.46	2.44
QC03	BC05	115.97	2.57	2.5	2.46	2.44
QC03	BC06	153.7	3.1	3.05	2.97	2.95
QC03	BC07	204.69	3.4	3.35	3.25	3.24
QC03	BC08	322.75	7.07	7.06	7.05	7.04
QC03	MB01	70.85	0.85	0.82	0.77	0.7
QC03	MB02	101.29	2.08	2.02	1.94	1.91
QC03	MB03	121.54	2.32	2.25	2.22	2.21
QC03	MB04	444.29	12.01	12	11.99	11.97
QC03	NB01	62.05	0.39	0.36	0.32	0.28
QC03	NB02	62.05	0.47	0.41	0.39	0.37
QC03	NB03	62.05	0.46	0.39	0.37	0.34
QC03	NB04	63.76	0.58	0.55	0.52	0.49
QC03	NB05	64.12	0.39	0.36	0.32	0.28
QC03	NB06	77.6	0.95	0.93	0.9	0.88
QC03	NL01	65.33	0.89	0.85	0.8	0.76
QC03	NL02	62.48	0.88	0.84	0.82	0.77
QC03	NL03	127.14	2	1.91	1.8	1.79
QC03	NL04	93.61	2.04	1.96	1.91	1.9
QC03	NL05	65.75	0.93	0.9	0.88	0.85
QC03	NL06	103.4	1.84	1.75	1.67	1.66
QC03	NL07	73.53	0.89	0.85	0.83	0.8
QC03	NL08	110.82	2.22	2.2	2.17	2.13
QC03	NL09	235.9	4.08	4.05	4.01	3.99
QC03	NS01	62.05	0.55	0.5	0.47	0.43
QC03	NS02	71.96	0.95	0.84	0.77	0.76
QC03	NS03	62.05	0.6	0.58	0.55	0.52
QC03	NS04	62.05	0.52	0.46	0.41	0.39
QC03	NS05	79.15	1.08	1.04	1.01	0.97
QC03	NT01	676.25	17.06	17.04	16.9	16.89

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
QC03	NT02	796.4	29.2	29.19	29.16	29.15
QC03	NU01	796.4	29.2	29.19	29.16	29.15
QC03	ON01	88.31	0.85	0.65	0.56	0.55
QC03	ON02	65.33	0.52	0.43	0.4	0.38
QC03	ON03	95.71	0.94	0.8	0.69	0.68
QC03	ON04	89.41	0.88	0.8	0.74	0.73
QC03	ON05	66.64	0.6	0.47	0.43	0.4
QC03	ON06	96.82	1.42	1.34	1.3	1.29
QC03	ON07	80.81	0.73	0.69	0.66	0.64
QC03	ON08	85.43	0.94	0.92	0.89	0.87
QC03	ON09	117.09	1.89	1.8	1.75	1.74
QC03	ON10	216.57	4.6	4.54	4.48	4.46
QC03	PE01	62.05	0.5	0.41	0.39	0.37
QC03	QC01	67.65	0.39	0.32	0.28	0.25
QC03	QC02	143.64	0.49	0.39	0.37	0.34
QC03	QC03	90.12	0.39	0.22	0.19	0.15
QC03	QC04	83.13	0.55	0.37	0.28	0.26
QC03	QC05	84.22	0.85	0.82	0.77	0.7
QC03	QC06	113.46	1.61	1.5	1.45	1.44
QC03	QC07	235.9	4.08	4.05	4.01	3.99
QC03	SK01	94.73	1.78	1.68	1.63	1.61
QC03	SK02	98.22	1.9	1.8	1.74	1.73
QC03	SK03	104.36	1.63	1.59	1.56	1.54
QC03	SK04	132.46	3.36	3.28	3.2	3.19
QC03	YT01	676.25	17.06	17.04	16.9	16.89
QC04	AB01	96.2	1.74	1.66	1.58	1.56
QC04	AB02	96.4	1.7	1.65	1.56	1.55
QC04	AB03	105.68	2.34	2.29	2.25	2.22
QC04	AB04	123.66	2.81	2.74	2.73	2.72
QC04	AB05	194.21	3.2	3.16	3.07	3.06
QC04	AB06	311.58	6.86	6.85	6.79	6.78
QC04	BC01	118.07	1.87	1.73	1.64	1.63
QC04	BC02	130.35	2.07	1.96	1.89	1.87
QC04	BC03	106.18	2.13	2.07	2.01	2
QC04	BC04	108.7	2.38	2.35	2.3	2.29
QC04	BC05	111.49	2.39	2.38	2.28	2.27
QC04	BC06	143.2	2.95	2.88	2.86	2.85
QC04	BC07	194.9	3.23	3.18	3.17	3.16
QC04	BC08	311.58	6.97	6.96	6.86	6.85
QC04	MB01	80.93	1.38	1.22	1.15	1.14
QC04	MB02	93.24	1.94	1.87	1.78	1.77
QC04	MB03	111.5	2.17	2.1	2.02	2.01
QC04	MB04	433.14	11.89	11.87	11.86	11.84
QC04	NB01	82.87	0.41	0.34	0.3	0.26
QC04	NB02	82.87	0.53	0.4	0.38	0.36
QC04	NB03	82.87	0.5	0.39	0.37	0.34
QC04	NB04	82.87	0.61	0.55	0.52	0.49

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
QC04	NB05	82.87	0.41	0.34	0.3	0.26
QC04	NB06	88.72	0.97	0.94	0.92	0.89
QC04	NL01	84.67	0.92	0.87	0.84	0.82
QC04	NL02	92.63	1.59	1.48	1.41	1.4
QC04	NL03	84.67	1.04	0.95	0.93	0.9
QC04	NL04	89.19	1.01	0.93	0.9	0.88
QC04	NL05	84.67	1.8	1.7	1.63	1.61
QC04	NL06	92.93	1.68	1.61	1.52	1.5
QC04	NL07	84.96	0.94	0.89	0.87	0.84
QC04	NL08	117.44	2.25	2.21	2.19	2.16
QC04	NL09	242.36	4.02	3.98	3.94	3.91
QC04	NS01	82.87	0.59	0.52	0.49	0.46
QC04	NS02	89.73	0.58	0.47	0.44	0.41
QC04	NS03	82.87	1.07	0.97	0.87	0.85
QC04	NS04	82.87	1.01	0.88	0.78	0.77
QC04	NS05	85.32	1.08	1.03	0.98	0.95
QC04	NT01	665.06	16.9	16.89	16.76	16.75
QC04	NT02	786.61	29.2	28.92	28.91	28.9
QC04	NU01	786.61	29.2	28.92	28.91	28.9
QC04	ON01	80.99	0.68	0.52	0.4	0.4
QC04	ON02	80.99	0.66	0.53	0.39	0.39
QC04	ON03	80.99	0.52	0.39	0.37	0.34
QC04	ON04	80.99	0.56	0.43	0.4	0.38
QC04	ON05	80.99	0.56	0.38	0.36	0.32
QC04	ON06	86.63	1.27	1.2	1.14	1.13
QC04	ON07	85.95	0.95	0.89	0.83	0.82
QC04	ON08	94.73	1.34	1.27	1.21	1.2
QC04	ON09	106.61	1.74	1.65	1.64	1.63
QC04	ON10	206.09	4.45	4.39	4.32	4.31
QC04	PE01	82.87	0.53	0.41	0.39	0.37
QC04	QC01	80.99	0.37	0.23	0.22	0.2
QC04	QC02	136.23	0.62	0.44	0.37	0.36
QC04	QC03	83.13	0.55	0.37	0.28	0.26
QC04	QC04	79.99	0.39	0.26	0.22	0.2
QC04	QC05	89.75	1.06	0.97	0.9	0.89
QC04	QC06	104.09	1.48	1.41	1.34	1.33
QC04	QC07	296.21	5.51	5.45	5.38	5.37
QC04	SK01	97.65	1.58	1.56	1.46	1.45
QC04	SK02	93.98	1.73	1.67	1.59	1.58
QC04	SK03	109.8	2.17	2.16	2.13	2.12
QC04	SK04	122.87	3.19	3.15	3.07	3.06
QC04	YT01	666.45	16.9	16.89	16.76	16.75
QC05	AB01	110.92	2.3	2.29	2.28	2.27
QC05	AB02	106.77	1.7	1.63	1.59	1.56
QC05	AB03	120.03	2.93	2.92	2.9	2.89
QC05	AB04	137.34	3.4	3.39	3.38	3.37
QC05	AB05	188.06	2.67	2.63	2.61	2.57

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
QC05	AB06	324.15	7.46	7.44	7.43	7.42
QC05	BC01	131.76	2.46	2.44	2.34	2.33
QC05	BC02	144.32	2.65	2.64	2.58	2.57
QC05	BC03	119.87	2.73	2.72	2.69	2.68
QC05	BC04	123.72	2.97	2.95	2.93	2.92
QC05	BC05	126.58	2.97	2.95	2.93	2.92
QC05	BC06	157.18	3.55	3.54	3.49	3.47
QC05	BC07	208.18	3.82	3.81	3.8	3.79
QC05	BC08	325.55	7.53	7.52	7.5	7.49
QC05	MB01	106.77	1.42	1.4	1.37	1.33
QC05	MB02	107.77	2.5	2.49	2.48	2.47
QC05	MB03	125.06	2.76	2.74	2.73	2.72
QC05	MB04	446.4	12.5	12.49	12.46	12.44
QC05	NB01	112.03	1.33	1.33	1.3	1.27
QC05	NB02	104.93	1.23	1.23	1.21	1.19
QC05	NB03	104.93	1.23	1.23	1.21	1.19
QC05	NB04	104.93	1.23	1.23	1.21	1.19
QC05	NB05	104.93	1.23	1.23	1.21	1.19
QC05	NB06	104.93	1.49	1.49	1.46	1.44
QC05	NL01	106.77	1.45	1.42	1.4	1.37
QC05	NL02	106.77	1.44	1.41	1.38	1.36
QC05	NL03	130.64	2.44	2.41	2.4	2.39
QC05	NL04	106.77	1.49	1.45	1.42	1.4
QC05	NL05	106.77	1.54	1.5	1.48	1.45
QC05	NL06	106.77	2.27	2.26	2.25	2.22
QC05	NL07	107.58	2.35	2.34	2.33	2.32
QC05	NL08	152.29	3.15	3.07	3.06	3.05
QC05	NL09	303.9	5.94	5.92	5.91	5.9
QC05	NS01	104.93	1.23	1.23	1.21	1.19
QC05	NS02	104.93	1.44	1.44	1.44	1.44
QC05	NS03	104.93	1.52	1.5	1.49	1.48
QC05	NS04	104.93	1.23	1.23	1.21	1.19
QC05	NS05	104.93	1.58	1.58	1.55	1.52
QC05	NT01	677.64	17.4	17.38	17.36	17.35
QC05	NT02	799.18	29.62	29.61	29.6	29.59
QC05	NU01	799.18	29.62	29.61	29.6	29.59
QC05	ON01	103.1	1.23	1.22	1.2	1.16
QC05	ON02	103.1	1.23	1.22	1.2	1.16
QC05	ON03	103.1	1.23	1.22	1.2	1.16
QC05	ON04	103.1	1.26	1.26	1.26	1.26
QC05	ON05	103.1	1.23	1.22	1.2	1.16
QC05	ON06	103.1	1.84	1.83	1.8	1.79
QC05	ON07	103.1	1.54	1.52	1.5	1.49
QC05	ON08	108.29	1.94	1.91	1.9	1.89
QC05	ON09	120.15	2.32	2.3	2.29	2.28
QC05	ON10	220.06	5.03	5.02	5	4.98
QC05	PE01	104.93	1.23	1.23	1.21	1.19

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
QC05	QC01	103.1	1.22	1.22	1.2	1.16
QC05	QC02	148.1	1.22	1.22	1.2	1.16
QC05	QC03	103.1	1.22	1.22	1.2	1.16
QC05	QC04	103.1	1.22	1.22	1.2	1.16
QC05	QC05	102.47	1.54	1.52	1.5	1.49
QC05	QC06	117.09	2.07	2.05	2.04	2.02
QC05	QC07	310.18	6.07	6.06	6.05	6.04
QC05	SK01	112.86	2.16	2.13	2.12	2.1
QC05	SK02	108.9	2.29	2.28	2.27	2.26
QC05	SK03	124.99	2.76	2.74	2.73	2.72
QC05	SK04	137.88	3.77	3.76	3.75	3.7
QC05	YT01	679.02	17.4	17.38	17.36	17.35
QC06	AB01	131.07	2.77	2.76	2.74	2.73
QC06	AB02	131.07	2.74	2.73	2.72	2.69
QC06	AB03	135.52	3.42	3.41	3.4	3.39
QC06	AB04	153.7	3.87	3.85	3.83	3.82
QC06	AB05	224.93	4.26	4.25	4.24	4.23
QC06	AB06	340.92	7.93	7.92	7.91	7.9
QC06	BC01	148.8	2.92	2.9	2.89	2.88
QC06	BC02	160.68	3.15	3.12	3.1	3.09
QC06	BC03	136.23	3.2	3.19	3.18	3.17
QC06	BC04	133.83	3.45	3.44	3.43	3.42
QC06	BC05	136.6	3.46	3.45	3.44	3.43
QC06	BC06	173.95	4.01	4	3.99	3.98
QC06	BC07	224.93	4.3	4.29	4.27	4.26
QC06	BC08	342.32	8.03	8.01	7.98	7.97
QC06	MB01	127.39	2.34	2.33	2.32	2.3
QC06	MB02	127.39	2.97	2.95	2.93	2.92
QC06	MB03	141.8	3.22	3.21	3.2	3.19
QC06	MB04	463.86	12.92	12.91	12.89	12.88
QC06	NB01	132.24	2.02	2	1.96	1.94
QC06	NB02	127.39	1.96	1.95	1.94	1.86
QC06	NB03	127.39	1.96	1.91	1.89	1.86
QC06	NB04	127.39	1.96	1.95	1.89	1.87
QC06	NB05	127.39	1.96	1.91	1.89	1.86
QC06	NB06	127.39	1.96	1.91	1.89	1.86
QC06	NL01	129.22	1.97	1.96	1.91	1.89
QC06	NL02	129.22	2.62	2.61	2.58	2.57
QC06	NL03	147.39	2.9	2.89	2.88	2.86
QC06	NL04	129.22	2.62	2.61	2.58	2.57
QC06	NL05	129.22	2.8	2.79	2.77	2.76
QC06	NL06	129.22	2.72	2.69	2.68	2.67
QC06	NL07	129.22	1.97	1.96	1.91	1.89
QC06	NL08	167.67	3.46	3.45	3.37	3.36
QC06	NL09	321.34	6.43	6.41	6.4	6.39
QC06	NS01	127.39	1.96	1.91	1.89	1.86
QC06	NS02	127.39	2.05	2.04	2.02	2.01

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
QC06	NS03	127.39	2.05	2.04	2.02	2.01
QC06	NS04	127.39	1.98	1.97	1.96	1.95
QC06	NS05	127.39	2.05	2.04	2.02	2.01
QC06	NT01	695.81	17.89	17.88	17.87	17.85
QC06	NT02	815.97	30.03	30.02	30.01	30
QC06	NU01	815.97	30.03	30.02	30.01	30
QC06	ON01	126.58	1.91	1.9	1.87	1.84
QC06	ON02	126.58	1.91	1.9	1.87	1.84
QC06	ON03	126.58	1.91	1.9	1.87	1.84
QC06	ON04	126.58	1.91	1.9	1.87	1.84
QC06	ON05	126.58	1.91	1.9	1.87	1.84
QC06	ON06	126.58	2.28	2.27	2.26	2.25
QC06	ON07	126.58	1.97	1.96	1.95	1.94
QC06	ON08	126.58	1.91	1.9	1.87	1.84
QC06	ON09	136.92	2.8	2.79	2.77	2.76
QC06	ON10	236.83	5.5	5.49	5.48	5.46
QC06	PE01	127.39	1.96	1.91	1.89	1.86
QC06	QC01	126.1	1.91	1.9	1.87	1.84
QC06	QC02	166.96	1.91	1.9	1.87	1.84
QC06	QC03	126.1	1.91	1.9	1.87	1.84
QC06	QC04	126.1	1.91	1.9	1.87	1.84
QC06	QC05	126.1	2.07	2.05	2.04	2.02
QC06	QC06	134.12	2.54	2.53	2.52	2.5
QC06	QC07	326.95	6.58	6.57	6.54	6.52
QC06	SK01	129.22	2.63	2.62	2.61	2.58
QC06	SK02	129.22	2.76	2.74	2.73	2.72
QC06	SK03	135.7	3.24	3.23	3.22	3.21
QC06	SK04	152.29	4.25	4.24	4.23	4.21
QC06	YT01	694.4	17.89	17.88	17.87	17.85
QC07	AB01	410.13	8.1	8.03	7.98	7.96
QC07	AB02	410.13	8.1	8.03	7.98	7.96
QC07	AB03	410.13	8.1	8.03	7.98	7.96
QC07	AB04	410.13	8.1	8.03	7.98	7.96
QC07	AB05	417.76	8.25	8.23	8.22	8.2
QC07	AB06	533.73	11.95	11.93	11.92	11.91
QC07	BC01	411.98	8.19	8.1	8.07	8.05
QC07	BC02	411.98	8.19	8.1	8.07	8.05
QC07	BC03	411.98	8.19	8.1	8.07	8.05
QC07	BC04	411.98	8.19	8.1	8.07	8.05
QC07	BC05	411.98	8.19	8.1	8.07	8.05
QC07	BC06	411.98	8.19	8.1	8.07	8.05
QC07	BC07	417.76	8.31	8.29	8.28	8.26
QC07	BC08	535.11	12.01	12	11.99	11.97
QC07	MB01	406.44	8.1	8.03	7.98	7.96
QC07	MB02	406.44	8.1	8.03	7.98	7.96
QC07	MB03	406.44	8.1	8.03	7.98	7.96
QC07	MB04	655.28	16.98	16.95	16.93	16.92

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
QC07	NB01	406.44	7.84	7.73	7.71	7.68
QC07	NB02	406.44	7.84	7.73	7.71	7.68
QC07	NB03	406.44	7.84	7.73	7.71	7.68
QC07	NB04	406.44	7.84	7.73	7.71	7.68
QC07	NB05	406.44	7.84	7.73	7.71	7.68
QC07	NB06	406.44	7.84	7.73	7.71	7.68
QC07	NL01	408.29	7.91	7.84	7.82	7.76
QC07	NL02	408.29	7.91	7.84	7.82	7.76
QC07	NL03	408.29	7.91	7.84	7.82	7.76
QC07	NL04	408.29	7.91	7.84	7.82	7.76
QC07	NL05	408.29	7.91	7.84	7.82	7.76
QC07	NL06	408.29	7.91	7.84	7.82	7.76
QC07	NL07	408.29	7.91	7.84	7.82	7.76
QC07	NL08	408.29	7.91	7.84	7.82	7.76
QC07	NL09	514.17	10.47	10.46	10.33	10.31
QC07	NS01	406.44	7.84	7.73	7.71	7.68
QC07	NS02	406.44	7.84	7.73	7.71	7.68
QC07	NS03	406.44	7.84	7.73	7.71	7.68
QC07	NS04	406.44	7.84	7.73	7.71	7.68
QC07	NS05	406.44	7.84	7.73	7.71	7.68
QC07	NT01	887.23	30.03	19	18.99	18.99
QC07	NT02	1008.77	34.09	34.08	34.06	34.05
QC07	NU01	1008.77	34.09	34.08	34.06	34.05
QC07	ON01	404.61	7.84	7.66	7.62	7.6
QC07	ON02	404.61	7.84	7.66	7.62	7.6
QC07	ON03	404.61	7.84	7.66	7.62	7.6
QC07	ON04	404.61	7.84	7.66	7.62	7.6
QC07	ON05	404.61	7.84	7.66	7.62	7.6
QC07	ON06	404.61	7.84	7.66	7.62	7.6
QC07	ON07	404.61	7.84	7.66	7.62	7.6
QC07	ON08	404.61	7.84	7.66	7.62	7.6
QC07	ON09	404.61	7.84	7.66	7.62	7.6
QC07	ON10	428.94	9.5	9.48	9.47	9.46
QC07	PE01	406.44	7.84	7.73	7.71	7.68
QC07	QC01	404.61	7.73	7.66	7.62	7.6
QC07	QC02	404.61	7.73	7.66	7.62	7.6
QC07	QC03	404.61	7.73	7.66	7.62	7.6
QC07	QC04	404.61	7.73	7.66	7.62	7.6
QC07	QC05	404.61	7.73	7.66	7.62	7.6
QC07	QC06	404.61	7.73	7.66	7.62	7.6
QC07	QC07	519.75	10.56	10.53	10.52	10.51
QC07	SK01	408.29	8.03	7.91	7.88	7.86
QC07	SK02	408.29	8.03	7.91	7.88	7.86
QC07	SK03	408.29	8.03	7.91	7.88	7.86
QC07	SK04	408.29	8.03	8.01	7.98	7.97
QC07	YT01	887.23	30.03	19	18.99	18.99
SK01	AB01	95.15	0.61	0.58	0.55	0.52

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
SK01	AB02	95.15	0.64	0.59	0.56	0.53
SK01	AB03	111.21	1.21	1.21	1.21	1.21
SK01	AB04	124.92	1.7	1.68	1.67	1.66
SK01	AB05	180.77	2.16	2.13	2.07	2.05
SK01	AB06	297.6	5.84	5.82	5.81	5.8
SK01	BC01	108.01	1.07	0.97	0.9	0.89
SK01	BC02	120.15	1.27	1.21	1.15	1.14
SK01	BC03	96.97	1.07	1.06	1.04	1.03
SK01	BC04	116.07	1.48	1.48	1.48	1.48
SK01	BC05	118.93	1.49	1.49	1.49	1.49
SK01	BC06	147.36	2.07	2.05	2.04	2.02
SK01	BC07	186.19	2.44	2.41	2.4	2.39
SK01	BC08	301.79	6.15	6.14	6.11	6.1
SK01	MB01	93.08	0.46	0.4	0.38	0.36
SK01	MB02	99.41	1.06	1.04	1.03	1.01
SK01	MB03	114.4	1.26	1.23	1.23	1.22
SK01	MB04	421.95	11.05	11.03	11.02	11.01
SK01	NB01	96.55	1.38	1.37	1.36	1.34
SK01	NB02	96.55	1.59	1.55	1.46	1.45
SK01	NB03	96.55	1.59	1.5	1.42	1.41
SK01	NB04	96.55	1.58	1.56	1.44	1.42
SK01	NB05	96.55	1.44	1.42	1.32	1.3
SK01	NB06	103.1	1.54	1.52	1.41	1.4
SK01	NL01	98.25	2.3	2.29	2.28	2.27
SK01	NL02	104.09	2.79	2.77	2.73	2.72
SK01	NL03	122.26	2.52	2.5	2.44	2.41
SK01	NL04	98.25	2.52	2.5	2.49	2.48
SK01	NL05	98.25	2.44	2.41	2.4	2.39
SK01	NL06	98.49	2.34	2.33	2.32	2.3
SK01	NL07	101.01	2.55	2.54	2.53	2.52
SK01	NL08	146	3.35	3.34	3.21	3.2
SK01	NL09	296.9	6.15	6.14	6.11	6.1
SK01	NS01	96.55	1.48	1.46	1.45	1.44
SK01	NS02	96.55	1.61	1.61	1.59	1.59
SK01	NS03	96.55	1.65	1.64	1.63	1.61
SK01	NS04	96.55	1.59	1.58	1.56	1.55
SK01	NS05	103.1	1.74	1.68	1.5	1.49
SK01	NT01	651.07	15.78	15.77	15.76	15.75
SK01	NT02	774.04	27.95	27.94	27.93	27.92
SK01	NU01	774.04	27.95	27.94	27.93	27.92
SK01	ON01	94.8	0.61	0.58	0.55	0.52
SK01	ON02	94.8	0.64	0.59	0.56	0.53
SK01	ON03	94.8	0.87	0.85	0.74	0.73
SK01	ON04	101.49	0.78	0.7	0.66	0.64
SK01	ON05	94.8	1.07	1.06	1.04	1.03
SK01	ON06	94.8	1.49	1.48	1.46	1.45
SK01	ON07	101.23	1.14	1.13	1.13	1.13

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
SK01	ON08	103.81	1.61	1.59	1.58	1.56
SK01	ON09	113.75	1.96	1.95	1.94	1.91
SK01	ON10	206.78	4.69	4.68	4.67	4.65
SK01	PE01	96.55	1.46	1.45	1.44	1.42
SK01	QC01	94.8	1.2	1.12	1.01	0.98
SK01	QC02	141.11	1.21	1.13	1.06	1.04
SK01	QC03	94.8	1.44	1.36	1.27	1.26
SK01	QC04	94.8	1.1	1.09	1.04	1.03
SK01	QC05	104.29	1.67	1.66	1.65	1.64
SK01	QC06	117.24	2.21	2.2	2.19	2.17
SK01	QC07	303.18	6.29	6.27	6.26	6.25
SK01	SK01	92.74	0.36	0.28	0.25	0.23
SK01	SK02	94.13	0.82	0.73	0.69	0.66
SK01	SK03	111.56	0.88	0.82	0.77	0.76
SK01	SK04	130.25	1.96	1.9	1.87	1.84
SK01	YT01	651.07	15.78	15.77	15.76	15.75
SK02	AB01	93.08	0.55	0.5	0.47	0.43
SK02	AB02	93.08	0.55	0.53	0.52	0.5
SK02	AB03	106.49	1.15	1.14	1.14	1.14
SK02	AB04	118.93	1.64	1.63	1.61	1.59
SK02	AB05	183.04	2.08	2.07	2.05	2.04
SK02	AB06	299	5.72	5.71	5.7	5.69
SK02	BC01	93.08	0.77	0.66	0.64	0.61
SK02	BC02	93.08	0.8	0.73	0.69	0.66
SK02	BC03	94.31	1.04	1.01	0.98	0.97
SK02	BC04	110.63	1.46	1.45	1.45	1.45
SK02	BC05	113.52	1.48	1.46	1.45	1.45
SK02	BC06	141.3	2.05	2.04	2.02	2.01
SK02	BC07	185.83	2.39	2.38	2.35	2.34
SK02	BC08	303.18	6.09	6.07	6.06	6.05
SK02	MB01	79.81	0.65	0.62	0.6	0.58
SK02	MB02	97.65	1.15	1.14	1.13	1.12
SK02	MB03	112.86	1.38	1.37	1.36	1.34
SK02	MB04	424.76	11.18	11.15	11.14	11.13
SK02	NB01	93.08	1.5	1.49	1.42	1.41
SK02	NB02	105.69	0.95	0.89	0.84	0.8
SK02	NB03	99.2	1.68	1.61	1.54	1.52
SK02	NB04	93.08	1.7	1.64	1.55	1.54
SK02	NB05	94.44	1.56	1.49	1.42	1.41
SK02	NB06	99.41	1.66	1.63	1.49	1.48
SK02	NL01	93.08	2.46	2.44	2.41	2.4
SK02	NL02	107.29	2.88	2.86	2.8	2.79
SK02	NL03	93.08	1.56	1.54	1.5	1.48
SK02	NL04	93.08	2.65	2.64	2.63	2.62
SK02	NL05	93.08	2.57	2.55	2.47	2.46
SK02	NL06	102	2.46	2.44	2.41	2.4
SK02	NL07	104.09	2.65	2.64	2.63	2.62

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
SK02	NL08	149.21	3.42	3.41	3.35	3.34
SK02	NL09	300.4	6.23	6.21	6.2	6.18
SK02	NS01	93.53	0.92	0.89	0.87	0.84
SK02	NS02	93.08	1.74	1.73	1.7	1.68
SK02	NS03	93.08	1.77	1.76	1.67	1.66
SK02	NS04	93.08	1.1	1.08	1.04	1.01
SK02	NS05	99.41	1.77	1.76	1.75	1.74
SK02	NT01	652.48	16.05	15.37	15.36	15.34
SK02	NT02	775.45	27.95	27.94	27.93	27.92
SK02	NU01	775.45	27.95	27.94	27.93	27.92
SK02	ON01	93.08	0.98	0.97	0.83	0.82
SK02	ON02	93.08	0.82	0.69	0.66	0.64
SK02	ON03	93.08	1.14	1.08	1.01	0.98
SK02	ON04	93.08	1.04	1.03	1.01	1.01
SK02	ON05	93.08	1.16	1.15	1.1	1.09
SK02	ON06	93.08	1.63	1.61	1.59	1.58
SK02	ON07	99.41	1.27	1.26	1.23	1.22
SK02	ON08	100.79	1.32	1.27	1.22	1.2
SK02	ON09	111.28	2.08	2.07	2.05	2.04
SK02	ON10	210.26	4.81	4.79	4.78	4.77
SK02	PE01	93.08	1.09	1.04	1.01	0.97
SK02	QC01	93.08	0.92	0.85	0.83	0.8
SK02	QC02	144.61	1.33	1.2	1.15	1.14
SK02	QC03	94.73	1.55	1.44	1.37	1.36
SK02	QC04	93.08	1.22	1.21	1.09	1.08
SK02	QC05	102.53	1.79	1.78	1.77	1.76
SK02	QC06	114.67	2.33	2.32	2.3	2.29
SK02	QC07	305.98	6.35	6.34	6.32	6.31
SK02	SK01	90.09	0.47	0.4	0.38	0.36
SK02	SK02	84.46	0.28	0.24	0.23	0.22
SK02	SK03	108.41	1.03	1.01	0.98	0.97
SK02	SK04	119.25	1.67	1.66	1.65	1.64
SK02	YT01	652.48	16.05	15.37	15.36	15.34
SK03	AB01	127.02	1.32	1.27	1.22	1.21
SK03	AB02	127.02	1.32	1.27	1.22	1.21
SK03	AB03	127.02	1.78	1.78	1.78	1.78
SK03	AB04	137.06	2.29	2.28	2.27	2.27
SK03	AB05	192.84	2.74	2.73	2.72	2.69
SK03	AB06	307.39	6.46	6.45	6.43	6.41
SK03	BC01	128.88	1.61	1.59	1.58	1.56
SK03	BC02	129.96	1.89	1.83	1.8	1.79
SK03	BC03	128.88	1.55	1.55	1.55	1.55
SK03	BC04	128.88	2.08	2.08	2.08	2.08
SK03	BC05	131.18	2.08	2.08	2.08	2.08
SK03	BC06	159.61	2.67	2.65	2.64	2.63
SK03	BC07	198.34	3.02	3.01	2.99	2.98
SK03	BC08	311.58	6.79	6.78	6.77	6.76

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
SK03	MB01	125.19	1.29	1.23	1.21	1.19
SK03	MB02	125.19	1.63	1.61	1.61	1.61
SK03	MB03	126.58	1.86	1.84	1.84	1.84
SK03	MB04	431.72	11.66	11.65	11.64	11.61
SK03	NB01	128.88	1.97	1.96	1.95	1.94
SK03	NB02	128.88	2.08	2.07	2.05	2.04
SK03	NB03	128.88	2.08	2.07	2.05	2.04
SK03	NB04	128.88	2.07	2.05	2.04	2.02
SK03	NB05	128.88	1.94	1.94	1.91	1.9
SK03	NB06	128.88	2.05	2.04	2.02	2.01
SK03	NL01	130.69	2.8	2.8	2.8	2.8
SK03	NL02	130.69	3.3	3.28	3.25	3.24
SK03	NL03	132.04	3.12	3.1	3.09	3.07
SK03	NL04	130.69	3.01	3.01	3.01	3.01
SK03	NL05	130.69	2.92	2.9	2.9	2.89
SK03	NL06	130.69	2.84	2.83	2.81	2.81
SK03	NL07	130.69	3.07	3.06	3.05	3.03
SK03	NL08	155.79	3.94	3.92	3.91	3.89
SK03	NL09	306.71	6.79	6.78	6.77	6.76
SK03	NS01	128.88	2.09	2.08	2.07	2.05
SK03	NS02	128.88	2.25	2.22	2.21	2.2
SK03	NS03	128.88	2.13	2.13	2.13	2.13
SK03	NS04	128.88	2.08	2.08	2.08	2.08
SK03	NS05	128.88	2.3	2.29	2.25	2.22
SK03	NT01	660.87	16.43	16.41	16.38	16.37
SK03	NT02	783.83	28.64	28.62	28.61	28.59
SK03	NU01	783.83	28.64	28.62	28.61	28.59
SK03	ON01	127.02	1.46	1.45	1.44	1.42
SK03	ON02	127.02	1.32	1.27	1.22	1.2
SK03	ON03	127.02	1.45	1.44	1.42	1.41
SK03	ON04	127.02	1.5	1.49	1.49	1.49
SK03	ON05	127.02	1.65	1.64	1.63	1.61
SK03	ON06	127.02	1.98	1.98	1.98	1.98
SK03	ON07	127.02	1.73	1.7	1.68	1.67
SK03	ON08	127.02	2.13	2.13	2.13	2.13
SK03	ON09	127.02	2.54	2.53	2.52	2.5
SK03	ON10	216.57	5.32	5.3	5.28	5.26
SK03	PE01	128.88	2.08	2.07	2.05	2.04
SK03	QC01	127.02	1.32	1.27	1.22	1.2
SK03	QC02	150.9	1.83	1.76	1.7	1.68
SK03	QC03	127.02	1.94	1.91	1.9	1.89
SK03	QC04	127.02	1.7	1.68	1.67	1.66
SK03	QC05	127.02	2.21	2.21	2.21	2.21
SK03	QC06	129.41	2.81	2.8	2.79	2.77
SK03	QC07	312.98	6.84	6.83	6.82	6.81
SK03	SK01	125.19	1.29	1.23	1.21	1.19
SK03	SK02	125.19	1.29	1.23	1.21	1.19

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
SK03	SK03	123.98	1.38	1.37	1.37	1.37
SK03	SK04	142.39	2.39	2.38	2.38	2.38
SK03	YT01	660.87	16.43	16.41	16.38	16.37
SK04	AB01	152.8	2.44	2.4	2.38	2.34
SK04	AB02	152.8	2.44	2.4	2.38	2.34
SK04	AB03	152.8	2.53	2.53	2.53	2.53
SK04	AB04	152.8	3.07	3.06	3.05	3.03
SK04	AB05	217.25	3.54	3.49	3.47	3.46
SK04	AB06	333.92	7.17	7.16	7.12	7.11
SK04	BC01	154.61	2.47	2.41	2.39	2.35
SK04	BC02	156.48	2.65	2.64	2.58	2.57
SK04	BC03	154.61	2.47	2.41	2.4	2.39
SK04	BC04	154.61	2.85	2.84	2.84	2.84
SK04	BC05	154.61	2.86	2.85	2.85	2.85
SK04	BC06	173.14	3.49	3.47	3.46	3.45
SK04	BC07	220.76	3.81	3.8	3.79	3.78
SK04	BC08	338.13	7.52	7.5	7.49	7.48
SK04	MB01	152.8	2.44	2.4	2.38	2.34
SK04	MB02	152.8	2.44	2.44	2.44	2.44
SK04	MB03	152.8	2.79	2.77	2.76	2.74
SK04	MB04	459.67	12.56	12.55	12.54	12.52
SK04	NB01	156.47	2.8	2.79	2.79	2.79
SK04	NB02	156.47	3.01	2.99	2.98	2.97
SK04	NB03	156.47	3.01	2.99	2.98	2.97
SK04	NB04	156.47	2.99	2.98	2.97	2.95
SK04	NB05	154.61	2.86	2.85	2.84	2.83
SK04	NB06	154.61	2.99	2.98	2.97	2.95
SK04	NL01	158.31	3.7	3.69	3.69	3.69
SK04	NL02	158.31	4.23	4.21	4.2	4.19
SK04	NL03	159.98	4.05	4.03	4.02	4.01
SK04	NL04	158.31	3.92	3.91	3.89	3.88
SK04	NL05	158.31	3.83	3.82	3.81	3.8
SK04	NL06	158.31	3.78	3.77	3.76	3.75
SK04	NL07	158.31	3.99	3.98	3.97	3.94
SK04	NL08	183.04	4.87	4.84	4.83	4.82
SK04	NL09	333.92	7.68	7.67	7.66	7.65
SK04	NS01	154.61	2.9	2.9	2.9	2.9
SK04	NS02	154.61	3.17	3.16	3.15	3.12
SK04	NS03	154.61	3.06	3.05	3.03	3.03
SK04	NS04	154.61	3.02	3.01	2.99	2.98
SK04	NS05	154.61	3.09	3.07	3.06	3.05
SK04	NT01	687.42	17.11	17.1	17.09	17.08
SK04	NT02	810.37	29.2	29.19	29.16	29.15
SK04	NU01	810.37	29.2	29.19	29.16	29.15
SK04	ON01	154.61	2.47	2.41	2.39	2.35
SK04	ON02	154.61	2.47	2.41	2.39	2.35
SK04	ON03	154.61	2.47	2.46	2.44	2.41

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
SK04	ON04	154.61	2.47	2.46	2.44	2.41
SK04	ON05	154.61	2.47	2.47	2.47	2.47
SK04	ON06	154.61	2.9	2.9	2.9	2.9
SK04	ON07	154.61	2.58	2.58	2.58	2.58
SK04	ON08	154.61	3.09	3.07	3.06	3.06
SK04	ON09	154.61	3.45	3.44	3.43	3.42
SK04	ON10	244.51	6.25	6.24	6.23	6.21
SK04	PE01	154.61	2.88	2.88	2.88	2.88
SK04	QC01	154.61	2.62	2.61	2.58	2.57
SK04	QC02	178.83	2.76	2.74	2.58	2.57
SK04	QC03	154.61	2.85	2.84	2.83	2.81
SK04	QC04	154.61	2.52	2.52	2.5	2.49
SK04	QC05	154.61	3.16	3.15	3.12	3.12
SK04	QC06	154.61	3.76	3.75	3.7	3.69
SK04	QC07	340.92	7.83	7.82	7.8	7.77
SK04	SK01	152.8	2.44	2.4	2.38	2.34
SK04	SK02	152.8	2.44	2.4	2.38	2.34
SK04	SK03	152.8	2.44	2.41	2.4	2.39
SK04	SK04	151.06	3.15	3.12	3.1	3.09
SK04	YT01	687.42	17.11	17.1	17.09	17.08
YT01	AB01	659.47	15.58	15.57	15.56	15.54
YT01	AB02	659.47	15.31	15.29	15.28	15.27
YT01	AB03	669.27	16.05	16.04	16.03	16.02
YT01	AB04	684.63	16.43	16.41	16.38	16.37
YT01	AB05	758.68	17.06	17.04	17.03	17
YT01	AB06	873.24	20.48	20.47	20.46	20.45
YT01	BC01	686.02	15.94	15.93	15.91	15.9
YT01	BC02	698.59	16.21	16.19	16.18	16.17
YT01	BC03	670.65	15.99	15.98	15.97	15.96
YT01	BC04	670.65	16.49	16.48	16.47	16.46
YT01	BC05	672.06	16.49	16.48	16.47	16.46
YT01	BC06	709.77	17.06	17.04	17.03	17
YT01	BC07	761.47	17.33	17.31	17.3	17.29
YT01	BC08	880.23	21.1	21.08	21.07	21.06
YT01	MB01	653.87	15.99	15.98	15.97	15.96
YT01	MB02	663.68	16.55	16.54	16.53	16.51
YT01	MB03	684.63	16.76	16.75	16.74	16.72
YT01	MB04	1005.97	26.56	26.54	26.51	26.5
YT01	NB01	670.65	17.18	17.17	17.15	17.13
YT01	NB02	679.02	17.33	17.31	17.3	17.29
YT01	NB03	683.21	17.33	17.31	17.3	17.29
YT01	NB04	676.25	17.33	17.31	17.3	17.29
YT01	NB05	677.64	17.18	17.17	17.15	17.13
YT01	NB06	681.82	17.33	17.31	17.3	17.29
YT01	NL01	672.06	18.09	18.08	18.07	18.06
YT01	NL02	691.62	18.51	18.5	18.49	18.48
YT01	NL03	709.77	18.25	18.23	18.2	18.19

Service Level:	Expedited Ground					
Weight Break:	Standard Bands					
Origin	Destination	0-10 Flat	11-400	401-1000	1001-2000	2001+
YT01	NL04	676.25	18.3	18.29	18.28	18.27
YT01	NL05	674.84	18.25	18.23	18.2	18.19
YT01	NL06	684.63	18.09	18.08	18.07	18.06
YT01	NL07	687.42	18.3	18.29	18.28	18.27
YT01	NL08	732.13	19.06	19.05	19.04	19.03
YT01	NL09	883.04	21.93	21.92	21.91	21.9
YT01	NS01	663.68	17.33	17.31	17.3	17.29
YT01	NS02	656.69	17.46	17.45	17.44	17.43
YT01	NS03	670.65	17.46	17.45	17.44	17.43
YT01	NS04	670.65	17.4	17.38	17.36	17.35
YT01	NS05	658.07	17.53	17.52	17.51	17.48
YT01	NT01	1226.74	30.46	30.45	30.44	30.43
YT01	NT02	1346.89	42.61	42.6	42.59	42.58
YT01	NU01	1346.89	42.61	42.6	42.59	42.58
YT01	ON01	665.06	16.7	16.69	16.67	16.66
YT01	ON02	663.68	16.7	16.69	16.67	16.66
YT01	ON03	672.06	16.76	16.75	16.74	16.72
YT01	ON04	666.45	16.76	16.75	16.74	16.72
YT01	ON05	667.86	16.85	16.84	16.8	16.79
YT01	ON06	673.45	17.26	17.24	17.23	17.21
YT01	ON07	672.06	16.98	16.95	16.93	16.92
YT01	ON08	683.21	17.4	17.38	17.36	17.35
YT01	ON09	693.01	17.74	17.73	17.71	17.7
YT01	ON10	794.99	20.4	20.38	20.36	20.34
YT01	PE01	660.87	17.33	17.31	17.3	17.29
YT01	QC01	676.25	16.98	16.95	16.93	16.92
YT01	QC02	726.53	16.98	16.95	16.93	16.92
YT01	QC03	677.64	17.18	17.17	17.15	17.13
YT01	QC04	666.45	16.9	16.89	16.88	16.87
YT01	QC05	679.02	17.46	17.45	17.44	17.43
YT01	QC06	697.2	18.03	18	17.99	17.98
YT01	QC07	888.6	22	21.98	21.97	21.96
YT01	SK01	653.87	15.85	15.84	15.83	15.81
YT01	SK02	652.48	15.51	15.5	15.48	15.46
YT01	SK03	663.68	16.49	16.48	16.47	16.46
YT01	SK04	684.63	16.98	16.95	16.93	16.92
YT01	YT01	1226.74	30.46	30.45	30.44	30.43